



**List of MBA First Year Students Participation in the Extension Activity**

S#	Seat	Name of Student
1	52384	ADAKE PRASAD RAJENDRA
2	52385	ADSUL AKSHAY RAJENDRA
3	52334	AHUJA TEJAL ANUPKUMAR
4	52300	ATOLE SHANILKUMAR ASHOK
5	52386	ATOLE SURAJ SHIVAJI
6	52335	BALI KOMAL BALU
7	52312	BANKAR SHUBHAM SURESH
8	52313	BHAGAT AJAY DATTATRAYA
9	52296	BHOSALE AKSHAY BALASO
10	52307	BHOSALE TRUPTI NARENDRA
11	52387	BHUJBAL MAYUR SURESH
12	52336	CHANDGUDE TRUPTI BHANUDAS
13	52337	CHAVAN OMKAR NAMDEV
14	52301	DADAS SOURABH JOTIRAM
15	52338	DARADE ABHIJIT SUDARSHAN
16	52328	DESHMUKH SHUBHAM NAGNATH
17	52297	DHUMAL OMKAR HANMANT
18	52314	DHUMAL VAIBHAV SOMANATH
19	52339	DOIPHODE CHAITALI RAJENDRA
20	52315	DOSHI DIKSHITA HEMANTKUMAR
21	52389	GADE UJWALA MADHUKAR
22	52340	GAIKWAD AKASH MANOHAR
23	52388	GAIKWAD DASHRATH ASHOK
24	52341	GAIKWAD MANSI DATTARAM
25	52308	GAIKWAD MRUNALI ANIL
26	52316	GAIKWAD NIKHIL CHANDRAKANT
27	52342	GAIKWAD ROHIT VINOD
28	52317	GAIKWAD SANGRAM SEVAGIRI

Submitted By

  
Dr. A. Y. Dikshit  
BMC MoU Coordinator

Copy To:  
1. AIMS IQAC



  
Dr. M. A. Jahori  
Director



फाईल क्र.

## बारामती नगर परिषद, बारामती

खाते ~~55-2021~~ ~~वर्षाव~~ ~~2020~~ उपखाते \_\_\_\_\_

विषय : ~~वर्षाव~~ ~~वर्षाव~~ .  
55-2021- Citizen Engagement point no. 08

Rankings, Swachh Hotel, School, Hospital,  
BWA/Mohalla, Government Offices &  
प्रकरण सुरु झाल्याचा दिनांक : \_\_\_\_\_ Market Association

प्रकरण बंद झाल्याचा दिनांक : \_\_\_\_\_

CE- 108

	<p>बारामती नगरपरिषद कार्यालय, बारामती ता. बारामती जि. पुणे Email – <a href="mailto:baramatinp@gmail.com">baramatinp@gmail.com</a> Phone No. 02112/222494</p>	 एक कदम स्वच्छता की ओर ULB CODE: 802820
---	--	--

## A Comprehensive Report on Ranks given to Organizations by Baramati Municipal Council, Baramati in Keeping Workplace Neat and Clean

Assessment for Hotels, Schools, Hospitals, Market Associations, RWA/Mohallas are identified and specific reports under each case is submitted herewith as under Swachh Sarvekshan 2021

This is to submit that, BMC Baramati, as directed under **Swachh Sarvekshan 2021**, conducted a field survey of public organizations in Baramati city to identify the levels of cleanliness practiced at workplaces.

A three step survey was conducted in 3 Months viz. October, November and December 2020 and top three ranks were given to organizations under the identified categories.

Enclosed herewith are the following:

1. Comprehensive data analysis report of survey and ranks given to Hotels, Schools, Hospitals, Market Associations, RWA/Mohallas in Baramati. (Enclosure 1)
2. List of Ranks identified under each category (Enclosure 2)
3. Data Collected and Assessment Reports under each identified category. (Enclosure 3)

This report is enclosed for your kind reference and perusal.

  
Nodal Officer  
BMC, Baramati

Chief Officer  
BMC Baramati




# Comprehensive data analysis report of survey and ranks given to Hotels, Schools, Hospitals, Market Associations, RWA/Mohallas in Baramati. ( Enclosure 1)

**Table 01: Assessment for Swachh Hospital under SwachhSarvekshan 2021**

S#	Name	Hospitals				Total
		Infrastructure Max: 60 Points	Service/Maintenance Max Points: 40 Points	Feedback from Patients and Staff Max Points: 30	Swachhata App Usage	
1	Shivnandan Hospital	54	37	30	15	136
2	Nirmaya Medical Foundation & Research Center	50	31	24	15	120
3	Shreyas Hospital	30	25	16	13	84
4	Bhandare Hospital	24	26	16	10	76
5	Anuchandra Accident Hospital	28	25	26	0	79

Source: Primary Survey (October-November- December 2020)

**Graph01: Assessment for Swachh Hospital under SwachhSarvekshan 2021**



Rank	Organisation
1	Shivnandan Hospital
2	Nirmaya Medical Foundation & Research Center
3	Shreyas Hospital




**Table 02: Assessment for School under SwachhSarvekshan 2021**

Table 02: Assessment for School under SwachhSarvekshan 2021						
S#	Name	Schools				Total
		Infrastructure Max: 50 Points	Service/Maintenance Max Points: 30 Points	Feedback from Members Max Points: 20	Swachata Committees in every Class Max Points: 20	
1	VP VGBVM	46	27	20	20	113
2	MES GBDHS	35	21	19	15	90
3	CSHJC	27	15	14	10	66
4	DASHJC	26	11	12	10	59
5	RNSTJC	19	8	8	10	45

Source: Primary Survey (October-November- December 2020)

**Graph02: Assessment for School under SwachhSarvekshan 2021**



Rank	Organisation
1	VP VGBVM
2	MES GBDHS
3	CSHJC




**Table 03: Assessment for RWA/Mohalla under SwachhSarvekshan 2021**

S#	Name	RWA/Mohalla			Total
		Infrastructure Max: 60 Points	Service/Maintenance Max Points: 40 Points	Swatchata App Usage Max Points: 30	
1	Baramati Developers Vrindavan	7	14	15	46
2	Magic Green City Khandobanagar	29	16	10	55
3	Mukti Township 1	31	19	10	60
4	Green Park MIDC	45	30	15	90
5	Devraj Residency Vishwasnagar	32	17	15	64

Source: Primary Survey (October-November- December 2020)

Graph03:Assessment for RWA/Mohalla under SwachhSarvekshan 2021



Rank	Organisation
1	Green Park Baramati Ph-1 (Rui)
2	Devraj Residency Vishwasnagar
3	Mukti Township 1




**Table No 04: Assessment for Swachh Hotel under SwachhSarvekshan 2021**

S#	Name	Sanitation Cleaning Schedule	Availability of Toilets	Toilet Access to General Public	Worker Hygiene & Upkeep	Food Safety and Trade License	Type of drinking Water	Food Material Process	Signage	Waste Composting Plant	Separate Bins for Waste	Silt Grill before drain Entry Installed	Fees payment of Bulk Garbage Generator	Display of Self Declaration	Total
	Max Points	17	15	10	15	15	15	15	10	40	15	10	15	15	150
1	Amardeep Hotel	5	10	10	5	10	10	10	10	10	10	10	0	10	110
2	Krushnasagar Hotel	5	10	10	5	10	5	10	10	0	5	10	10	10	100
3	Neelam Palace Hotel	5	5	10	5	10	5	10	10	0	5	10	5	5	85
4	Sudit Executive	5	10	10	5	10	5	10	10	0	0	10	0	5	80
5	Amruta Pure Veg	2	5	10	5	10	5	10	10	0	5	10	0	5	75

Source: Primary Survey (October-November-December 2020)

**Graph04: Assessment for Swachh Hotel under SwachhSarvekshan 2021**





Rank	Organisation
1	Amardeep Hotel
2	Krushnasagar Hotel
3	Neelam Palace Hotel



**Table No 05: Assessment for Swachh Market under SwachhSarvekshan 2021**

S#	Name	Toilet Facilities Available	Sweeping & Cleaning Premises	Litter Bins Color & Segregated	Bio degradable Waste Composting	Signage Boards	Paved Roads & Drains	Boundaries Demarcated	Plastic Ban	Citizen Feedback	Drinking Water Facility	To
1	Ganesh Mandai Baramati	20	25	25	45	7	15	7	7	7	7	16
2	ChattrapatiShahuMaharajUdyogBhavan Baramati	15	10	0	15	5	10	5	5	0	5	70
		15	10	5	15	2	10	0	5	0	2	66

Source: Primary Survey (October-November- December 2020)  
Graph05:Assessment for Swachh Market under SwachhSarvekshan 2021



Rank	Organisation
1	Ganesh Mandai Baramati
2	ChattrapatiShahuMaharajUdyogBhavan Baramati




**Table No06: Assessment for Office under SwachhSarvekshan 2021**

S#	Name	Office								
		Sanitation Infrastructure			Sanitation in Premises			Adequacy of Dustbins		
1		Urinals	Toilet	Basins	Dirty	Moderately Clean	Spic & Span	Not Available	Not Adequate	Available & Adequate
1	PrashaskiyaBhavan Baramati	100	86.66	90	0	0	100	0	0	100
2	PrashaskiyaBhavanIndapur Road	100	90	90	0	0	100	0	0	100
3	UriaBhavan Baramati	100	100	100	0	0	100	0	0	100

Source: Primary Survey (October-November- December 2020)

**Graph06:Assessment for Office under SwachhSarvekshan 2021**



Rank	Organisation
1	PrashaskiyaBhavan Baramati
2	PrashaskiyaBhavanIndapur Road
3	UriaBhavan Baramati

This report is submitted for your kind reference and perusal.  
This report is prepared by **Dr. Abhishek Dikshit (Associate Professor) Anekant Institute of Management Studies (AIMS), Baramati.**

*(Signature)*  
Nodal Officer

**Baramati Municipal Council, Baramati**






बारामती नगरपरिषद कार्यालय, बारामती

ता. बारामती जि. पुणे

Email - [baramatinp@gmail.com](mailto:baramatinp@gmail.com)

Phone No. 02112/222494



एक कदम स्वच्छता की ओर

ULB CODE: 802820

## Assessment For swachh School under Swachh Sarvekshan- 2021

Sr No.	Name Of School	Address	Ward No	Contact No. landline/mob	Marks Obtained
01	एम.ई.र. कें. जी.बी. देशपांडे हायस्कूल	बारामती रोड स्टेशन समोर बारामती		8380042078	90
02	V.P. मिनादे कुमार गजरा वानमिकास भंडारे	बिठावठा रोड एम.ई.एस बारामती		21122319386	113
03	* डी.एस. शांतप (कारभारी) हायस्कूल	बारामती - पठाणाप भका कसबा बारामती		9687156601	59
04	ज्युनियर कॉलेज श्री धनपानी शाह हायस्कूल ज्युनियर कॉलेज	पाटस रोड, बारामती.		9404031001	66
05	राधेश्याम आवापन टेल्गेकट दंडसरी	गांडकवारी रोड, टि.सी. कॉलेज समोर बारामती		2112122890	45
06	सुर ज्युनियर कॉलेज बारामती नगर परिषद शाळा	देशमुख कायस्थ पाठाशाला नगर बारामती		8972229620	44
07	कृ. 9. बारामती नगर परिषद शाळा फेंड	नगर बारामती करवा, बारामती		78872229620	44
08	बारामती नगर परिषद शाळा फेंड 3	सिद्धेश्वर वाळी		7972229620	44
09	बारामती नगर परिषद शाळा फेंड 5	सिद्धेश्वर वाळी.		7972229620	43

# बारामती नगर परिषद बारामती



नगर विकास विभाग,  
महाराष्ट्र शासन



स्वच्छ सर्वेक्षण  
महाराष्ट्र 2019



स्वच्छ सर्वेक्षण 2019 सुरु झालंय

होय,  
आम्हाला माहित आहे!

आम्ही तयार  
आहोत

शहरं बदलताहेत, शहरं घडताहेत - सुंदर, स्वच्छ होताहेत...



Swachhata - MoHUA

प्ले स्टोर वरून अॅप

डाउनलोड करण्यासाठी

QR code स्कॅन करा



QR code



तुमच्या सेव्हिंग अकाउंट  
बॅलेन्सवर प्रति वर्ष

6%

पर्यंत व्याज मिळवा

आपल्या बचत खात्यावरील रु. 1 लाखापेक्षा जास्त व रु. 10 लाखापेक्षा कमी शिष्टक रकमेवर 6% प्रतीवर्ष दराने व्याज मिळवा. तसेच आपल्या बचत खात्यामधील रु. 1 लाखापेक्षा कमी शिष्टक रकमेवर 4% प्रतीवर्ष आणि रु. 10 लाखापेक्षा जास्त शिष्टक रकमेवर 5.5% प्रतीवर्ष दराने व्याज मिळवा. केवळ निवासी खात्यांसाठी लागू. व्याज दरांसंबंधी ताज्या माहितीसाठी [www.kotak.com](http://www.kotak.com) ता भेट द्या.

शालेचा पत्ता : - कोटक महिंद्रा बँक, सिद्धी विनायक टॉवर, भिंगवान रोड, बारामती, पुणे, महाराष्ट्र, पिन कोड - 413102 अधिक माहितीसाठी कृपया संपर्क साधा - 02112-229246 / 8975859696



बारामती नगरपरिषद कार्यालय, बारामती

ता. बारामती जि. पुणे

Email - [baramatinp@gmail.com](mailto:baramatinp@gmail.com)

Phone No. 02112/222494

स्वच्छ

भारत

एक कदम स्वच्छता की ओर

ULB CODE: 802820

10	बारामती नगर परिषद शाका कुट्ट	शारदा प्रभाग	9834908	43
11	बारामती नगर परिषद शाका कुट्ट	सिद्धेश्वर गंगी	948 983408	42
12	बारामती नगर परिषद शाका कुट्ट	शारदा प्रभाग	983408	41
13	बारामती नगर परिषद शाका कुट्ट	वसंत नगर बारामती	948 983408	40
14				
15				

Mark wise RWA Ranks

- 1.
- 2.
- 3.



Nodal Officer

Baramati Municipal Council

# बारामती नगर परिषद बारामती



नगर विकास विभाग,  
महाराष्ट्र शासन



स्वच्छ  
सर्वेक्षण  
महाराष्ट्र 2019



स्वच्छ  
सर्वेक्षण 2019 सुरु झालंय

होय,  
आम्हाला माहित आहे!

आम्ही तयार  
आहोत

शहरं बदलताहेत, शहरं घडताहेत - सुंदर, स्वच्छ होताहेत...



Swachhata - MoHUA

प्ले स्टोर वरून ॲप

डाउनलोड करण्यासाठी

QR code स्कॅन करा



QR code



तुमच्या सेव्हिंग अकाउंट  
बॅलेन्सवर प्रति वर्ष

6%\*

पर्यंत व्याज मिळवा

आपल्या बचत खात्यावरील रु. 1 लाखापेक्षा जास्त व रु. 10 लाखापेक्षा कमी शिद्धक रकमेवर 6% प्रतीवर्ष दराने व्याज मिळवा. तसेच आपल्या बचत खात्यामधील रु. 1 लाखापेक्षा कमी शिद्धक रकमेवर 4% प्रतीवर्ष आणि रु. 10 लाखापेक्षा जास्त शिद्धक रकमेवर 5.5% प्रतीवर्ष दराने व्याज मिळवा. केवळ निवासी खात्यांसाठी लागू. व्याज दरासंबंधी ताज्या माहितीसाठी [www.kotak.com](http://www.kotak.com) ता भेट द्या.

सालेचा पत्ता :- कोटक महिंद्रा बँक, सिड्डी विनायक टॉवर, भिंगवान रोड, बारामती, पुणे, महाराष्ट्र, पिन कोड - 413102 अधिक माहितीसाठी  
कृपया संपर्क साधा - 02112-229246 / 8975859696



बारामती नगरपरिषद कार्यालय, बारामती

ता. बारामती जि. पुणे

Email - [baramatinp@gmail.com](mailto:baramatinp@gmail.com)

Phone No. 02112/222494

स्वच्छ

भारत

एक कदम स्वच्छता की ओर

ULB CODE: 802820

## Assessment For swachh Hospital under Swachh Sarvekshan- 2021

Sr No.	Name Of Hospital	Address	Ward No	Contact No. landline/mob	Marks Obtained
01	Shirmandan Hospital.	Deshbande, Estd. 1985. English mkiyam school baramati		02112/224442	136
02	Nisarnay medical Foundation. Research. centre.	Ashok nagar baramati		7057854242. 02112/22881.	120
03	Shrey's Hospital.	Ashok nagar baramati		7083636758.	84
04	Anandchand Hospital, Hospital.	Ring Road. Behind Bus. Stand baramati 413102.		02112/221888.	79
05	Bhandare Hospital.	Ring Road. No-5, Behind. S.T. Stand baramati		9766350479 9860406608.	76

Mark wise Hospital Ranks

1. Shirmandan Hospital.
2. Nisarnay medical Foundation Research Centre.
3. Shrey's Hospital.

Subhash Narkhede

Sanitary Inspector

दा दो नमो विरि भू

बारामती नगरपरिषद




बारामती नगरपरिषद कार्यालय, बारामती

ता. बारामती जि. पुणे

Email - [baramatinp@gmail.com](mailto:baramatinp@gmail.com)

Phone No. 02112/222494



एक कदम स्वच्छता की ओर

ULB CODE: 802820

## Assessment For swachh School under Swachh Sarvekshan- 2021

Sr No.	Name Of School	Address	Ward No	Contact No. landline/mob	Marks Obtained
01	Mes. Late. G.B. Pesh Pande High School Baramah	Near Rajiwey Station Bhigwan Road. Baramah		9409684532	90
02	V.P Vinod Kumar Gajjar Bal Vikas mandir Baramah	Bhigwan Road. M.B.S. Camp. Baramah		02112/222494	113
03	D.A. SARAF. Chakrabarti High School Bhil College. Baramah	Jagtap Akala Kumbhar Post. Pata Road. Baramah		9437156601	54
04	Shri - Chakrabarti Shambhig School Bhil College. Baramah	At Post. Pata Road. Baramah		9404031001	66
05	Radheshyam. Nagarwal Pesh Institute. J.B. College Baramah	Pandulwad Road. Near. T.C. College. Baramah		9463163373	45

### Mark wise School Ranks

1. V.P. Vinod Kumar Gajjar, Bal Vikas mandir.
2. Mes. Late G.B. Desh Pande. High School.
3. Shri Chakrabarti Shambhig High School



Subhash Narkhede

Sanitary Inspector

नगरपालिका कार्यालय

नगरपालिका कार्यालय



बारामती नगरपरिषद कार्यालय, बारामती

ता. बारामती जि. पुणे

Email - [baramatinp@gmail.com](mailto:baramatinp@gmail.com)

Phone No. 02112/222494

स्वच्छ

भारत

एक कदम स्वच्छता की ओर

ULB CODE: 802820

## Assessment For swachh RWA under Swachh Sarvekshan- 2021

Sr No.	Name Of RWA	Address	Ward No	Contact No. landline/mob	Marks Obtain ed
01	Deveraj Residency.	Vishwas nagar Kunabdi Rd. Baramah		8888846842	64
02	marki Township-1	ग्राम - No. 13/11/413 Plot-1 Kasaba Baramah		9922-319199.	60
03	Baramah Berelopers.	New Ring Road mohibag Baramah		9822291074.	45
04	Green Park - Ph-1	Flat - No 50. Plot-01 Rci Baramah		9922319199.	90
05	Magic Green city	Dunamodyan Road. Khandoba Nagar Baramah		8550995131.	55

Mark wise RWA Ranks


1. Green Park - Ph-1. (Rci)
2. Deveraj Residency.
3. Marki Township-1.

Subhash Narkhede

Sanitary Inspector

बारामती नगरपरिषद





बारामती नगरपरिषद कार्यालय, बारामती

ता. बारामती जि. पुणे

Email – [baramatinp@gmail.com](mailto:baramatinp@gmail.com)

Phone No. 02112/222494

स्वच्छ

भारत

एक कदम स्वच्छता की ओर

ULB CODE: 802820

## Assessment For swachh Hotel under Swachh Sarvekshan- 2021

Sr No.	Name Of Hotel	Address	Ward No	Contact No. landline/mob	Marks Obtained
01	Ambata. Pure. Veg.	Cinema Road. Baramba		9822250008	75
02	Hotel KRUSHNASHA GAR	OPP. CO-OP PARTITION BANK. Bhigwan Road. Baramba		2203027517216425	100
03	Hotel NEEIAM PALACE	Phaltan Road KASBA. Baramba		0212.222187503767079	85
04	Hotel Sadi. EXECUTIVE.	Ambika nagar Jalga		7218670799	80
05	Hotel Amandier	Bhigwan Road. Baramba		9867197711	110

Mark wise Hotel Ranks

1. Hotel Amandier.
2. Hotel, KRUSHNASHA GAR.
3. Hotel NEEIAM PALACE.



Subhash Narkhede

Sanitary Inspector

कारोम निरीक्षक

बारामती नगरपरिषद




बारामती नगरपरिषद कार्यालय, बारामती

ता. बारामती जि. पुणे

Email - [baramatinp@gmail.com](mailto:baramatinp@gmail.com)

Phone No. 02112/222494



एक कदम स्वच्छता की ओर

ULB CODE: 802820

## Assessment For swachh Market under Swachh Sarvekshan- 2021

Sr No.	Name Of Market	Address	Ward No	Contact No. landline/mob	Marks Obtained
01	बारामती नगर परिषद, बाणेशांभरी	बाणेशांभरी - पोस्ट बारामती.			10
02	सुशायनी शाई महाराज उद्योग भवन बारामती.	उद्योग भवन - पोस्ट बारामती.			66
03					
04					
05					

### Mark wise Market Ranks

1. बाणेशांभरी, बारामती नगरपरिषद, बारामती.
2. सुशायनी शाई महाराज उद्योग भवन, बारामती.
- 3.



Subhash Narkhede

Sanitary Inspector

नगर निरीक्षक

बारामती नगरपरिषद




बारामती नगरपरिषद कार्यालय, बारामती

ता. बारामती जि. पुणे

Email – [baramatinp@gmail.com](mailto:baramatinp@gmail.com)

Phone No. 02112/222494



एक कदम स्वच्छता की ओर

ULB CODE: 802820

## Assessment For swachh Office under Swachh Sarvekshan- 2021

Sr No.	Name Of Office	Address	Ward No	Contact No. landline/mob	Marks Obtain ed
01	MSEDC, (Chingwan Road, Baramati)	Chingwan Road, Baramati		7875004269	20
02	प्रशासकीय भवन, बारामती	बंदगाव रोड, बारामती			18
03					
04					
05					

Mark wise Office Ranks

1. उर्जा भवन, (MSEDC) कार्यालय.
2. प्रशासकीय भवन, बारामती
- 3.



Subhash Narkhede

Sanitary Inspector

बारामती नगरपरिषद




बारामती नगरपरिषद कार्यालय, बारामती

ता. बारामती जि. पुणे

Email – [baramatinp@gmail.com](mailto:baramatinp@gmail.com)

Phone No. 02112/222494



एक कदम स्वच्छता की ओर

ULB CODE: 802820

## Assessment For swachh Hotel under Swachh Sarvekshan- 2021

Sr No.	Name Of Hotel	Address	Ward No	Contact No. landline/mob	Marks Obtained
01	बारामती लुडुअर व्हेंज.	सिनेमा रोड, बारामती		98222250	75
02	हॉटेल कुणामागार	कॉन्स्ट्रक्शन बॅक रोड रोड बारामती		220302	100
03	हॉटेल विजय पॅलेस	कॉन्स्ट्रक्शन रोड बारामती		75037670	89
04	हॉटेल सुविधा मॅन्सिओनिंग	आंधिका नगर एकोन्स बारामती	70	72186707	80
05	हॉटेल अमरविष्ट	विजय रोड. बारामती	99	98671977	110
06	हॉटेल गार्गी	कसबा बारामती	11	883088	79
07	हॉटेल रोजेडा	कसबा बारामती		82323	78
08	हॉटेल विजय	विजय रोड, बारामती.		02112.	75
09	हॉटेल सुंदरान.	महादेव मका, बारामती		227153	74
				888888	
				80777	

# बारामती नगर परिषद बारामती



नगर विकास विभाग,  
महाराष्ट्र शासन



स्वच्छ  
सर्वेक्षण  
महाराष्ट्र 2019



स्वच्छ  
सर्वेक्षण 2019 सुरु झालंय

होय,  
आम्हाला माहित आहे!

आम्ही तयार  
आहोत

शहरं बदलताहेत, शहरं घडताहेत - सुंदर, स्वच्छ होताहेत...



Swachhata - MoHUA

प्ले स्टोर वरून ॲप

डाउनलोड करण्यासाठी

QR code स्कॅन करा



QR code



kotak  
Kotak Mahindra Bank  
कोटक महिंद्रा बँक

तुमच्या सेव्हिंग अकाउंट  
बॅलेन्सवर प्रति वर्ष

6%\*

पर्यंत व्याज मिळवा

आपल्या बचत खात्यावरील रु. 1 लाखापेक्षा जास्त व रु. 10 लाखापेक्षा कमी शिल्लक रकमेवर 6% प्रतीवर्ष दराने व्याज मिळवा. तसेच आपल्या बचत खात्यामधील रु. 1 लाखापेक्षा कमी शिल्लक रकमेवर 4% प्रतीवर्ष आणि रु. 10 लाखापेक्षा जास्त शिल्लक रकमेवर 5.5% प्रतीवर्ष दराने व्याज मिळवा. केवळ निवासी खात्यांसाठी लागू. व्याज दरासंबंधी ताज्या माहितीसाठी [www.kotak.com](http://www.kotak.com) ला भेट द्या

शाखेचा पत्ता :- कोटक महिंद्रा बँक, सिद्धी विनायक टॉवर, भिगवान रोड, बारामती, पुणे, महाराष्ट्र, पिन कोड - 413102 अधिक माहितीसाठी  
कृपया संपर्क साधा - 02112-229246 / 8975859696



बारामती नगरपरिषद कार्यालय, बारामती

ता. बारामती जि. पुणे

Email - [baramatinp@gmail.com](mailto:baramatinp@gmail.com)

Phone No. 02112/222494

स्वच्छ

भारत

एक कदम स्वच्छता की ओर

ULB CODE: 802820

10	हॉटेल रॉय	कुमा मोरगाव रोड बारामती.			74
11	हॉटेल बाबाय गार्डन	कुमा मोरगाव रोड बारामती		98502527	72
12	हॉटेल वेंकटसिंह	शिवायन रोड.		02.	70
13	आदिपार्क मॅन्ड हास	शिवायन रोड		97638570	69
14	हॉटेल मंदारना	विजोबा रोड बारामती.		65-	65
15					

Mark wise School Ranks

- 1.
- 2.
- 3.

Nodal Officer

Baramati Municipal Council

# बारामती नगर परिषद बारामती



नगर विकास विभाग,  
महाराष्ट्र शासन



स्वच्छ  
सर्वेक्षण  
महाराष्ट्र 2019



स्वच्छ  
सर्वेक्षण 2019 सुरु झालंय

होय,  
आम्हाला माहित आहे!

आम्ही तयार  
आहोत

शहरं बदलताहेत, शहरं घडताहेत - सुंदर, स्वच्छ होताहेत...



Swachhata - MoHUA

प्ले स्टोर वरून अॅप

डाउनलोड करण्यासाठी

QR code स्कॅन करा



QR code



तुमच्या सेव्हिंग अकाउंट  
बॅलेन्सवर प्रति वर्ष

6%\*

पर्यंत व्याज मिळवा

कार्यवाही बंधन: खात्यामधील रु. 1 लाखपेक्षा जास्त व रु. 10 लाखपेक्षा कमी शिद्दक रकमेवर 6% प्रतीवर्ष दराने व्याज मिळवा. तसेच आपल्या बचत खात्यामधील रु. 1 लाखपेक्षा कमी शिद्दक रकमेवर 4% प्रतीवर्ष आणि रु. 10 लाखपेक्षा जास्त शिद्दक रकमेवर 5.5% प्रतीवर्ष दराने व्याज मिळवा. केवळ निवासी खात्यांसाठी लागू. व्याज दरासंबंधी ताज्या माहितीसाठी [www.kotak.com](http://www.kotak.com) ता भेट द्या.

शाखेचा पत्ता : - कोटक महिंद्रा बँक, सिड्डी विनायक टॉवर, भिगवान रोड, बारामती, पुणे, महाराष्ट्र, पिन कोड - 413102 अधिक माहितीसाठी  
कृपया संपर्क साधा - 02112-229246 / 8975859696




बारामती नगरपरिषद कार्यालय, बारामती

ता. बारामती जि. पुणे

Email - [baramatinp@gmail.com](mailto:baramatinp@gmail.com)

Phone No. 02112/222494



एक कदम स्वच्छता की ओर

ULB CODE: 802820

## Assessment For swachh Hospital under Swachh Sarvekshan- 2021

Sr No.	Name Of Hospital	Address	Ward No	Contact No. landline/mob	Marks Obtained
01	शिवनांदन हॉस्पिटल	रोहापांडे इस्टेट एम.ई.एस. इन्फोर्मा मिडियम स्कुल बारामती		02112/22444 7057654244	136
02	विरासत मेडिकल एकांकनोशन रिसर्च सेक्टर <del>मिडियम</del> सेक्टर	आशोक नगर बारामती		02112/22 981	120
03	श्रेयस हॉस्पिटल	आशोक नगर बारामती		02112 225225	84
04	अणु-चंद्र अस्पिटल हॉस्पिटल	बारामती एस स्टैंड भागे		02112 221888	74
05	अंडारे हॉस्पिटल	बारामती एस स्टैंड भागे		97663504 79	76
06	विरासत हॉस्पिटल	इंदगापुर रोड, बारामती			75
07	वाण्डे हॉस्पिटल	बुडगावडी रोड बारामती			72
08	देवको हॉस्पिटल	इंदगापुर रोड, बारामती			71
09	आदीके हॉस्पिटल	इंदगापुर रोड, बारामती			69

# बारामती नगर परिषद बारामती



नगर विकास विभाग,  
महाराष्ट्र शासन



स्वच्छ  
सर्वेक्षण  
महाराष्ट्र 2019



स्वच्छ  
सर्वेक्षण 2019 सुरु झालंय

होय,  
आम्हाला माहित आहे!

आम्ही तयार  
आहोत

शहरं बदलताहेत, शहरं घडताहेत - सुंदर, स्वच्छ होताहेत...



Swachhata - MoHUA

प्ले स्टोर वरून अॅप

डाउनलोड करण्यासाठी

QR code स्कॅन करा



QR code



तुमच्या सेव्हिंग अकाउंट  
बॅलेन्सवर प्रति वर्ष

6%\*

पर्यंत व्याज मिळवा

आपल्या बचत खात्यावरील रु. 1 लाखापेक्षा जास्त व रु. 10 लाखापेक्षा कमी शिक्क रकमेवर 6% प्रतीवर्ष दराने व्याज मिळवा. तसेच आपल्या बचत खात्यामधील रु. 1 लाखापेक्षा कमी शिक्क रकमेवर 4% प्रतीवर्ष आणि रु. 10 लाखापेक्षा जास्त शिक्क रकमेवर 5.5% प्रतीवर्ष दराने व्याज मिळवा. केवळ निवासी खात्यांसाठी लागू. व्याज दरांसंबंधी ताज्या माहितीसाठी [www.kotak.com](http://www.kotak.com) ला भेट द्या.

लाभार्थी पत्ता :- कोटक महिंद्रा बँक, सिड्डी विनायक टॉवर, भिगवान रोड, बारामती, पुणे, महाराष्ट्र, पिन कोड - 413102 अधिक माहितीसाठी कृपया संपर्क साधा - 02112-229246 / 8975859696



बारामती नगरपरिषद कार्यालय, बारामती

ता. बारामती जि. पुणे

Email – [baramatinp@gmail.com](mailto:baramatinp@gmail.com)

Phone No. 02112/222494

स्वच्छ

भारत

एक कदम स्वच्छता की ओर

ULB CODE: 802820

10	चौमखु ईस्टिंग	इंधापुर रोड, बारामती	02112	68
11	क्रीपाल ईस्टिंग (बाग)	खिवापण रोड, बारामती	220977	66
12	न्याय्य ईस्टिंग (महिला)	भोनीबावा चौक इंधापुर रोड	225555	65
13	मेहमा ईस्टिंग	खिवापण रोड, बारामती	220977	65
14	देशमुख ईस्टिंग	खिवापण रोड, बारामती		64
15	अवधुत ईस्टिंग	अवधुत नगर, बारामती		62

Mark wise Hospital Ranks

- 1.
- 2.
- 3.



Nodal Officer

Baramati Municipal Council

# बारामती नगर परिषद बारामती



नगर विकास विभाग,  
महाराष्ट्र शासन



स्वच्छ  
सर्वेक्षण  
महाराष्ट्र 2019



स्वच्छ  
सर्वेक्षण 2019 सुरु झालंय

होय,  
आम्हाला माहित आहे!

आम्ही तयार  
आहोत

शहरं बदलताहेत, शहरं घडताहेत - सुंदर, स्वच्छ होताहेत...



Swachhata - MoHUA

प्ले स्टोर वरून अॅप

डाउनलोड करण्यासाठी

QR code स्कॅन करा



QR code



तुमच्या सेव्हिंग अकाउंट  
बॅलेन्सवर प्रति वर्ष

6%\*

पर्यंत व्याज मिळवा

टीप: बचत खात्यावरील रु. 1 लाखापेक्षा जास्त व रु. 10 लाखापेक्षा कमी शिद्धक रकमेवर 6% प्रतीवर्ष दराने व्याज मिळवा. तसेच आपल्या बचत खात्यामधील रु. 1 लाखापेक्षा कमी शिद्धक रकमेवर 4% प्रतीवर्ष आणि रु. 10 लाखापेक्षा जास्त शिद्धक रकमेवर 5.5% प्रतीवर्ष दराने व्याज मिळवा. केवळ निवासी खात्यांसाठी लागू. व्याज दरासंबंधी ताज्या माहितीसाठी [www.kotak.com](http://www.kotak.com) ला भेट द्या.

संपर्क पत्ता :- कोटक महिंद्रा बँक, सिद्धी विनायक टॉवर, मिगवान रोड, बारामती, पुणे, महाराष्ट्र, पिन कोड - 413102 अधिक माहितीसाठी  
कृपया संपर्क साधा - 02112-229246 / 8975859696




बारामती नगरपरिषद कार्यालय, बारामती

ता. बारामती जि. पुणे

Email – [baramatinp@gmail.com](mailto:baramatinp@gmail.com)

Phone No. 02112/222494



एक कदम स्वच्छता की ओर

ULB CODE: 802820

## Assessment For swachh Market under Swachh Sarvekshan- 2021

Sr No.	Name Of Market	Address	Ward No	Contact No. landline/mob	Marks Obtained
01	बारामती गवेषा मार्केट (बारामती नगर परिषद)	इंदरपुर - चौक.			70
02	सुतपता बाई मठाराज उद्योग	उद्योगी चौक			66
03	अमन बारामती शरदचंद्र उद्योग अमन	इंदरपुर - चौक.			65
04	श्रीमती शेठ रामचंद्र सुतचंद्र उद्योग अमन	विठ्ठल मीठा उनी चौक			64
05	सुभाषी मॉल (रिवायन्स मॉल)	विठ्ठल शेठ बारामती.		02112 244555	62
06	आनंदीय बारामती	विठ्ठल शेठ बारामती.		86051 51151	60
07					
08					
09					

# बारामती नगर परिषद बारामती



नगर विकास विभाग,  
महाराष्ट्र शासन



स्वच्छ  
सर्वेक्षण  
महाराष्ट्र 2019



स्वच्छ  
सर्वेक्षण 2019 सुरु झालंय

होय,  
आम्हाला माहित आहे!

आम्ही तयार  
आहोत

शहरं बदलताहेत, शहरं घडताहेत - सुंदर, स्वच्छ होताहेत...



Swachhata - MoHUA

प्ले स्टोर वरून अॅप

डाउनलोड करण्यासाठी

QR code स्कॅन करा



QR code



तुमच्या सेव्हिंग अकाउंट  
बॅलेन्सवर प्रति वर्ष

6%\*

पर्यंत व्याज मिळवा

आपल्या बचत खात्यावरील रु. 1 लाखापेक्षा जास्त व रु. 10 लाखापेक्षा कमी शिद्धक रकमेवर 6% प्रतीवर्ष दराने व्याज मिळवा. तसेच आपल्या बचत खात्यामधील रु. 1 लाखापेक्षा कमी शिद्धक रकमेवर 4% प्रतीवर्ष आणि रु. 10 लाखापेक्षा जास्त शिद्धक रकमेवर 5.5% प्रतीवर्ष दराने व्याज मिळवा. केवळ निवासी खात्यांसाठी लागू. व्याज दरासंबंधी ताज्या माहितीसाठी [www.kotak.com](http://www.kotak.com) ला भेट द्या.

राजेचा पत्ता : - कोटक महिंद्रा बँक, सिद्धी विनायक टॉवर, भिगवान रोड, बारामती, पुणे, महाराष्ट्र, पिन कोड - 413102 अधिक माहितीसाठी कृपया संपर्क साधा - 02112-229246 / 8975859696




बारामती नगरपरिषद कार्यालय, बारामती

ता. बारामती जि. पुणे

Email – [baramatinpp@gmail.com](mailto:baramatinpp@gmail.com)

Phone No. 02112/222494



स्वच्छ

भारत

एक कदम स्वच्छता की ओर

ULB CODE: 802820

10							
11							
12							
13							
14							
15							

Mark wise Office Ranks

- 1.
- 2.
- 3.

Nodal Officer

Baramati Municipal Council

# बारामती नगर परिषद बारामती



स्वच्छ सर्वेक्षण 2019 सुरु झालंय

होय,  
आम्हाला माहित आहे!

आम्ही तयार  
आहोत

शहरं बदलताहेत, शहरं घडताहेत - सुंदर, स्वच्छ होताहेत...



Swachhata - MoHUA

प्ले स्टोर वरून अॅप

डाउनलोड करण्यासाठी

QR code स्कॅन करा



QR code



तुमच्या सेव्हिंग अकाउंट  
बॅलेन्सवर प्रति वर्ष

6%\*

पर्यंत व्याज मिळवा

अन्यथा बचत खात्यावरील रु. 1 लाखापेक्षा जास्त व रु. 10 लाखापेक्षा कमी शिद्दक रकमेवर 6% प्रतीवर्ष दराने व्याज मिळवा. तसेच आपल्या बचत खात्यामधील रु. 1 लाखापेक्षा कमी शिद्दक रकमेवर 4% प्रतीवर्ष आणि रु. 10 लाखापेक्षा जास्त शिद्दक रकमेवर 5.5% प्रतीवर्ष दराने व्याज मिळवा. केवळ निवासी खात्यांसाठी लागू. व्याज दरासंबंधी ताज्या माहितीसाठी [www.kotak.com](http://www.kotak.com) ला भेट द्या.

सालेचा पत्ता :- कोटक महिंद्रा बँक, सिद्धी विनायक टॉवर, भिगवान रोड, बारामती, पुणे, महाराष्ट्र, पिन कोड - 413102 अधिक माहितीसाठी कृपया संपर्क साधा - 02112-229246 / 8975859696




बा.मती नगरपरिषद कार्यालय, बारामती

ता. बारामती जि. पुणे

Email - [baramatinp@gmail.com](mailto:baramatinp@gmail.com)

Phone No. 02112/222494



एक कदम स्वच्छता की ओर

ULB CODE: 802820

## Assessment For swachh Office under Swachh Sarvekshan- 2021

Sr No.	Name Of Office	Address	Ward No	Contact No. landline/mob	Marks Obtained
01	उत्पी अण	मिठाव रोड, बारामती		78 75004 269	20
02	महासर्वीय अण बारामती	दंदापुर रोड, बारामती			18.
03	बारामती सहकारी बँक. बारामती (एकेची)	मिठाव रोड बारामती.		02112 224865	17
04	र.च.डि.स.जी. सी. बँक मि	मिठाव रोड, बारामती.		7573919 585	16.
05	बँक ऑफ बरोडा	मिठाव रोड, बारामती		1800258 4455	15.
06					
07					
08					
09					

# बारामती नगर परिषद बारामती



नगर विकास विभाग,  
महाराष्ट्र शासन



स्वच्छ  
सर्वेक्षण  
महाराष्ट्र 2019



स्वच्छ  
सर्वेक्षण 2019 सुरु झालंय

होय,  
आम्हाला माहित आहे!

आम्ही तयार  
आहोत

शहरं बदलताहेत, शहरं घडताहेत - सुंदर, स्वच्छ होताहेत...



Swachhata - MoHUA

प्ले स्टोर वरून अॅप

डाउनलोड करण्यासाठी

QR code स्कॅन करा



QR code



kotak  
Kotak Mahindra Bank  
कोटक महिंद्रा बँक

तुमच्या सेव्हिंग अकाउंट  
बॅलेन्सवर प्रति वर्ष

6%\*

पर्यंत व्याज मिळवा

आपल्या बचत खात्यावरील रु. 1 लाखापेक्षा जास्त व रु. 10 लाखापेक्षा कमी शिक्क रकमेवर 6% प्रतीवर्ष दराने व्याज मिळवा तसेच आपल्या बचत खात्यामधील रु. 1 लाखापेक्षा कमी शिक्क रकमेवर 4% प्रतीवर्ष आणि रु. 10 लाखापेक्षा जास्त शिक्क रकमेवर 5.5% प्रतीवर्ष दराने व्याज मिळवा. केवळ निवासी खात्यांसाठी लागू. व्याज दरांबंधी ताज्या माहितीसाठी [www.kotak.com](http://www.kotak.com) ला भेट द्या.

लाजेचा पत्ता : - कोटक महिंद्रा बँक, सिड्डी विनायक टॉवर, भिगवान रोड, बारामती, पुणे, महाराष्ट्र, पिन कोड - 413102 अधिक माहितीसाठी  
कृपया संपर्क साधा - 02112-229246 / 8975859696




बारामती नगरपरिषद कार्यालय, बारामती

ता. बारामती जि. पुणे

Email – [baramatinp@gmail.com](mailto:baramatinp@gmail.com)

Phone No. 02112/222494



स्वच्छ

भारत

एक कदम स्वच्छता की ओर

ULB CODE: 802820

10						
11						
12						
13						
14						
15						

Mark wise Market Ranks

- 1.
- 2.
- 3.

Nodal Officer

Baramati Municipal Council

# बारामती नगर परिषद बारामती



नगर विकास विभाग,  
महाराष्ट्र शासन



स्वच्छ  
सर्वेक्षण  
महाराष्ट्र 2019



स्वच्छ  
सर्वेक्षण 2019 सुरु झालंय

होय,  
आम्हाला माहित आहे!

आम्ही तयार  
आहोत

शहरं बदलताहेत, शहरं घडताहेत - सुंदर, स्वच्छ होताहेत...



Swachhata - MoHUA

प्ले स्टोर वरून ॲप

डाउनलोड करण्यासाठी

QR code स्कॅन करा



QR code



kotak  
Kotak Mahindra Bank  
कोटक महिंद्रा बँक

तुमच्या सेव्हिंग अकाउंट  
बॅलेन्सवर प्रति वर्ष

6%\*

पर्यंत व्याज मिळवा

आपल्या बचत खात्यावरील रु. 1 लाखापेक्षा जास्त व रु. 10 लाखापेक्षा कमी शिडक रकमेवर 6% प्रतीवर्ष दराने व्याज मिळवा. तसेच आपल्या बचत खात्यामधील रु. 1 लाखापेक्षा कमी शिडक रकमेवर 4% प्रतीवर्ष आणि रु. 10 लाखापेक्षा जास्त शिडक रकमेवर 5.5% प्रतीवर्ष दराने व्याज मिळवा. केवळ निवासी खात्यांसाठी लागू. व्याज दरासंबंधी ताज्या माहितीसाठी [www.kotak.com](http://www.kotak.com) ला भेट द्या.

शाखेचा पत्ता :- कोटक महिंद्रा बँक, सिड्डी विनायक टॉवर, भिंगवान रोड, बारामती, पुणे, महाराष्ट्र, पिन कोड - 413102 अधिक माहितीसाठी  
कृपया संपर्क साधा - 02112-229246 / 8975859696

Oct-2020



# Baramati Municipal Council, Baramati

Assess Swachh Hospital under Swachh Sarvekshan 2021

Name of Hospital : Shivnandan Hospital

Ward no:

Address: Deshpande Estate MES English Midiyam School Indapur Road Baramati

Phone No: 0212 224442 / 7057854242

Manager Name & No: Dr. Ganesh Boke

Tick ( ) the correct option

## INFRASTRUCTURE (MAX SCORE - 60)

1	Hospital infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition ✓ 4	In a fair condition 2	In broken condition 0
2	Entrance / Exit Gate	In good condition ✓ 4	In broken condition 2	No Gate 0
3	Corridors in the Hospital	In good condition ✓ 4	In broken condition 2	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition ✓ 4 ✓	Available as per requirement but in poor condition 2	No available 0
5	Waste collection equipment (wheeled trolleys/handcart)	Available ✓ 2 ✓	Not Available 0	
6	Composting equipment / compost pit	Available 4	Not Available 0 ✓	
7	Cleaning equipment / brooms	Available in good condition ✓ 4 ✓	Available in poor condition 2	Not Available 0
8	Toilets and baths with wash basins available for clinical and non	Available in good condition ✓ 4 ✓	Available in poor condition 2	No toilets available 0
9	Toilet and bath facilities available for IPD patients	Available in good condition ✓ 4 ✓	Available in poor condition 2	No toilets available 0
10	Toilet facilities available for visitors and OPD patients	Available in good condition ✓ 4 ✓	Available in poor condition 2	No toilets available 0
11	Stair Case / Lift as applicable	Available in good condition ✓ 4 ✓	Available in poor condition 2	Not Available 0

12	Covered sources of drinking water	Available in good condition	Available in poor condition	Not Available
		4 ✓	2	0
13	Facility for parking of vehicles	Available in good condition	Available in poor condition	Not Available
		4 ✓	2	0
14	Sterilization facility	Available in good condition	Available in poor condition	Not Available
		4 ✓	2	0
15	Garden/Park/Lawn/ Recreation Rooms for IPD patients	Available in good condition	Available in poor condition	Not Available
		4 ✓	2 ✓	0
16	Ambulance	Well maintained and equipped		Poorly maintained
		2 ✓ ✓		0
SUB-TOTAL (INFRASTRUCTURE SCORE) - A				

54 54

#### SERVICE/MAINTENANCE (MAX.SCORE - 40)

1	Cleaning within Hospital premises	Swept daily	Swept periodically	Never swept
		4 ✓	2	0
2	Toilet and bath cleaning	Cleaned regularly	Cleaned some times	Never cleaned
		4 ✓	2	0
3	Toilet and bath water availability	Available		Not available
		3		0
4	Cleaning of water tanks wherever applicable	Cleaned regularly	Cleaned some times	Never cleaned
		4 ✓	2	0
5	Cleaning of drinking water coolers	Cleaned regularly	Cleaned once in a week	Never cleaned
		4 ✓	2	0
6	Infrastructure like special care rooms, operation theaters, labour rooms, ICUs, laboratories etc.	Maintained regularly		No regular maintenance
		4 ✓		0
7	Cleaning of special care rooms, operation theatres, labour rooms, ICUs, laboratories etc	Cleaned regularly or as and when required		Not cleaned on a regular basis
		4 ✓		0
8	Collecting waste from dustbins	Daily	Fortnightly	Not collected
		4 ✓	2	0
9	Segregating waste collected	At the point of waste generation	Daily	Not segregated
		4 ✓	2	0

10	Bio-degradable waste processing	Processed at compost pit/copost equipment within the hospital premises	Sent for composting outside the hospital	Not composted
		5 ✓✓	3	0
SUB-TOTAL (MAINTENANCE SCORE) - B 37 37				

#### FEEDBACK FROM PATIENTS/STAFF (MAX.SCORE 30)

1	Whether Hospital has Feedback Mechanism	Yes ✓	No
		6 ✓	0
2	Availability of toilet facilities for patients	Adequate number available for use	Inadequate number available for use
		4 ✓✓	0
3	Availability of toilet facilities for visitors staff	Adequate number available for use	Inadequate number available for use
		4 ✓✓	0
4	Availability of sufficient number of dustbins for disposing waste	Adequate number available for use	Inadequate number available for use
		4 ✓	0
5	Waste collection done daily	Yes ✓	No
		4 ✓	0
6	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept clean ✓	Sources of drinking water and surroundings are not kept clean
		4 ✓	0
7	Cleanliness and maintenance of special care rooms including	Well maintained and clean ✓	Poorly maintained and not clean
		4 ✓	0

#### SUB TOTAL (FEEDBACK SCORE) - C

1	Swachhata App downloads by Hospital Staff	More than 30% of staff downloads ✓	Between 10% to 20% of staff downloads	Less than 10% of total staff downloads
		30	15 ✓	0

#### SUB TOTAL (SWACHHATA APP) - D 45 45

TOTAL SCORE (Max.Marks. 160) (A+B+C+D): 136

Assessor Name and signature

(Subhash Narkhede)  
Sanitary Inspector



Dec-2020



## Baramati Municipal Council, Baramati



## Assesment For Swachh Hospital under Swachh Sarvekshan 2021

Name of Hospital : Shivnandan Hospital

Ward no:

Address: Deshpande Estet mes English midiyum School  
Indague road BaramatiPhone No: 0212/224442 / 9057854242

Manager Name &amp; No:

Tick ( ) the correct option

## INFRASTRUCTURE (MAX SCORE - 60)

1	Hospital infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition 4	In a fair condition 2	In broken condition 0
2	Entrance / Exit Gate	In good condition 4	In broken condition 2	No Gate 0
3	Corridors in the Hospital	In good condition 4	In broken condition 2	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition 4	Available as per requirement but in poor condition 2	No available 0
5	Waste collection equipment (wheeled trolleys/handcart)	Available 2	Not Available 0	
6	Composting equipment / compost pit	Available 4	Not Available 0	
7	Cleaning equipment / brooms	Available in good condition 4	Available in poor condition 2	Not Available 0
8	Toilets and baths with wash basins available for clinical and non	Available in good condition 4	Available in poor condition 2	No toilets available 0
9	Toilet and bath facilities available for IPD patients	Available in good condition 4	Available in poor condition 2	No toilets available 0
10	Toilet facilities available for visitors and OPD patients	Available in good condition 4	Available in poor condition 2	No toilets available 0
11	Stair Case / Lift as applicable	Available in good condition 4	Available in poor condition 2	Not Available 0

12	Covered sources of drinking water	Available in good condition	Available in poor condition	Not Available
		4	2	0
13	Facility for parking of vehicles	Available in good condition	Available in poor condition	Not Available
		4	2	0
14	Sterilization facility	Available in good condition	Available in poor condition	Not Available
		4	2	0
15	Garden/Park/Lawn/ Recreation Rooms for IPD patients	Available in good condition	Available in poor condition	Not Available
		4	2	0
16	Ambulance	Well maintained and equipped		Poorly maintained
		2		0
SUB-TOTAL (INFRASTRUCTURE SCORE) - A 5-6				

#### SERVICE/MAINTENANCE (MAX.SCORE - 40)

1	Cleaning within Hospital premises	Swept daily	Swept periodically	Never swept
		4 <u>L</u>	2	0
2	Toilet and bath cleaning	Cleaned regularly	Cleaned some times	Never cleaned
		4 <u>L</u>	2	0
3	Toilet and bath water availability	Available		Not available
		3		0
4	Cleaning of water tanks wherever applicable	Cleaned regularly	Cleaned some times	Never cleaned
		4 <u>L</u>	2	0
5	Cleaning of drinking water coolers	Cleaned regularly	Cleaned once in a week	Never cleaned
		4 <u>L</u>	2	0
6	Infrastructure like special care rooms, operation theaters, labour rooms, ICUs, laboratories etc.	Maintained regularly		No regular maintenance
		4 <u>L</u>		0
7	Cleaning of special care rooms, operation theatres, labour rooms, ICUs, laboratories etc	Cleaned regularly or as and when required		Not cleaned on a regular basis
		4 <u>L</u>		0
8	Collecting waste from dustbins	Daily	Fortnightly	Not collected
		4 <u>L</u>	2	0
9	Segregating waste collected	At the point of waste generation	Daily	Not segregated
		4 <u>L</u>	2	0

10	Bio-degradable waste processing	Processed at compost pit/copost equipment within the hospital premises	Sent for composting outside the hospital	Not composted
		5 L	3	0

**SUB-TOTAL (MAINTENANCE SCORE) - B** 37

**FEEDBACK FROM PATIENTS/STAFF (MAX.SCORE 30)**

1	Whether Hospital has Feedback Mechanism	Yes		No
		6 L		0
2	Availability of toilet facilities for patients	Adequate number available for use		Inadequate number available for use
		4 L		0
3	Availability of toilet facilities for visitors staff	Adequate number available for use		Inadequate number available for use
		4 L		0
4	Availability of sufficient number of dustbins for disposing waste	Adequate number available for use		Inadequate number available for use
		4 L		0
5	Waste collection done daily	Yes		No
		4 L		0
6	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept clean		Sources of drinking water and surroundings are not kept clean
		4 L		0
7	Cleanliness and maintenance of special care rooms including	Well maintained and clean		Poorly maintained and not clean
		4 L		0

**SUB TOTAL (FEEDBACK SCORE) - C**

1	Swachhata App downloads by Hospital Staff	More than 30% of staff downloads	Between 10% to 20% of staff downloads	Less than 10% of total staff downloads
		30	15 L	0

**SUB TOTAL (SWACHHATA APP) - D** 45

**TOTAL SCORE (Max.Marks. 160) (A+B+C+D):** 136

Assessor Name and signature



(Subhash Narkhede)  
Sanitary Inspector

Nov-2020



## Baramati Municipal Council, Baramati



## Assesment For Swachh Hospital under Swachh Sarvekshan 2021

Name of Hospital : Shivnandan Hospital

Ward no:

Address: Deshpande Estate, MES English medium school Indapur road Baramati

Phone No: 02112 224442 / 7057854242

Manager Name &amp; No: Dr. Ganesh Boke

Tick ( ) the correct option

## INFRASTRUCTURE (MAX SCORE - 60)

1	Hospital infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition	In a fair condition	In broken condition
		4	2	0
2	Entrance / Exit Gate	In good condition	In broken condition	No Gate
		4	2	0
3	Corridors in the Hospital	In good condition	In broken condition	
		4	2	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition	Available as per requirement but in poor condition	No available
		4	2	0
5	Waste collection equipment (wheeled trolleys/handcart)	Available	Not Available	
		2	0	
6	Composting equipment / compost pit	Available		Not Available
		4		0
7	Cleaning equipment / brooms	Available in good condition	Available in poor condition	Not Available
		4	2	0
8	Toilets and baths with wash basins available for clinical and non	Available in good condition	Available in poor condition	No toilets available
		4	2	0
9	Toilet and bath facilities available for IPD patients	Available in good condition	Available in poor condition	No toilets available
		4	2	0
10	Toilet facilities available for visitors and OPD patients	Available in good condition	Available in poor condition	No toilets available
		4	2	0
11	Stair Case / Lift as applicable	Available in good condition	Available in poor condition	Not Available
		4	2	0

12	Covered sources of drinking water	Available in good condition	Available in poor condition	Not Available
		4	2	0
13	Facility for parking of vehicles	Available in good condition	Available in poor condition	Not Available
		4	2	0
14	Sterilization facility	Available in good condition	Available in poor condition	Not Available
		4	2	0
15	Garden/Park/Lawn/ Recreation Rooms for IPD patients	Available in good condition	Available in poor condition	Not Available
		4	2	0
16	Ambulance	Well maintained and equipped		Poorly maintained
		2		0
SUB-TOTAL (INFRASTRUCTURE SCORE) - A 54				

#### SERVICE/MAINTENANCE (MAX.SCORE - 40)

1	Cleaning within Hospital premises	Swept daily	Swept periodically	Never swept
		4 L	2	0
2	Toilet and bath cleaning	Cleaned regularly	Cleaned some times	Never cleaned
		4 L	2	0
3	Toilet and bath water availability	Available		Not available
		3		0
4	Cleaning of water tanks wherever applicable	Cleaned regularly	Cleaned some times	Never cleaned
		4 L	2	0
5	Cleaning of drinking water coolers	Cleaned regularly	Cleaned once in a week	Never cleaned
		4 L	2	0
6	Infrastructure like special care rooms, operation theaters, labour rooms, ICUs, laboratories etc.	Maintained regularly		No regular maintenance
		4 L		0
7	Cleaning of special care rooms, operation theatres, labour rooms, ICUs, laboratories etc	Cleaned regularly or as and when required		Not cleaned on a regular basis
		4 L		0
8	Collecting waste from dustbins	Daily	Fortnightly	Not collected
		4 L	2	0
9	Segregating waste collected	At the point of waste generation	Daily	Not segregated
		4 L	2	0

10	Bio-degradable waste processing	Processed at compost pit/copost equipment within the hospital premises	Sent for composting outside the hospital	Not composted
		5 ✓	3	0
<b>SUB-TOTAL (MAINTENANCE SCORE) - B</b> 37				

**FEEDBACK FROM PATIENTS/STAFF (MAX.SCORE 30)**

1	Whether Hospital has Feedback Mechanism	Yes	No
		6 ✓	0
2	Availability of toilet facilities for patients	Adequate number available for use	Inadequate number available for use
		4 ✓	0
3	Availability of toilet facilities for visitors staff	Adequate number available for use	Inadequate number available for use
		4 ✓	0
4	Availability of sufficient number of dustbins for disposing waste	Adequate number available for use	Inadequate number available for use
		4 ✓	0
5	Waste collection done daily	Yes	No
		4 ✓	0
6	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept clean	Sources of drinking water and surroundings are not kept clean
		4 ✓	0
7	Cleanliness and maintenance of special care rooms including	Well maintained and clean	Poorly maintained and not clean
		4 ✓	0

**SUB TOTAL (FEEDBACK SCORE) - C**

1	Swachhata App downloads by Hospital Staff	More than 30% of staff downloads	Between 10% to 20% of staff downloads	Less than 10% of total staff downloads
		30	15 ✓	0

**SUB TOTAL (SWACHHATA APP) - D** 65

**TOTAL SCORE (Max.Marks. 160) (A+B+C+D):** 136

Assessor Name and signature

(Subhash Narkhede)  
Sanitary Inspector


OCT-2020



## Baramati Municipal Council, Baramati



### Assesment For Swachh Hospital under Swachh Sarvekshan 2021

Name of Hospital : Nirmaya Medical Foundation & Research Centre

Ward no:

Address: Ashoknagar Baramati

Phone No: 02112 - 228981, 228982

Manager Name & No: Fatima Mehala 7083636758

Tick ( ) the correct option

### INFRASTRUCTURE (MAX SCORE - 60)

1	Hospital infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition	In a fair condition	In broken condition
		4 ✓ ✓	2	0
2	Entrance / Exit Gate	In good condition	In broken condition	No Gate
		4 ✓ ✓	2	0
3	Corridors in the Hospital	In good condition	In broken condition	
		4 ✓ ✓	2	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition	Available as per requirement but in poor condition	No available
		4 ✓ ✓	2	0
5	Waste collection equipment (wheeled trolleys/handcart)	Available	Not Available	
		2 ✓ ✓	0	
6	Composting equipment / compost pit	Available		Not Available
		4 ✓		0 ✓
7	Cleaning equipment / brooms	Available in good condition	Available in poor condition	Not Available
		4 ✓ ✓	2	0
8	Toilets and baths with wash basins available for clinical and non	Available in good condition	Available in poor condition	No toilets available
		4 ✓	2 ✓	0
9	Toilet and bath facilities available for IPD patients	Available in good condition	Available in poor condition	No toilets available
		4 ✓ ✓	2	0
10	Toilet facilities available for visitors and OPD patients	Available in good condition	Available in poor condition	No toilets available
		4 ✓ ✓	2	0
11	Stair Case / Lift as applicable	Available in good condition	Available in poor condition	Not Available
		4 ✓ ✓	2	0



12	Covered sources of drinking water	Available in good condition	Available in poor condition	Not Available
		<del>4</del> 4 ✓	2	0
13	Facility for parking of vehicles	Available in good condition	Available in poor condition	Not Available
		<del>4</del> 4	2	0 ✓ ✓
14	Sterilization facility	Available in good condition	Available in poor condition	Not Available
		<del>4</del> 4 ✓	2 ✓	0
15	Garden/Park/Lawn/ Recreation Rooms for IPD patients	Available in good condition	Available in poor condition	Not Available
		<del>4</del> 4 ✓	2	0
16	Ambulance	Well maintained and equipped		Poorly maintained
		<del>2</del> 2 ✓		0
SUB-TOTAL (INFRASTRUCTURE SCORE) - A 50				

#### SERVICE/MAINTENANCE (MAX.SCORE - 40)

1	Cleaning within Hospital premises	Swept daily	Swept periodically	Never swept
		<del>4</del> 4	2	0
2	Toilet and bath cleaning	Cleaned regularly	Cleaned some times	Never cleaned
		<del>4</del> 4	2	0
3	Toilet and bath water availability	Available		Not available
		<del>3</del> 3		0
4	Cleaning of water tanks wherever applicable	Cleaned regularly	Cleaned some times	Never cleaned
		4	2 ✓	0
5	Cleaning of drinking water coolers	Cleaned regularly	Cleaned once in a week	Never cleaned
		4	2 ✓	0
6	Infrastructure like special care rooms, operation theaters, labour rooms, ICUs, laboratories etc.	Maintained regularly		No regular maintenance
		<del>4</del> 4		0
7	Cleaning of special care rooms, operation theatres, labour rooms, ICUs, laboratories etc	Cleaned regularly or as and when required		Not cleaned on a regular basis
		<del>4</del> 4		0
8	Collecting waste from dustbins	Daily	Fortnightly	Not collected
		<del>4</del> 4	2	0
9	Segregating waste collected	At the point of waste generation	Daily	Not segregated
		<del>4</del> 4	2	0

10	Bio-degradable waste processing	Processed at compost pit/compost equipment within the hospital premises	Sent for composting outside the hospital	Not composted
		5 ✓	3	0 ✓
<b>SUB-TOTAL (MAINTENANCE SCORE) - B</b> 31 31				

**FEEDBACK FROM PATIENTS/STAFF (MAX.SCORE 30)**

1	Whether Hospital has Feedback Mechanism	Yes	No
		6 ✓	0 ✓
2	Availability of toilet facilities for patients	Adequate number available for use	Inadequate number available for use
		4 ✓	0
3	Availability of toilet facilities for visitors staff	Adequate number available for use	Inadequate number available for use
		4 ✓	0
4	Availability of sufficient number of dustbins for disposing waste	Adequate number available for use	Inadequate number available for use
		4 ✓	0
5	Waste collection done daily	Yes	No
		4 ✓	0
6	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept clean	Sources of drinking water and surroundings are not kept clean
		4 ✓	0
7	Cleanliness and maintenance of special care rooms including	Well maintained and clean	Poorly maintained and not clean
		4 ✓	0
<b>SUB TOTAL (FEEDBACK SCORE) - C</b> 24 24			

1	Swachhata App downloads by Hospital Staff	More than 30% of staff downloads	Between 10% to 20% of staff downloads	Less than 10% of total staff downloads
		30 ✓	15 ✓	0 ✓

**SUB TOTAL (SWACHHATA APP) - D** 15

**TOTAL SCORE (Max.Marks. 160) (A+B+C+D):** 120

Assessor Name and signature



(Subhash Narkhede)  
Sanitary Inspector

Nov-2020



## Baramati Municipal Council, Baramati



## Assesment For Swachh Hospital under Swachh Sarvekshan 2021

Name of Hospital : Nirama Medical Foundation & Research Centre

Ward no:

Address: A Shok nagar, Baramati

Phone No:

02112 - 228981, 228982

Manager Name &amp; No:

Felimon Joseph 7083636758

Tick ( ) the correct option

## INFRASTRUCTURE (MAX SCORE - 60)

1	Hospital infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition	In a fair condition	In broken condition
		4 <input checked="" type="checkbox"/>	2	0
2	Entrance / Exit Gate	In good condition	In broken condition	No Gate
		4 <input checked="" type="checkbox"/>	2	0
3	Corridors in the Hospital	In good condition	In broken condition	
		4 <input checked="" type="checkbox"/>	2	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition	Available as per requirement but in poor condition	No available
		4 <input checked="" type="checkbox"/>	2	0
5	Waste collection equipment (wheeled trolleys/handcart)	Available	Not Available	
		2 <input checked="" type="checkbox"/>	0	
6	Composting equipment / compost pit	Available		Not Available
		4		<input checked="" type="checkbox"/> 0
7	Cleaning equipment / brooms	Available in good condition	Available in poor condition	Not Available
		4 <input checked="" type="checkbox"/>	2	0
8	Toilets and baths with wash basins available for clinical and non	Available in good condition	Available in poor condition	No toilets available
		4	2 <input checked="" type="checkbox"/>	0
9	Toilet and bath facilities available for IPD patients	Available in good condition	Available in poor condition	No toilets available
		4 <input checked="" type="checkbox"/>	2	0
10	Toilet facilities available for visitors and OPD patients	Available in good condition	Available in poor condition	No toilets available
		4 <input checked="" type="checkbox"/>	2	0
11	Stair Case / Lift as applicable	Available in good condition	Available in poor condition	Not Available
		4 <input checked="" type="checkbox"/>	2	0

12	Covered sources of drinking water	Available in good condition	Available in poor condition	Not Available
		4 L	2	0
13	Facility for parking of vehicles	Available in good condition	Available in poor condition	Not Available
		4	2	L 0
14	Sterilization facility	Available in good condition	Available in poor condition	Not Available
		4 L	2 L	0
15	Garden/Park/Lawn/ Recreation Rooms for IPD patients	Available in good condition	Available in poor condition	Not Available
		4 L	2	0
16	Ambulance	Well maintained and equipped		Poorly maintained
		2 L		0
SUB-TOTAL (INFRASTRUCTURE SCORE) - A 50				

#### SERVICE/MAINTENANCE (MAX.SCORE - 40)

1	Cleaning within Hospital premises	Swept daily	Swept periodically	Never swept
		<u>L</u> 4	2	0
2	Toilet and bath cleaning	Cleaned regularly	Cleaned some times	Never cleaned
		<u>L</u> 4	2	0
3	Toilet and bath water availability	Available		Not available
		<u>L</u> 3		0
4	Cleaning of water tanks wherever applicable	Cleaned regularly	Cleaned some times	Never cleaned
		4	2 <u>L</u>	0
5	Cleaning of drinkng water coolers	Cleaned regularly	Cleaned once in a week	Never cleaned
		4	2 <u>L</u>	0
6	Infrastructure like special care rooms, operation theaters, labour rooms, ICUs, laboratories etc.	Maintained regularly		No regular maintenance
		4 <u>L</u>		0
7	Cleaning of speical care rooms, operation theatres, labour rooms, ICUs, laboratories etc	Cleaned regularly or as and when required		Not cleaned on a regular basis
		<u>L</u> 4		0
8	Collecting waste from dustbins	Daily	Fortnightly	Not collected
		<u>L</u> 4	2	0
9	Segregating waste collected	At the point of waste generation	Daily	Not segregated
		<u>L</u> 4	2	0

10	Bio-degradable waste processing	Processed at compost pit/copost equipment within the hospital premises	Sent for composting outside the hospital	Not composted
		5 ✓	3	0

**SUB-TOTAL (MAINTENANCE SCORE) - B** 31

**FEEDBACK FROM PATIENTS/STAFF (MAX.SCORE 30)**

1	Whether Hospital has Feedback Mechanism	Yes	No
		6	0 ✓
2	Availability of toilet facilities for patients	Adequate number available for use	Inadequate number available for use
		4 ✓	0
3	Availability of toilet facilities for visitors staff	Adequate number available for use	Inadequate number available for use
		4 ✓	0
4	Availability of sufficient number of dustbins for disposing waste	Adequate number available for use	Inadequate number available for use
		4 ✓	0
5	Waste collection done daily	Yes	No
		4 ✓	0
6	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept clean	Sources of drinking water and surroundings are not kept clean
		4 ✓	0
7	Cleanliness and maintenance of special care rooms including	Well maintained and clean	Poorly maintained and not clean
		4 ✓	0

**SUB TOTAL (FEEDBACK SCORE) - C** 24

1	Swachhata App downloads by Hospital Staff	More than 30% of staff downloads	Between 10% to 20% of staff downloads	Less than 10% of total staff downloads
		30	15 ✓	0

**SUB TOTAL (SWACHHATA APP) - D** 15

**TOTAL SCORE (Max.Marks. 160) (A+B+C+D):** 120

Assessor Name and signature



(Subhash Narkhede)  
Sanitary Inspector

Dec-2020



## Baramati Municipal Council, Baramati



## Assesment For Swachh Hospital under Swachh Sarvekshan 2021

Name of Hospital : Nisamay Medical Foundation Research Centre

Ward no:

Address: ashok nagar, BaramatiPhone No: 0212-228981, 228982Manager Name & No: Fahima Mehata 7083636758

Tick ( ) the correct option

## INFRASTRUCTURE (MAX SCORE - 60)

1	Hospital infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition	In a fair condition	In broken condition
		4 <u>L</u>	2	0
2	Entrance / Exit Gate	In good condition	In broken condition	No Gate
		4 <u>L</u>	2	0
3	Corridors in the Hospital	In good condition	In broken condition	
		4 <u>L</u>	2	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition	Available as per requirement but in poor condition	No available
		4 <u>L</u>	2	0
5	Waste collection equipment (wheeled trolleys/handcart)	Available	Not Available	
		2 <u>L</u>	0	
6	Composting equipment / compost pit	Available		Not Available
		4		<u>L</u> 0
7	Cleaning equipment / brooms	Available in good condition	Available in poor condition	Not Available
		4 <u>L</u>	2	0
8	Toilets and baths with wash basins available for clinical and non	Available in good condition	Available in poor condition	No toilets available
		4	<u>L</u> 2	0
9	Toilet and bath facilities available for IPD patients	Available in good condition	Available in poor condition	No toilets available
		4 <u>L</u>	2	0
10	Toilet facilities available for visitors and OPD patients	Available in good condition	Available in poor condition	No toilets available
		4 <u>L</u>	2	0
11	Stair Case / Lift as applicable	Available in good condition	Available in poor condition	Not Available
		4 <u>L</u>	2	0

12	Covered sources of drinking water	Available in good condition	Available in poor condition	Not Available
		4	2	0
13	Facility for parking of vehicles	Available in good condition	Available in poor condition	Not Available
		4	2	0
14	Sterilization facility	Available in good condition	Available in poor condition	Not Available
		4	2	0
15	Garden/Park/Lawn/ Recreation Rooms for IPD patients	Available in good condition	Available in poor condition	Not Available
		4	2	0
16	Ambulance	Well maintained and equipped		Poorly maintained
		2		0
SUB-TOTAL (INFRASTRUCTURE SCORE) - A				

#### SERVICE/MAINTENANCE (MAX.SCORE - 40)

1	Cleaning within Hospital premises	Swept daily	Swept periodically	Never swept
		<u>L</u> 4	2	0
2	Toilet and bath cleaning	Cleaned regularly	Cleaned some times	Never cleaned
		<u>L</u> 4	2	0
3	Toilet and bath water availability	Available		Not available
		<u>L</u> 3		0
4	Cleaning of water tanks wherever applicable	Cleaned regularly	Cleaned some times	Never cleaned
		4	<u>L</u> 2	0
5	Cleaning of drinking water coolers	Cleaned regularly	Cleaned once in a week	Never cleaned
		4	2 <u>L</u>	0
6	Infrastructure like special care rooms, operation theaters, labour rooms, ICUs, laboratories etc.	Maintained regularly		No regular maintenance
		4 <u>L</u>		0
7	Cleaning of special care rooms, operation theatres, labour rooms, ICUs, laboratories etc	Cleaned regularly or as and when required		Not cleaned on a regular basis
		<u>L</u> 4		0
8	Collecting waste from dustbins	Daily	Fortnightly	Not collected
		4 <u>L</u>	2	0
9	Segregating waste collected	At the point of waste generation	Daily	Not segregated
		4 <u>L</u>	2	0

10	Bio-degradable waste processing	Processed at compost pit/copost equipment within the hospital premises	Sent for composting outside the hospital	Not composted
		5 L	3	0

**SUB-TOTAL (MAINTENANCE SCORE) - B** 31

**FEEDBACK FROM PATIENTS/STAFF (MAX.SCORE 30)**

1	Whether Hospital has Feedback Mechanism	Yes		No
		6		0
2	Availability of toilet facilities for patients	Adequate number available for use		Inadequate number available for use
		4 L		0
3	Availability of toilet facilities for visitors staff	Adequate number available for use		Inadequate number available for use
		4 L		0
4	Availability of sufficient number of dustbins for disposing waste	Adequate number available for use		Inadequate number available for use
		4 L		0
5	Waste collection done daily	Yes		No
		4 L		0
6	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept clean		Sources of drinking water and surroundings are not kept clean
		4 L		0
7	Cleanliness and maintenance of special care rooms including	Well maintained and clean		Poorly maintained and not clean
		4 L		0

**SUB TOTAL (FEEDBACK SCORE) - C**

1	Swachhata App downloads by Hospital Staff	More than 30% of staff downloads	Between 10% to 20% of staff downloads	Less than 10% of total staff downloads
		30	15 L	0

**SUB TOTAL (SWACHHATA APP) - D** 15

**TOTAL SCORE (Max.Marks. 160) (A+B+C+D):** 720

Assessor Name and signature



(Subhash Narkhede)  
Sanitary Inspector

Oct-2020



## Baramati Municipal Council, Baramati



## Assesment For Swachh Hospital under Swachh Sarvekshan 2021

Name of Hospital : SHREYAS HOSPITAL

Ward no:

Address: Ashoknagar Baramati.

Phone No: 02112 - 25225

Manager Name &amp; No: Mandan P. P.

Tick ( ) the correct option

## INFRASTRUCTURE (MAX SCORE - 60)

1	Hospital infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition 4 ✓	In a fair condition 2 ✓	In broken condition 0
2	Entrance / Exit Gate	In good condition 4 ✓	In broken condition 2 ✓	No Gate 0
3	Corridors in the Hospital	In good condition 4 ✓	In broken condition 2	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition 4 ✓	Available as per requirement but in poor condition 2	No available 0
5	Waste collection equipment (wheeled trolleys/handcart)	Available 2	Not Available 0	
6	Composting equipment / compost pit	Available 4	Not Available 0 ✓	
7	Cleaning equipment / brooms	Available in good condition 4 ✓	Available in poor condition 2	Not Available 0
8	Toilets and baths with wash basins available for clinical and non	Available in good condition 4 ✓	Available in poor condition 2	No toilets available 0
9	Toilet and bath facilities available for IPD patients	Available in good condition 4 ✓	Available in poor condition 2	No toilets available 0
10	Toilet facilities available for visitors and OPD patients	Available in good condition 4	Available in poor condition 2	No toilets available 0
11	Stair Case / Lift as applicable	Available in good condition 4	Available in poor condition 2	Not Available 0

12	Covered sources of drinking water	Available in good condition	Available in poor condition	Not Available
		4	2	0
13	Facility for parking of vehicles	Available in good condition	Available in poor condition	Not Available
		4	2	0
14	Sterilization facility	Available in good condition	Available in poor condition	Not Available
		4	2	0
15	Garden/Park/Lawn/ Recreation Rooms for IPD patients	Available in good condition	Available in poor condition	Not Available
		4	2	0
16	Ambulance	Well maintained and equipped		Poorly maintained
		2		0
SUB-TOTAL (INFRASTRUCTURE SCORE) - A 30				

#### SERVICE/MAINTENANCE (MAX.SCORE - 40)

1	Cleaning within Hospital premises	Swept daily	Swept periodically	Never swept
		4 ✓	2	0
2	Toilet and bath cleaning	Cleaned regularly	Cleaned some times	Never cleaned
		4	2 ✓	0
3	Toilet and bath water availability	Available		Not available
		3 ✓		0
4	Cleaning of water tanks wherever applicable	Cleaned regularly	Cleaned some times	Never cleaned
		4	2 ✓	0
5	Cleaning of drinking water coolers	Cleaned regularly	Cleaned once in a week	Never cleaned
		4	2 ✓	0
6	Infrastructure like special care rooms, operation theaters, labour rooms, ICUs, laboratories etc.	Maintained regularly		No regular maintenance
		4 ✓		0
7	Cleaning of special care rooms, operation theatres, labour rooms, ICUs, laboratories etc	Cleaned regularly or as and when required		Not cleaned on a regular basis
		4 ✓		0
8	Collecting waste from dustbins	Daily	Fortnightly	Not collected
		4	2 ✓	0
9	Segregating waste collected	At the point of waste generation	Daily	Not segregated
		4	2 ✓	0

10	Bio-degradable waste processing	Processed at compost pit/copost equipment within the hospital premises	Sent for composting outside the hospital	Not composted
		5	3	✓ 0
SUB-TOTAL (MAINTENANCE SCORE) - B 25				

**FEEDBACK FROM PATIENTS/STAFF (MAX.SCORE 30)**

1	Whether Hospital has Feedback Mechanism	Yes		No
		6		0
2	Availability of toilet facilities for patients	Adequate number available for use		Inadequate number available for use
		4		0
3	Availability of toilet facilities for visitors staff	Adequate number available for use		Inadequate number available for use
		4	✓	0
4	Availability of sufficient number of dustbins for disposing waste	Adequate number available for use		Inadequate number available for use
		4	✓	0
5	Waste collection done daily	Yes		No
		4	✓	0
6	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept clean		Sources of drinking water and surroundings are not kept clean
		4	✓	0
7	Cleanliness and maintenance of special care rooms including	Well maintained and clean		Poorly maintained and not clean
		4	✓	0

**SUB TOTAL (FEEDBACK SCORE) - C 16**

1	Swachhata App downloads by Hospital Staff	More than 30% of staff downloads	Between 10% to 20% of staff downloads	Less than 10% of total staff downloads
		30	15	0 ✓

**SUB TOTAL (SWACHHATA APP) - D 13**
**TOTAL SCORE (Max.Marks. 160) (A+B+C+D):** 29

Assessor Name and signature

 (Subhash Narkhede)  
Sanitary Inspector


DEC-2020



# Baramati Municipal Council, Baramati



## Assesment For Swachh Hospital under Swachh Sarvekshan 2021

Name of Hospital : SHREYAS HOSPITAL

Ward no:

Address: Ashok Neger. Baramati.

Phone No: 02112 - 25225

Manager Name & No: Mandani P. P.

Tick ( ) the correct option

### INFRASTRUCTURE (MAX SCORE - 60)

1	Hospital infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition	In a fair condition	In broken condition
		4 ✓	2	0
2	Entrance / Exit Gate	In good condition	In broken condition	No Gate
		4 ✓	2 ✓	0
3	Corridors in the Hospital	In good condition	In broken condition	
		4 ✓	2	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition	Available as per requirement but in poor condition	No available
		4 ✓	2	0
5	Waste collection equipment (wheeled trolleys/handcart)	Available	Not Available	
		2	0 ✓	
6	Composting equipment / compost pit	Available	Not Available	
		4	0 ✓	
7	Cleaning equipment / brooms	Available in good condition	Available in poor condition	Not Available
		4 ✓	2	0
8	Toilets and baths with wash basins available for clinical and non	Available in good condition	Available in poor condition	No toilets available
		4 ✓	2	0
9	Toilet and bath facilities available for IPD patients	Available in good condition	Available in poor condition	No toilets available
		4 ✓	2	0
10	Toilet facilities available for visitors and OPD patients	Available in good condition	Available in poor condition	No toilets available
		4	2	0 ✓
11	Stair Case / Lift as applicable	Available in good condition	Available in poor condition	Not Available
		4	2	0 ✓

12	Covered sources of drinking water	Available in good condition	Available in poor condition	Not Available
		4 ✓	2	0
13	Facility for parking of vehicles	Available in good condition	Available in poor condition	Not Available
		4	2	✓ 0
14	Sterilization facility	Available in good condition	Available in poor condition	Not Available
		4	2	✓ 0
15	Garden/Park/Lawn/ Recreation Rooms for IPD patients	Available in good condition	Available in poor condition	Not Available
		4	✓ 2	0
16	Ambulance	Well maintained and equipped		Poorly maintained
		2		0 ✓
SUB-TOTAL (INFRASTRUCTURE SCORE) - A 30				

#### SERVICE/MAINTENANCE (MAX.SCORE - 40)

1	Cleaning within Hospital premises	Swept daily	Swept periodically	Never swept
		4 ✓	2	0
2	Toilet and bath cleaning	Cleaned regularly	Cleaned some times	Never cleaned
		4	2 ✓	0
3	Toilet and bath water availability	Available		Not available
		3 ✓		0
4	Cleaning of water tanks wherever applicable	Cleaned regularly	Cleaned some times	Never cleaned
		4	2 ✓	0
5	Cleaning of drinking water coolers	Cleaned regularly	Cleaned once in a week	Never cleaned
		4	2 ✓	0
6	Infrastructure like special care rooms, operation theaters, labour rooms, ICUs, laboratories etc.	Maintained regularly		No regular maintenance
		4 ✓		0
7	Cleaning of special care rooms, operation theatres, labour rooms, ICUs, laboratories etc	Cleaned regularly or as and when required		Not cleaned on a regular basis
		4 ✓		0
8	Collecting waste from dustbins	Daily	Fortnightly	Not collected
		4	2 ✓	0
9	Segregating waste collected	At the point of waste generation	Daily	Not segregated
		4	2 ✓	0

10	Bio-degradable waste processing	Processed at compost pit/copost equipment within the hospital premises	Sent for composting outside the hospital	Not composted
		5	3	0
SUB-TOTAL (MAINTENANCE SCORE) - B 23				

#### FEEDBACK FROM PATIENTS/STAFF (MAX.SCORE 30)

1	Whether Hospital has Feedback Mechanism	Yes	No
		6	0
2	Availability of toilet facilities for patients	Adequate number available for use	Inadequate number available for use
		4	0
3	Availability of toilet facilities for visitors staff	Adequate number available for use	Inadequate number available for use
		4	0
4	Availability of sufficient number of dustbins for disposing waste	Adequate number available for use	Inadequate number available for use
		4	0
5	Waste collection done daily	Yes	No
		4	0
6	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept clean	Sources of drinking water and surroundings are not kept clean
		4	0
7	Cleanliness and maintenance of special care rooms including	Well maintained and clean	Poorly maintained and not clean
		4	0

#### SUB TOTAL (FEEDBACK SCORE) - C 16

1	Swachhata App downloads by Hospital Staff	More than 30% of staff downloads	Between 10% to 20% of staff downloads	Less than 10% of total staff downloads
		30	15	0

#### SUB TOTAL (SWACHHATA APP) - D 13

TOTAL SCORE (Max.Marks. 160) (A+B+C+D): 84

Assessor Name and signature



(Subhash Narkhede)  
Sanitary Inspector



# Baramati Municipal Council, Baramati



## Assesment For Swachh Hospital under Swachh Sarvekshan 2021

Name of Hospital : Bhandare - Hospital

Ward no: \_\_\_\_\_

Address: Ring road No. 5 - Behind S.T. stand Baramati

Phone No: 9860406608

Manager Name & No: Hanuman Aba salpute

9766358479

Tick ( ) the correct option

### INFRASTRUCTURE (MAX SCORE - 60)

1	Hospital infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition	In a fair condition	In broken condition
		4 ✓	2	0
2	Entrance / Exit Gate	In good condition	In broken condition	No Gate
		4	2	0
3	Corridors in the Hospital	In good condition	In broken condition	
		4	2	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition	Available as per requirement but in poor condition	No available
		4	2 ✓	0
5	Waste collection equipment (wheeled trolleys/handcart)	Available	Not Available	
		2	0 ✓	
6	Composting equipment / compost pit	Available	Not Available	
		4	0 ✓	
7	Cleaning equipment / brooms	Available in good condition	Available in poor condition	Not Available
		4	2 ✓	0
8	Toilets and baths with wash basins available for clinical and non	Available in good condition	Available in poor condition	No toilets available
		4	2 ✓	0
9	Toilet and bath facilities available for IPD patients	Available in good condition	Available in poor condition	No toilets available
		4 ✓	2	0
10	Toilet facilities available for visitors and OPD patients	Available in good condition	Available in poor condition	No toilets available
		4	2 ✓	0
11	Stair Case / Lift as applicable	Available in good condition	Available in poor condition	Not Available
		4	2	0

12	Covered sources of drinking water	Available in good condition	Available in poor condition	Not Available
		4	2 ✓	0
13	Facility for parking of vehicles	Available in good condition	Available in poor condition	Not Available
		4	2	0 ✓
14	Sterilization facility	Available in good condition	Available in poor condition	Not Available
		4	2	0 ✓
15	Garden/Park/Lawn/ Recreation Rooms for IPD patients	Available in good condition	Available in poor condition	Not Available
		4	2	0 ✓
16	Ambulance	Well maintained and equipped		Poorly maintained
		2 ✓		0
SUB-TOTAL (INFRASTRUCTURE SCORE) - A 29				

#### SERVICE/MAINTENANCE (MAX.SCORE - 40)

1	Cleaning within Hospital premises	Swept daily	Swept periodically	Never swept
		4 ✓	2	0
2	Toilet and bath cleaning	Cleaned regularly	Cleaned some times	Never cleaned
		4	2 ✓	0
3	Toilet and bath water availability	Available		Not available
		3 ✓		0
4	Cleaning of water tanks wherever applicable	Cleaned regularly	Cleaned some times	Never cleaned
		4	2 ✓	0
5	Cleaning of drinking water coolers	Cleaned regularly	Cleaned once in a week	Never cleaned
		4	2 ✓	0
6	Infrastructure like special care rooms, operation theaters, labour rooms, ICUs, laboratories etc.	Maintained regularly		No regular maintenance
		4 ✓		0
7	Cleaning of special care rooms, operation theatres, labour rooms, ICUs, laboratories etc	Cleaned regularly or as and when required		Not cleaned on a regular basis
		4 ✓		0
8	Collecting waste from dustbins	Daily	Fortnightly	Not collected
		4	2 ✓	0
9	Segregating waste collected	At the point of waste generation	Daily	Not segregated
		4	2	0 ✓

10	Bio-degradable waste processing	Processed at compost pit/copost equipment within the hospital premises	Sent for composting outside the hospital	Not composted
		5	3 ✓	0
<b>SUB-TOTAL (MAINTENANCE SCORE) - B</b> 26				

**FEEDBACK FROM PATIENTS/STAFF (MAX.SCORE 30)**

1	Whether Hospital has Feedback Mechanism	Yes	No
		6	0
2	Availability of toilet facilities for patients	Adequate number available for use	Inadequate number available for use
		4 ✓	0
3	Availability of toilet facilities for visitors staff	Adequate number available for use	Inadequate number available for use
		4	0 ✓
4	Availability of sufficient number of dustbins for disposing waste	Adequate number available for use	Inadequate number available for use
		4	0 ✓
5	Waste collection done daily	Yes	No
		4 ✓	0
6	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept clean	Sources of drinking water and surroundings are not kept clean
		4 ✓	0
7	Cleanliness and maintenance of special care rooms including	Well maintained and clean	Poorly maintained and not clean
		4 ✓	0
<b>SUB TOTAL (FEEDBACK SCORE) - C</b> 16			

1	Swachhata App downloads by Hospital Staff	More than 30% of staff downloads	Between 10% to 20% of staff downloads	Less than 10% of total staff downloads
		30	✓ 15 (10)	0

**SUB TOTAL (SWACHHATA APP) - D** 10

**TOTAL SCORE (Max.Marks. 160) (A+B+C+D):** 76

Assessor Name and signature

(Subhash Narkhede)  
Sanitary Inspector




# Baramati Municipal Council, Baramati



Assesment For Swachh Hospital under Swachh Sarvekshan 2021

Name of Hospital : *Bhandare Hospital*

Ward no:

Address: *Ring road No-5, Behind S.T. Stand, Baramati*

Phone No: *9860406608*

Manager Name & No: *Hanumanth Aba salpate*

*9766358479* Tick ( ) the correct option

## INFRASTRUCTURE (MAX SCORE - 60)

1	Hospital infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition	In a fair condition	In broken condition
		4 <input checked="" type="checkbox"/>	2	0
2	Entrance / Exit Gate	In good condition	In broken condition	No Gate
		4 <input checked="" type="checkbox"/>	2 <input checked="" type="checkbox"/>	0
3	Corridors in the Hospital	In good condition	In broken condition	
		4 <input checked="" type="checkbox"/>	2 <input checked="" type="checkbox"/>	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition	Available as per requirement but in poor condition	No available
		4	2 <input checked="" type="checkbox"/>	0
5	Waste collection equipment (wheeled trolleys/handcart)	Available	Not Available	
		2	0 <input checked="" type="checkbox"/>	
6	Composting equipment / compost pit	Available		Not Available
		4		0 <input checked="" type="checkbox"/>
7	Cleaning equipment / brooms	Available in good condition	Available in poor condition	Not Available
		4 <input checked="" type="checkbox"/>	2 <input checked="" type="checkbox"/>	0
8	Toilets and baths with wash basins available for clinical and non	Available in good condition	Available in poor condition	No toilets available
		4 <input checked="" type="checkbox"/>	2 <input checked="" type="checkbox"/>	0
9	Toilet and bath facilities available for IPD patients	Available in good condition	Available in poor condition	No toilets available
		4 <input checked="" type="checkbox"/>	2	0
10	Toilet facilities available for visitors and OPD patients	Available in good condition	Available in poor condition	No toilets available
		4 <input checked="" type="checkbox"/>	2 <input checked="" type="checkbox"/>	0
11	Stair Case / Lift as applicable	Available in good condition	Available in poor condition	Not Available
		4	2	0

12	Covered sources of drinking water	Available in good condition	Available in poor condition	Not Available
		4	2	0
13	Facility for parking of vehicles	Available in good condition	Available in poor condition	Not Available
		4	2	0
14	Sterilization facility	Available in good condition	Available in poor condition	Not Available
		4	2	0
15	Garden/Park/Lawn/ Recreation Rooms for IPD patients	Available in good condition	Available in poor condition	Not Available
		4	2	0
16	Ambulance	Well maintained and equipped		Poorly maintained
		2		0
SUB-TOTAL (INFRASTRUCTURE SCORE) - A			24	

#### SERVICE/MAINTENANCE (MAX.SCORE - 40)

1	Cleaning within Hospital premises	Swept daily	Swept periodically	Never swept
		4	2	0
2	Toilet and bath cleaning	Cleaned regularly	Cleaned some times	Never cleaned
		4	2	0
3	Toilet and bath water availability	Available		Not available
		3		0
4	Cleaning of water tanks wherever applicable	Cleaned regularly	Cleaned some times	Never cleaned
		4	2	0
5	Cleaning of drinking water coolers	Cleaned regularly	Cleaned once in a week	Never cleaned
		4	2	0
6	Infrastructure like special care rooms, operation theaters, labour rooms, ICUs, laboratories etc.	Maintained regularly		No regular maintenance
		4		0
7	Cleaning of special care rooms, operation theatres, labour rooms, ICUs, laboratories etc	Cleaned regularly or as and when required		Not cleaned on a regular basis
		4		0
8	Collecting waste from dustbins	Daily	Fortnightly	Not collected
		4	2	0
9	Segregating waste collected	At the point of waste generation	Daily	Not segregated
		4	2	0

10	Bio-degradable waste processing	Processed at compost pit/copost equipment within the hospital premises	Sent for composting outside the hospital	Not composted
		5	3 ✓	0
SUB-TOTAL (MAINTENANCE SCORE) - B 26				

#### FEEDBACK FROM PATIENTS/STAFF (MAX.SCORE 30)

1	Whether Hospital has Feedback Mechanism	Yes		No
		6		0
2	Availability of toilet facilities for patients	Adequate number available for use		Inadequate number available for use
		4 ✓		0
3	Availability of toilet facilities for visitors staff	Adequate number available for use		Inadequate number available for use
		4		0 ✓
4	Availability of sufficient number of dustbins for disposing waste	Adequate number available for use		Inadequate number available for use
		4 ✓		0
5	Waste collection done daily	Yes		No
		4 ✓		0
6	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept clean		Sources of drinking water and surroundings are not kept clean
		4 ✓		0
7	Cleanliness and maintenance of special care rooms including	Well maintained and clean		Poorly maintained and not clean
		4 ✓		0

#### SUB TOTAL (FEEDBACK SCORE) - C 76

1	Swachhata App downloads by Hospital Staff	More than 30% of staff downloads	Between 10% to 20% of staff downloads	Less than 10% of total staff downloads
		30	✓ 15 (1/10)	0

#### SUB TOTAL (SWACHHATA APP) - D 10

#### TOTAL SCORE (Max.Marks. 160) (A+B+C+D): 76

Assessor Name and signature

AS  
BHANDARE HOSPITAL  
Ring Road No.5, Behind S.T. Stand  
Baramati, Dist. Pune, Pin 413102  
bhandarehospital@gmail.com  
Ph No. (02112) 209762, 226768

(Subhash Narkhede)  
Sanitary Inspector





# Baramati Municipal Council, Baramati



## Assesment For Swachh Hospital under Swachh Sarvekshan 2021

Name of Hospital : Rhuchandra Accident Hospital

Ward no:

Address: Ring Road Behind Bus stand Baramati  
413102

Phone No: 021121221888

Manager Name & No: Rohit Rumbhak - 7066662288

Tick ( ) the correct option

### INFRASTRUCTURE (MAX SCORE - 60)

1	Hospital infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition ✓ 4	In a fair condition 2	In broken condition 0
2	Entrance / Exit Gate	In good condition ✓ 4	In broken condition 2	No Gate 0
3	Corridors in the Hospital	In good condition ✓ 4	In broken condition 2	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition 4	Available as per requirement but in poor condition ✓ 2	No available 0
5	Waste collection equipment (wheeled trolleys/handcart)	Available 2	Not Available ✓ 0	
6	Composting equipment / compost pit	Available 4	Not Available 0	
7	Cleaning equipment / brooms	Available in good condition ✓ 4	Available in poor condition ✓ 2	Not Available 0
8	Toilets and baths with wash basins available for clinical and non	Available in good condition ✓ 4	Available in poor condition ✓ 2	No toilets available 0
9	Toilet and bath facilities available for IPD patients	Available in good condition 4	Available in poor condition ✓ 2	No toilets available 0
10	Toilet facilities available for visitors and OPD patients	Available in good condition 4	Available in poor condition ✓ 2	No toilets available 0
11	Stair Case / Lift as applicable	Available in good condition 4	Available in poor condition ✓ 2	Not Available 0

12	Covered sources of drinking water	Available in good condition ✓	Available in poor condition	Not Available
		4	2	0
13	Facility for parking of vehicles	Available in good condition ✓	Available in poor condition	Not Available
		4	2	0
14	Sterilization facility	Available in good condition ✓	Available in poor condition	Not Available
		4	2	0
15	Garden/Park/Lawn/ Recreation Rooms for IPD patients	Available in good condition ✓	Available in poor condition	Not Available
		4	2	0
16	Ambulance H.A	Well maintained and equipped		Poorly maintained
		2		0
SUB-TOTAL (INFRASTRUCTURE SCORE) - A 28				

#### SERVICE/MAINTENANCE (MAX.SCORE - 40)

1	Cleaning within Hospital premises	Swept daily ✓	Swept periodically	Never swept
		4	2	0
2	Toilet and bath cleaning	Cleaned regularly ✓	Cleaned some times	Never cleaned
		4	2	0
3	Toilet and bath water availability	Available ✓		Not available
		3		0
4	Cleaning of water tanks wherever applicable	Cleaned regularly ✓	Cleaned some times	Never cleaned
		4	2	0
5	Cleaning of drinking water coolers	Cleaned regularly ✓	Cleaned once in a week	Never cleaned
		4	2	0
6	Infrastructure like special care rooms, operation theaters, labour rooms, ICUs, laboratories etc.	Maintained regularly ✓		No regular maintenance
		4		0
7	Cleaning of special care rooms, operation theatres, labour rooms, ICUs, laboratories etc	Cleaned regularly or as and when required ✓		Not cleaned on a regular basis
		4		0
8	Collecting waste from dustbins	Daily ✓	Fortnightly	Not collected
		4	2	0
9	Segregating waste collected	At the point of waste generation	Daily	Not segregated
		4	2	0

10	Bio-degradable waste processing H.A	Processed at compost pit/copost equipment within the hospital premises	Sent for composting outside the hospital	Not composted
		5	3	0
SUB-TOTAL (MAINTENANCE SCORE) - B 25				

#### FEEDBACK FROM PATIENTS/STAFF (MAX.SCORE 30)

1	Whether Hospital has Feedback Mechanism	Yes ✓ 6	No 0
2	Availability of toilet facilities for patients	Adequate number available for use 4	Inadequate number available for use 0
3	Availability of toilet facilities for visitors staff	Adequate number available for use 4	Inadequate number available for use 0
4	Availability of sufficient number of dustbins for disposing waste	Adequate number available for use 4	Inadequate number available for use 0
5	Waste collection done daily	Yes ✓ 4	No 0
6	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept clean ✓ 4	Sources of drinking water and surroundings are not kept clean 0
7	Cleanliness and maintenance of special care rooms including	Well maintained and clean ✓ 4	Poorly maintained and not clean 0

#### SUB TOTAL (FEEDBACK SCORE) - C 26

1	Swachhata App downloads by Hospital Staff	More than 30% of staff downloads 30	Between 10% to 20% of staff downloads 15	Less than 10% of total staff downloads 0
---	---	--	---	---

#### SUB TOTAL (SWACHHATA APP) - D

TOTAL SCORE (Max.Marks. 160) (A+B+C+D): 79

Assessor Name and signature

(Subhash Narkhede)  
Sanitary Inspector





# Baramati Municipal Council, Baramati



## Assesment For Swachh Hospital under Swachh Sarvekshan 2021

Name of Hospital : Anuchandra Accident Hospital

Ward no:

Address: Ring Road Behind BUS stand Baramati  
413102

Phone No: 021121221888

Manager Name & No: Rohit Kumbhar - 7066662288

Tick ( ) the correct option

### INFRASTRUCTURE (MAX SCORE - 60)

1	Hospital infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition ✓ 4	In a fair condition 2	In broken condition 0
2	Entrance / Exit Gate	In good condition ✓ 4	In broken condition 2	No Gate 0
3	Corridors in the Hospital	In good condition ✓ 4	In broken condition 2	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition 4	Available as per requirement but in poor condition 2	No available 0
5	Waste collection equipment (wheeled trolleys/handcart)	Available 2	Not Available 0	
6	Composting equipment / compost pit	Available 4	Not Available 0	
7	Cleaning equipment / brooms	Available in good condition 4	Available in poor condition 2	Not Available 0
8	Toilets and baths with wash basins available for clinical and non	Available in good condition 4	Available in poor condition 2	No toilets available 0
9	Toilet and bath facilities available for IPD patients	Available in good condition 4	Available in poor condition 2	No toilets available 0
10	Toilet facilities available for visitors and OPD patients	Available in good condition 4	Available in poor condition 2	No toilets available 0
11	Stair Case / Lift as applicable	Available in good condition 4	Available in poor condition 2	Not Available 0

12	Covered sources of drinking water	Available in good condition	Available in poor condition	Not Available
		4	2	0
13	Facility for parking of vehicles	Available in good condition	Available in poor condition	Not Available
		4	2	0
14	Sterilization facility	Available in good condition	Available in poor condition	Not Available
		4	2	0
15	Garden/Park/Lawn/ Recreation Rooms for IPD patients	Available in good condition	Available in poor condition	Not Available
		4	2	0
16	Ambulance H.A	Well maintained and equipped		Poorly maintained
		2		0
SUB-TOTAL (INFRASTRUCTURE SCORE) - A 28				

#### SERVICE/MAINTENANCE (MAX.SCORE - 40)

1	Cleaning within Hospital premises	Swept daily	Swept periodically	Never swept
		4	2	0
2	Toilet and bath cleaning	Cleaned regularly	Cleaned some times	Never cleaned
		4	2	0
3	Toilet and bath water availability	Available		Not available
		3		0
4	Cleaning of water tanks wherever applicable	Cleaned regularly	Cleaned some times	Never cleaned
		4	2	0
5	Cleaning of drinking water coolers	Cleaned regularly	Cleaned once in a week	Never cleaned
		4	2	0
6	Infrastructure like special care rooms, operation theaters, labour rooms, ICUs, laboratories etc.	Maintained regularly		No regular maintenance
		4		0
7	Cleaning of special care rooms, operation theatres, labour rooms, ICUs, laboratories etc	Cleaned regularly or as and when required		Not cleaned on a regular basis
		4		0
8	Collecting waste from dustbins	Daily	Fortnightly	Not collected
		4	2	0
9	Segregating waste collected	At the point of waste generation	Daily	Not segregated
		4	2	0

10	Bio-degradable waste processing (A.A)	Processed at compost pit/copost equipment within the hospital premises	Sent for composting outside the hospital	Not composted
		5	3	0

**SUB-TOTAL (MAINTENANCE SCORE) - B** 25

**FEEDBACK FROM PATIENTS/STAFF (MAX.SCORE 30)**

1	Whether Hospital has Feedback Mechanism	<input checked="" type="checkbox"/> Yes		No
		6		0
2	Availability of toilet facilities for patients	Adequate number available for use <input checked="" type="checkbox"/>		Inadequate number available for use
		4		0
3	Availability of toilet facilities for visitors staff	Adequate number available for use <input checked="" type="checkbox"/>		Inadequate number available for use
		4		0
4	Availability of sufficient number of dustbins for disposing waste	Adequate number available for use <input checked="" type="checkbox"/>		Inadequate number available for use
		4		0
5	Waste collection done daily	<input checked="" type="checkbox"/> Yes		No
		4		0
6	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept clean <input checked="" type="checkbox"/>		Sources of drinking water and surroundings are not kept clean
		4		0
7	Cleanliness and maintenance of special care rooms including	Well maintained and clean <input checked="" type="checkbox"/>		Poorly maintained and not clean
		4		0

**SUB TOTAL (FEEDBACK SCORE) - C** 26

1	Swachhata App downloads by Hospital Staff	More than 30% of staff downloads	Between 10% to 20% of staff downloads	Less than 10% of total staff downloads
		30	15	0

**SUB TOTAL (SWACHHATA APP) - D** 0

**TOTAL SCORE (Max.Marks. 160) (A+B+C+D):** 79

Assessor Name and signature

(Subhash Narkhede)  
Sanitary Inspector





# Baramati Municipal Council, Baramati



## Assesment For Swachh Hospital under Swachh Sarvekshan 2021

Name of Hospital : Aruchandra Accident Hospital

Ward no:

Address: Ring Road Behind Bus Stand Baramati  
413102

Phone No: 02112/221888

Manager Name & No: Ronit Kumbhar - 706666 2288

Tick ( ) the correct option

### INFRASTRUCTURE (MAX SCORE - 60)

1	Hospital infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition 4	In a fair condition 2	In broken condition 0
2	Entrance / Exit Gate	In good condition 4	In broken condition 2	No Gate 0
3	Corridors in the Hospital	In good condition 4	In broken condition 2	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition 4	Available as per requirement but in poor condition 2	No available 0
5	Waste collection equipment (wheeled trolleys/handcart)	Available 2	Not Available 0	
6	Composting equipment / compost pit	Available 4	Not Available 0	
7	Cleaning equipment / brooms	Available in good condition 4	Available in poor condition 2	Not Available 0
8	Toilets and baths with wash basins available for clinical and non	Available in good condition 4	Available in poor condition 2	No toilets available 0
9	Toilet and bath facilities available for IPD patients	Available in good condition 4	Available in poor condition 2	No toilets available 0
10	Toilet facilities available for visitors and OPD patients	Available in good condition 4	Available in poor condition 2	No toilets available 0
11	Stair Case / Lift as applicable	Available in good condition 4	Available in poor condition 2	Not Available 0

12	Covered sources of drinking water	Available in good condition	Available in poor condition	Not Available
		4	2	0
13	Facility for parking of vehicles	Available in good condition	Available in poor condition	Not Available
		4	2	0
14	Sterilization facility	Available in good condition	Available in poor condition	Not Available
		4	2	0
15	Garden/Park/Lawn/ Recreation Rooms for IPD patients	Available in good condition	Available in poor condition	Not Available
		4	2	0
16	Ambulance M.A	Well maintained and equipped		Poorly maintained
		2		0
SUB-TOTAL (INFRASTRUCTURE SCORE) - A 28				

#### SERVICE/MAINTENANCE (MAX.SCORE - 40)

1	Cleaning within Hospital premises	Swept daily	Swept periodically	Never swept
		4	✓ 2	0
2	Toilet and bath cleaning	Cleaned regularly	Cleaned some times	Never cleaned
		4	✓ 2	0
3	Toilet and bath water availability	Available		Not available
		✓ 3		0
4	Cleaning of water tanks wherever applicable	Cleaned regularly	Cleaned some times	Never cleaned
		4	✓ 2	0
5	Cleaning of drinking water coolers	Cleaned regularly	Cleaned once in a week	Never cleaned
		4	✓ 2	0
6	Infrastructure like special care rooms, operation theaters, labour rooms, ICUs, laboratories etc.	Maintained regularly		No regular maintenance
		4 ✓		0
7	Cleaning of special care rooms, operation theatres, labour rooms, ICUs, laboratories etc	Cleaned regularly or as and when required		Not cleaned on a regular basis
		4 ✓		0
8	Collecting waste from dustbins	Daily	Fortnightly	Not collected
		✓ 4	2	0
9	Segregating waste collected	At the point of waste generation	Daily	Not segregated
		4	✓ 2	0

10	Bio-degradable waste processing M A	Processed at compost pit/copost equipment within the hospital premises	Sent for composting outside the hospital	Not composted
		5	3	0

**SUB-TOTAL (MAINTENANCE SCORE) - B** 25

**FEEDBACK FROM PATIENTS/STAFF (MAX.SCORE 30)**

1	Whether Hospital has Feedback Mechanism	Yes ✓ 6	No 0
2	Availability of toilet facilities for patients	Adequate number available for use ✓ 4	Inadequate number available for use 0
3	Availability of toilet facilities for visitors staff	Adequate number available for use ✓ 4	Inadequate number available for use 0
4	Availability of sufficient number of dustbins for disposing waste	Adequate number available for use 4	Inadequate number available for use 0
5	Waste collection done daily	Yes ✓ 4	No 0
6	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept clean ✓ 4	Sources of drinking water and surroundings are not kept clean 0
7	Cleanliness and maintenance of special care rooms including	Well maintained and clean ✓ 4	Poorly maintained and not clean 0

**SUB TOTAL (FEEDBACK SCORE) - C** 26

1	Swachhata App downloads by Hospital Staff	More than 30% of staff downloads 30	Between 10% to 20% of staff downloads 15	Less than 10% of total staff downloads 0
---	---	--	---	---

**SUB TOTAL (SWACHHATA APP) - D** 0

**TOTAL SCORE (Max.Marks. 160) (A+B+C+D):** 75

Assessor Name and signature

(Subhash Narkhede)  
Sanitary Inspector



# Baramati Municipal Council, Baramati



Assessment of school ranking under swachh sarvekshan 2021

ULB CODE: 802820

Name of School: V.V. Vinodkumar Gujar Bal Vikas Mandal

Circle Name and Number : Opp. Baramati Railway Station

School Address : Bhigwan Road, M.E.S. Campus  
Baramati

School Principal Name & Contact No. Mr. Ashish Ghosh 02112-227344

## INFRASTRUCTURE (MAX. SCORE- 50)

Sl. No.	Criteria	Marks Allotted				
1	Boundary wall around the school premises	In good condition 4 ✓	In broken condition 2	No boundary wall 0		
2	Entrance/exit gate	In good condition 4 ✓	In broken condition 2	No gate 0		
3	Corridors in the School	In good condition 4 ✓	In broken condition 2	No pavements 0		
4	Dustbins	Color-segregated available within every 250 meters 4 ✓	Color-segregated available within every 500 meters 3	No color segregation available within every 250 meters 2	No color segregation available within every 500 meters 1	No dustbins available 0
5	Waste cartage equipment ( e.g. rickshaws/ tractors/ trolley/ hand	Available 2 ✓			Not available 0	
6	Composting equipment/compost Pit	Available 4 ✓			Not available 0	
7	Cleaning equipment/brooms	Available in good condition 4 ✓		Available in poor condition 2		Not available 0
8	Toilets with washbasins available for maintenance staff	Available in good condition 4 ✓		Available in poor condition 2		No toilets available 0
9	Toilet facilities available for students	Separate facilities available for girls and boys, with at least one disabled friendly facility 4 ✓	Separate facilities available for boys and girls, without any disabled friendly facility 3	Common toilet facilities available, with at least one disabled friendly facility 2	Common toilet facilities available, without any disabled friendly facility 1	No toilets available 0
10	Toilet facilities available for visitors/parents/ teaching and non-teaching staff	Separate facilities available for men and women, with at least one disabled friendly facility 4 ✓	Separate facilities available for men and women, without any disabled friendly facility 3	Common toilet facilities available, with at least one disabled friendly facility 2	Common toilet facilities available, without any disabled friendly facility 1	No toilets available 0
11	Stair Case/ Lift as applicable	Available in good condition 4 ✓		Available in poor condition 2		Not available 0

12	Covered sources of drinking water	Available in good condition 4 ✓	Available in poor condition 2	Not Available 0
13	Garden/Park /Lawn Area	Available in good 4 ✓	Available in poor condition 2	Not Available 0
<b>SUB-TOTAL (INFRASTRUCTURE SCORE)-A</b> 46				
<b>SERVICE/MAINTENANCE (MAX. SCORE- 30)</b>				
1	Cleaning within School premises	Swept daily 4 ✓	Swept periodically 2	Never swept 0
2	Toilet cleaning	Cleaned regularly 4 ✓	Cleaned sometimes 2	Never cleaned 0
3	Toilet water availability	Available 3 ✓	Not available 0	
4	Cleaning of water tanks/Swimming pools	Cleaned regularly 4 ✓	Cleaned sometimes 2	Never cleaned 0
5	Cleaning of drinking water coolers	Cleaned regularly 4 ✓	Cleaned Once in a week 2	Never cleaned 0
6	Maintenance of infrastructure like Sports room/activity	Maintained regularly 4 ✓	No regular maintenance 0	
7	Collecting waste from dustbins	Daily 4 ✓	Fortnightly 2	Not collected 0
8	Bio-degradable waste processing	Processed at compost pit/ compost 3	Sent for composting outside park 2	Not composted 0
<b>SUB-TOTAL (MAINTENANCE SCORE)-B</b> 27				
<b>FEEDBACK FROM MEMBERS (MAX. SCORE- 20)</b>				
1	Availability of toilet facilities for students/staff/faculty	Adequate number available for use 4 ✓	Inadequate number available for use 0	
2	Availability of sufficient number of dustbins for	Adequate number available 4 ✓	Inadequate number available for use 0	
3	Waste collection done daily	Yes 4 ✓	No 0	
4	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept 4 ✓	Sources of drinking water and 0	
5	School premises (Activity rooms/ labs/ swimming	Well-maintained and clean 4 ✓	Poorly-maintained and not clean 0	
<b>SUB-TOTAL(FEEDBACK SCORE)-C</b> 20				
<b>Swachhata Committees in every class (MAX. SCORE- 10)</b>				
1	Whether Established Swachhata Committees in every class	100 % Classes established with Swachhata Committees 20 ✓	99% - 50 % Classes established with Swachhata Committees 5	< 50 % Classes established with Swachhata Committees 0
3	Swachhata App downloaded by School Staff	100% staff have downloaded 30 ✓	99% - 50% staff have downloaded 15	<50% staff have downloaded 0
<b>SUB-TOTAL(FEEDBACK SCORE)-D</b> 20				
<b>TOTAL SCORE( Max.Marks: 140) (A+B+C+D) -</b> 113				

Assessor Name and Signature



(Subhash Narkhede)  
Sanitary Inspector



# Baramati Municipal Council, Baramati



Assessment for swacch school ranking under swachh sarvekshan 2021

ULB CODE: 802820

Name of School: Vidya Pratishthan's Vinodkumar Gujar Bal Vikas Mandir

Circle Name and Number: Opposite Baramati Railway Station.

School Address: Bhigwan Road, MES Campus, Baramati - 413102.

School Principal Name & Contact No. Mr. Asish Tavini Ghosh - 02112-227844

## INFRASTRUCTURE (MAX. SCORE- 50)

Sl. No.	Criteria	Marks Allotted				
1	Boundary wall around the school premises	In good condition 4	In broken condition 2	No boundary wall 0		
2	Entrance/exit gate	In good condition 4	In broken condition 2	No gate 0		
3	Corridors in the School	In good condition 4	In broken condition 2	No pavements 0		
4	Dustbins	Color-segregated available within every 250 meters 4	Color-segregated available within every 500 meters 3	No color segregation available within every 250 meters 2	No color segregation available within every 500 meters 1	No dustbins available 0
5	Waste cartage equipment ( e.g. rickshaws/ tractors/ trolley/ hand	Available 2		Not available 0		
6	Composting equipment/compost Pit	Available 4		Not available 0		
7	Cleaning equipment/brooms	Available in good condition 4		Available in poor condition 2		Not available 0
8	Toilets with washbasins available for maintenance staff	Available in good condition 4		Available in poor condition 2		No toilets available 0
9	Toilet facilities available for students	Separate facilities available for girls and boys, with at least one disabled friendly facility 4	Separate facilities available for boys and girls, without any disabled friendly facility 3	Common toilet facilities available, with at least one disabled friendly facility 2	Common toilet facilities available, without any disabled friendly facility 1	No toilets available 0
10	Toilet facilities available for visitors/parents/ teaching and non-teaching staff	Separate facilities available for men and women, with at least one disabled friendly facility 4	Separate facilities available for men and women, without any disabled friendly facility 3	Common toilet facilities available, with at least one disabled friendly facility 2	Common toilet facilities available, without any disabled friendly facility 1	No toilets available 0
11	Stair Case/ Lift as applicable	Available in good condition 4		Available in poor condition 2		Not available 0

12	Covered sources of drinking water	Available in good condition 4 ✓	Available in poor condition 2	Not Available 0
13	Garden/Park /Lawn Area	Available in good 4 ✓	Available in poor condition 2	Not Available 0
<b>SUB-TOTAL (INFRASTRUCTURE SCORE)-A</b> 46				
<b>SERVICE/MAINTENANCE (MAX. SCORE- 30)</b>				
1	Cleaning within School premises	Swept daily 4 ✓	Swept periodically 2	Never swept 0
2	Toilet cleaning	Cleaned regularly 4 ✓	Cleaned sometimes 2	Never cleaned 0
3	Toilet water availability	Available 3 ✓	Not available 0	
4	Cleaning of water tanks/Swimming pools	Cleaned regularly 4 ✓	Cleaned sometimes 2	Never cleaned 0
5	Cleaning of drinking water coolers	Cleaned regularly 4 ✓	Cleaned Once in a week 2	Never cleaned 0
6	Maintenance of infrastructure like Sports room/activity	Maintained regularly 4 ✓	No regular maintenance 0	
7	Collecting waste from dustbins	Daily 4 ✓	Fortnightly 2	Not collected 0
8	Bio-degradable waste processing	Processed at compost pit/ compost 3	Sent for composting outside park 2	Not composted 0
<b>SUB-TOTAL (MAINTENANCE SCORE)-B</b> 27				
<b>FEEDBACK FROM MEMBERS (MAX. SCORE- 20)</b>				
1	Availability of toilet facilities for students/staff/faculty	Adequate number available for use 4 ✓	Inadequate number available for use 0	
2	Availability of sufficient number of dustbins for	Adequate number available 4 ✓	Inadequate number available for use 0	
3	Waste collection done daily	Yes 4 ✓	No 0	
4	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept 4 ✓	Sources of drinking water and 0	
5	School premises (Activity rooms/ labs/ swimming)	Well-maintained and clean 4 ✓	Poorly-maintained and not clean 0	
<b>SUB-TOTAL(FEEDBACK SCORE)-C</b> 20				
<b>Swachhata Committees in every class (MAX. SCORE- 10)</b>				
1	Whether Established Swachhata Committees in every class	100 % Classes established with Swachhata Committees 20	99% - 50 % Classes established with Swachhata Committees 5 ✓	< 50 % Classes established with Swachhata Committees 0
3	Swachhata App downloaded by School Staff	100% staff have downloaded 30	99% - 50% staff have downloaded 15 ✓	<50% staff have downloaded 0
<b>SUB-TOTAL(FEEDBACK SCORE)-D</b> 20				
<b>TOTAL SCORE( Max.Marks: 140) (A+B+C+D) -</b> 113				


Assessor Name and Signature



(Subhash Narkhede)  
Sanitary Inspector



# Baramati Municipal Council, Baramati



Assessment for swacch school ranking under swachh sarvekshan 2021

ULB CODE: 802820

Name of School: Vidya Pratishthan Vinodkumar Gujar Bal Vikas Mandir

Circle Name and Number: Opp. Railway Station

School Address: Bhigwan Road, M/s Campus, Baramati - 413102

School Principal Name & Contact No. Mr. Asish Tarini Ghosh - 02112-227344

## INFRASTRUCTURE (MAX. SCORE- 50)

Sl. No.	Criteria	Marks Allotted				
1	Boundary wall around the school premises	In good condition	In broken condition	No boundary wall		
		4	2	0		
2	Entrance/exit gate	In good condition	In broken condition	No gate		
		4	2	0		
3	Corridors in the School	In good condition	In broken condition	No pavements		
		4	2	0		
4	Dustbins	Color-segregated available within every 250 meters	Color-segregated available within every 500 meters	No color segregation available within every 250 meters	No color segregation available within every 500 meters	No dustbins available
		4	3	2	1	0
5	Waste cartage equipment ( e.g. rickshaws/ tractors/ trolley/ hand	Available			Not available	
		2			0	
6	Composting equipment/compost Pit	Available			Not available	
		4			0	
7	Cleaning equipment/brooms	Available in good condition		Available in poor condition		Not available
		4		2		0
8	Toilets with washbasins available for maintenance staff	Available in good condition		Available in poor condition		No toilets available
		4		2		0
9	Toilet facilities available for students	Separate facilities available for girls and boys, with at least one disabled friendly facility	Separate facilities available for boys and girls, without any disabled friendly facility	Common toilet facilities available, with at least one disabled friendly facility	Common toilet facilities available, without any disabled friendly facility	No toilets available
		4	3	2	1	0
10	Toilet facilities available for visitors/parents/ teaching and non-teaching staff	Separate facilities available for men and women, with at least one disabled friendly facility	Separate facilities available for men and women, without any disabled friendly facility	Common toilet facilities available, with at least one disabled friendly facility	Common toilet facilities available, without any disabled friendly facility	No toilets available
		4	3	2	1	0
11	Stair Case/ Lift as applicable	Available in good condition		Available in poor condition		Not available
		4		2		0

12	Covered sources of drinking water	Available in good condition	Available in poor condition	Not Available
		4 ✓	2	0
13	Garden/Park /Lawn Area	Available in good	Available in poor condition	Not Available
		4 ✓	2	0
<b>SUB-TOTAL (INFRASTRUCTURE SCORE)-A</b> 98				
<b>SERVICE/MAINTENANCE (MAX. SCORE- 30)</b>				
1	Cleaning within School premises	Swept daily	Swept periodically	Never swept
		4 ✓	2	0
2	Toilet cleaning	Cleaned regularly	Cleaned sometimes	Never cleaned
		4 ✓	2	0
3	Toilet water availability	Available	Not available	
		3 ✓	0	
4	Cleaning of water tanks/Swimming pools	Cleaned regularly	Cleaned sometimes	Never cleaned
		4 ✓	2	0
5	Cleaning of drinking water coolers	Cleaned regularly	Cleaned Once in a week	Never cleaned
		4 ✓	2	0
6	Maintenance of infrastructure like Sports room/activity	Maintained regularly	No regular maintenance	
		4 ✓	0	
7	Collecting waste from dustbins	Daily	Fortnightly	Not collected
		4 ✓	2	0
8	Bio-degradable waste processing	Processed at compost pit/ compost	Sent for composting outside park	Not composted
		3	2	0 ✓
<b>SUB-TOTAL (MAINTENANCE SCORE)-B</b> 27				
<b>FEEDBACK FROM MEMBERS (MAX. SCORE- 20)</b>				
1	Availability of toilet facilities for students/staff/faculty	Adequate number available for use	Inadequate number available for use	
		4 ✓	0	
2	Availability of sufficient number of dustbins for	Adequate number available	Inadequate number available for use	
		4 ✓	0	
3	Waste collection done daily	Yes	No	
		4 ✓	0	
4	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept	Sources of drinking water and	
		4 ✓	0	
5	School premises (Activity rooms/ labs/ swimming	Well-maintained and clean	Poorly-maintained and not clean	
		4 ✓	0	
<b>SUB-TOTAL(FEEDBACK SCORE)-C</b> 20				
<b>Swachhata Committees in every class (MAX. SCORE- 10)</b>				
1	Whether Established Swachhata Committees in every class	100 % Classes established with Swachhata Committees	99% - 50 % Classes established with Swachhata Committees	< 50 % Classes established with Swachhata Committees
		20	5 ✓	0
3	Swachhata App downloaded by School Staff	100% staff have downloaded	99% - 50% staff have downloaded	<50% staff have downloaded
		30	15 ✓	0
<b>SUB-TOTAL(FEEDBACK SCORE)-D</b> 15 20				
<b>TOTAL SCORE( Max.Marks: 140) (A+B+C+D) -</b> 113				

Assessor Name and Signature



(Subhash Narkhede)  
Sanitary Inspector



# Baramati Municipal Council, Baramati



Assessment for swacch school ranking under swachh sarvekshan 2021

ULB CODE: 802820

Name of School: Mes Late G.B. Deshpande High School Baramati

Circle Name and Number :

School Address : Near Railway station Bhigwan road Baramati

School Principal Name & Contact No. Shri. Gawade Shiraji Kisan

INFRASTRUCTURE (MAX. SCORE- 50)

Mo - 9404684532

Sl. No.	Criteria	Marks Allotted				
1	Boundary wall around the school premises	In good condition	In broken condition	No boundary wall		
		4 ✓	2	0		
2	Entrance/exit gate	In good condition	In broken condition	No gate		
		4 ✓	2	0		
3	Corridors in the School	In good condition	In broken condition	No pavements		
		4 ✓	2	0		
4	Dustbins	Color-segregated available within every 250 meters	Color-segregated available within every 500 meters	No color segregation available within every 250 meters	No color segregation available within every 500 meters	No dustbins available
		4	3	2 ✓	1	0
5	Waste cartage equipment ( e.g. rickshaws/ tractors/ trolley/ hand	Available			Not available	
		2 ✓			0	
6	Composting equipment/compost Pit	Available			Not available	
		4			0	
7	Cleaning equipment/brooms	Available in good condition		Available in poor condition		Not available
		4 ✓		2		0
8	Toilets with washbasins available for maintenance staff	Available in good condition		Available in poor condition		No toilets available
		4 ✓		2		0
9	Toilet facilities available for students	Separate facilities available for girls and boys, with at least one disabled friendly facility	Separate facilities available for boys and girls, without any disabled friendly facility	Common toilet facilities available, with at least one disabled friendly facility	Common toilet facilities available, without any disabled friendly facility	No toilets available
		4 ✓	3	2	1	0
10	Toilet facilities available for visitors/parents/ teaching and non-teaching staff	Separate facilities available for men and women, with at least one disabled friendly facility	Separate facilities available for men and women, without any disabled friendly facility	Common toilet facilities available, with at least one disabled friendly facility	Common toilet facilities available, without any disabled friendly facility	No toilets available
		4	3 ✓	2	1	0
11	Stair Case/ Lift as applicable	Available in good condition		Available in poor condition		Not available
		4		2		0

12	Covered sources of drinking water	Available in good condition 4 ✓	Available in poor condition 2	Not Available 0
13	Garden/Park /Lawn Area	Available in good 4	Available in poor condition 2	Not Available ✓ 0
<b>SUB-TOTAL (INFRASTRUCTURE SCORE)-A</b> 35				
<b>SERVICE/MAINTENANCE (MAX. SCORE- 30)</b>				
1	Cleaning within School premises	Swept daily 4 ✓	Swept periodically 2	Never swept 0
2	Toilet cleaning	Cleaned regularly 4	Cleaned sometimes ✓ 2	Never cleaned 0
3	Toilet water availability	Available 3 ✓	Not available 0	
4	Cleaning of water tanks/Swimming pools	Cleaned regularly 4	Cleand sometimes ✓ 2	Never cleaned 0
5	Cleaning of drinking water coolers	Cleaned regularly 4	Cleaned Once in a week ✓ 2	Never cleaned 0
6	Maintenance of infrastructure like Sports room/activity	Maintained regularly 4 ✓	No regular maintenance 0	
7	Collecting waste from dustbins	Daily ✓ 4	Fortnightly 2	Not collected 0
8	Bio-degradable waste processing	Processed at compost pit/ compost 3	Sent for composting outside park 2	Not composted ✓ 0
<b>SUB-TOTAL (MAINTENANCE SCORE)-B</b> 21				
<b>FEEDBACK FROM MEMBERS (MAX. SCORE- 20)</b>				
1	Availability of toilet facilities for students/staff/faculty	Adequate number available for use 4 ✓	Inadequate number available for use 0	
2	Availability of sufficient number of dustbins for	Adequate number available 4 ✓	Inadequate number available for use 0	
3	Waste collection done daily	Yes 4 ✓	No 0	
4	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept 4 ✓	Sources of drinking water and 0	
5	School premises (Activity rooms/ labs/ swimming)	Well-maintained and clean 4 ✓	Poorly-maintained and not clean 0	
<b>SUB-TOTAL (FEEDBACK SCORE)-C</b> 19				
<b>Swachhata Committees in every class (MAX. SCORE- 10)</b>				
1	Whether Established Swachhata Committees in every class	100 % Classes established with Swachhata Committees 20	99% - 50 % Classes established with Swachhata Committees ✓ 5	< 50 % Classes established with Swachhata Committees 0
3	Swachhata App downloaded by School Staff	100% staff have downloaded 30	99% - 50% staff have downloaded 15 (10)	<50% staff have downloaded 0
<b>SUB-TOTAL (FEEDBACK SCORE)-D</b> 15				
<b>TOTAL SCORE (Max.Marks: 140) (A+B+C+D) -</b> 90				

Assessor Name and Signature




मुख्याध्यापक  
म.ए.सो.कै. गजाननराव भिवराव देशपांडे  
माध्यमिक व उच्च माध्यमिक विद्यालय,  
बारामती, जिल्हा. पुणे.

(Subhash Narkhede)  
Sanitary Inspector



# Baramati Municipal Council, Baramati



एन. कल्याण मंडळी वी. १०७

Assessment for swacch school ranking under swachh sarvekshan 2021

ULB CODE: 802820

Name of School: Mes Late G.B. Deshpande High School Baramati

Circle Name and Number : Mr. Gawade Shrinji Kisan

School Address : Near Railway Station Bhigwan Road Baramati

School Principal Name & Contact No.

## INFRASTRUCTURE (MAX. SCORE- 50)

Sl. No.	Criteria	Marks Allotted			
1	Boundary wall around the school premises	In good condition	In broken condition	No boundary wall	
		4 ✓	2	0	
2	Entrance/exit gate	In good condition	In broken condition	No gate	
		4 ✓	2	0	
3	Corridors in the School	In good condition	In broken condition	No pavements	
		4 ✓	2	0	
4	Dustbins	Color-segregated available within every 250 meters	Color-segregated available within every 500 meters	No color segregation available within every 250 meters	No color segregation available within every 500 meters
		4 ✓	3	1	0
5	Waste cartage equipment ( e.g. rickshaws/ tractors/ trolley/ hand	Available		Not available	
		2 ✓		0	
6	Composting equipment/compost Pit	Available		Not available	
		4		0	
7	Cleaning equipment/brooms	Available in good condition		Available in poor condition	
		4 ✓		2	
8	Toilets with washbasins available for maintenance staff	Available in good condition		Available in poor condition	
		4 ✓		2	
9	Toilet facilities available for students	Separate facilities available for girls and boys, with at least one disabled friendly facility	Separate facilities available for boys and girls, without any disabled friendly facility	Common toilet facilities available, with at least one disabled friendly facility	Common toilet facilities available, without any disabled friendly facility
		4 ✓	3	2	1
10	Toilet facilities available for visitors/parents/ teaching and non-teaching staff	Separate facilities available for men and women, with at least one disabled friendly facility	Separate facilities available for men and women, without any disabled friendly facility	Common toilet facilities available, with at least one disabled friendly facility	Common toilet facilities available, without any disabled friendly facility
		4 ✓	3	2	1
11	Stair Case/ Lift as applicable	Available in good condition		Available in poor condition	
		4		2	

12	Covered sources of drinking water	Available in good condition 4 ✓	Available in poor condition 2	Not Available 0
13	Garden/Park /Lawn Area	Available in good condition 4	Available in poor condition 2	Not Available 0
<b>SUB-TOTAL (INFRASTRUCTURE SCORE)-A</b> 35				
<b>SERVICE/MAINTENANCE (MAX. SCORE- 30)</b>				
1	Cleaning within School premises	Swept daily 4 ✓	Swept periodically 2	Never swept 0
2	Toilet cleaning	Cleaned regularly 4	Cleaned sometimes 2 ✓	Never cleaned 0
3	Toilet water availability	Available 3 ✓	Not available 0	
4	Cleaning of water tanks/Swimming pools	Cleaned regularly 4	Cleaned sometimes 2 ✓	Never cleaned 0
5	Cleaning of drinking water coolers	Cleaned regularly 4	Cleaned Once in a week 2 ✓	Never cleaned 0
6	Maintenance of infrastructure like Sports room/activity	Maintained regularly 4 ✓	No regular maintenance 0	
7	Collecting waste from dustbins	Daily 4 ✓	Fortnightly 2	Not collected 0
8	Bio-degradable waste processing	Processed at compost pit/ compost 3	Sent for composting outside park 2	Not composted 0
<b>SUB-TOTAL (MAINTENANCE SCORE)-B</b> 21				
<b>FEEDBACK FROM MEMBERS (MAX. SCORE- 20)</b>				
1	Availability of toilet facilities for students/staff/faculty	Adequate number available for use 4 ✓	Inadequate number available for use 0	
2	Availability of sufficient number of dustbins for	Adequate number available 4 ✓	Inadequate number available for use 0	
3	Waste collection done daily	Yes 4 ✓	No 0	
4	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept 4 ✓	Sources of drinking water and 0	
5	School premises (Activity rooms/ labs/ swimming)	Well-maintained and clean 4 ✓	Poorly-maintained and not clean 0	
<b>SUB-TOTAL(FEEDBACK SCORE)-C</b> 19				
<b>Swachhata Committees in every class (MAX. SCORE- 10)</b>				
1	Whether Established Swachhata Committees in every class	100 % Classes established with Swachhata Committees 20	99% - 50 % Classes established with Swachhata Committees 5 ✓	< 50 % Classes established with Swachhata Committees 0
3	Swachhata App downloaded by School Staff	100% staff have downloaded 30	99% - 50% staff have downloaded 15 (10)	<50% staff have downloaded 0
<b>SUB-TOTAL(FEEDBACK SCORE)-D</b> 15				
<b>TOTAL SCORE( Max.Marks: 140) (A+B+C+D) -</b> 90				

Assessor Name and Signature


(Subhash Narkhede)  
Sanitary Inspector



मुख्याध्यापक  
म.ए.सो.कै. गजाननराव भिवराव देशपांडे  
माध्यमिक व उच्च माध्यमिक विद्यालय,  
बारामती, जिल्हा. पुणे.



# Baramati Municipal Council, Baramati



एन. कल्याण स्वच्छता की शक्ति

Assessment for swacch school ranking under swachh sarvekshan 2021

ULB CODE: 802820

Name of School: Mrs Late G.B. Deshpande High School Baramati

Circle Name and Number :

School Address : Near Railway Station Bhigwan road Baramati

School Principal Name & Contact No. Shri. Gawade Shiraji Kisan

INFRASTRUCTURE (MAX. SCORE- 50)

MO - 9404684532

Sl. No.	Criteria	Marks Allotted			
1	Boundary wall around the school premises	In good condition 4 <input checked="" type="checkbox"/>	In broken condition 2	No boundary wall 0	
2	Entrance/exit gate	In good condition 4 <input checked="" type="checkbox"/>	In broken condition 2	No gate 0	
3	Corridors in the School	In good condition 4 <input checked="" type="checkbox"/>	In broken condition 2	No pavements 0	
4	Dustbins	Color-segregated available within every 250 meters 4	Color-segregated available within every 500 meters 3	No color segregation available within every 250 meters 2	No color segregation available within every 500 meters 1
5	Waste cartage equipment ( e.g. rickshaws/ tractors/ trolley/ hand	Available 2 <input checked="" type="checkbox"/>	Not available 0		
6	Composting equipment/compost Pit	Available 4	Not available 0		
7	Cleaning equipment/brooms	Available in good condition 4 <input checked="" type="checkbox"/>	Available in poor condition 2	Not available 0	
8	Toilets with washbasins available for maintenance staff	Available in good condition 4 <input checked="" type="checkbox"/>	Available in poor condition 2	No toilets available 0	
9	Toilet facilities available for students	Separate facilities available for girls and boys, with at least one disabled friendly facility 4 <input checked="" type="checkbox"/>	Separate facilities available for boys and girls, without any disabled friendly facility 3	Common toilet facilities available, with at least one disabled friendly facility 2	Common toilet facilities available, without any disabled friendly facility 1
10	Toilet facilities available for visitors/parents/ teaching and non-teaching staff	Separate facilities available for men and women, with at least one disabled friendly facility 4	Separate facilities available for men and women, without any disabled friendly facility 3 <input checked="" type="checkbox"/>	Common toilet facilities available, with at least one disabled friendly facility 2	Common toilet facilities available, without any disabled friendly facility 1
11	Stair Case/ Lift as applicable	Available in good condition 4	Available in poor condition 2	Not available 0	

12	Covered sources of drinking water	Available in good condition 4 ✓	Available in poor condition 2	Not Available 0
13	Garden/Park /Lawn Area	Available in good 4	Available in poor condition 2	Not Available 0
<b>SUB-TOTAL (INFRASTRUCTURE SCORE)-A</b> 35				
<b>SERVICE/MAINTENANCE (MAX. SCORE- 30)</b>				
1	Cleaning within School premises	Swept daily 4 ✓	Swept periodically 2	Never swept 0
2	Toilet cleaning	Cleaned regularly 4	Cleaned sometimes 2	Never cleaned 0
3	Toilet water availability	Available 3 ✓	Not available 0	
4	Cleaning of water tanks/Swimming pools	Cleaned regularly 4	Cleaned sometimes 2	Never cleaned 0
5	Cleaning of drinking water coolers	Cleaned regularly 4	Cleaned Once in a week 2	Never cleaned 0
6	Maintenance of infrastructure like Sports room/activity	Maintained regularly 4 ✓	No regular maintenance 0	
7	Collecting waste from dustbins	Daily 4 ✓	Fortnightly 2	Not collected 0
8	Bio-degradable waste processing	Processed at compost pit/ compost 3	Sent for composting outside park 2	Not composted 0 ✓
<b>SUB-TOTAL (MAINTENANCE SCORE)-B</b> 21				
<b>FEEDBACK FROM MEMBERS (MAX. SCORE- 20)</b>				
1	Availability of toilet facilities for students/staff/faculty	Adequate number available for use 4 ✓	Inadequate number available for use 0	
2	Availability of sufficient number of dustbins for	Adequate number available 4 ✓	Inadequate number available for use 0	
3	Waste collection done daily	Yes 4 ✓	No 0	
4	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept 4 ✓	Sources of drinking water and 0	
5	School premises (Activity rooms/ labs/ swimming)	Well-maintained and clean 4 (3)	Poorly-maintained and not clean 0	
<b>SUB-TOTAL (FEEDBACK SCORE)-C</b> 19				
<b>Swachhata Committees in every class (MAX. SCORE- 10)</b>				
1	Whether Established Swachhata Committees in every class	100 % Classes established with Swachhata Committees 20	99% - 50 % Classes established with Swachhata Committees 5 ✓	< 50 % Classes established with Swachhata Committees 0
3	Swachhata App downloaded by School Staff	100% staff have downloaded 30	99% - 50% staff have downloaded 15 (10)	<50% staff have downloaded 0
<b>SUB-TOTAL (FEEDBACK SCORE)-D</b> 15				
<b>TOTAL SCORE( Max.Marks: 140) (A+B+C+D) -</b> 90				

Assessor Name and Signature




मुख्याध्यापक  
म.ए.सो.कै. गजाननराव भिवराव देशपांडे  
माध्यमिक व उच्च माध्यमिक विद्यालय,  
बारामती, जिल्हा.पुणे.

(Subhash Narkhede)  
Sanitary Inspector



# Baramati Municipal Council, Baramati



Assessment for swacch school ranking under swachh sarvekshan 2021

ULB CODE: 802820

Name of School: Shri. Chhatrapati Shahu High School & Junior College, Patas Road Baramati

Circle Name and Number :

School Address : At - Patas road, Baramati, Tal - Baramati, Dist - Pune  
413102

School Principal Name & Contact No. Prin. Salunke, A.L. 9404031001

## INFRASTRUCTURE (MAX. SCORE- 50)

Sl. No.	Criteria	Marks Allotted			
		In good condition	In broken condition	No boundary wall	
1	Boundary wall around the school premises	4 <input checked="" type="checkbox"/>	2	0	
2	Entrance/exit gate	4 <input checked="" type="checkbox"/>	2	No gate	
3	Corridors in the School	4 <input checked="" type="checkbox"/>	2	No pavements	
4	Dustbins	Color-segregated available within every 250 meters	Color-segregated available within every 500 meters	No color segregation available within every 250 meters	No color segregation available within every 500 meters
		4	3 <input checked="" type="checkbox"/>	2	1
5	Waste cartage equipment ( e.g. rickshaws/ tractors/ trolley/ hand	Available		Not available	
		2 <input checked="" type="checkbox"/>		0	
6	Composting equipment/compost Pit	Available		Not available	
		4 <input checked="" type="checkbox"/>		0	
7	Cleaning equipment/brooms	Available in good condition		Available in poor condition	
		4 <input checked="" type="checkbox"/>		2 <input checked="" type="checkbox"/>	
8	Toilets with washbasins available for maintenance staff	Available in good condition		Available in poor condition	
		4 <input checked="" type="checkbox"/>		2 <input checked="" type="checkbox"/>	
9	Toilet facilities available for students	Separate facilities available for girls and boys, with at least one disabled friendly facility	Separate facilities available for boys and girls, without any disabled friendly facility	Common toilet facilities available, with at least one disabled friendly facility	Common toilet facilities available, without any disabled friendly facility
		4	3 <input checked="" type="checkbox"/>	2	1
10	Toilet facilities available for visitors/parents/ teaching and non-teaching staff	Separate facilities available for men and women, with at least one disabled friendly facility	Separate facilities available for men and women, without any disabled friendly facility	Common toilet facilities available, with at least one disabled friendly facility	Common toilet facilities available, without any disabled friendly facility
		4	3 <input checked="" type="checkbox"/>	2	1
11	Stair Case/ Lift as applicable	Available in good condition		Available in poor condition	
		4 <input checked="" type="checkbox"/>		2	

12	Covered sources of drinking water	Available in good condition	Available in poor condition	Not Available
		4	✓ 2	0
13	Garden/Park /Lawn Area	Available in good	Available in poor condition	Not Available
		4	2	✓ 0
<b>SUB-TOTAL (INFRASTRUCTURE SCORE)-A</b> 27				
<b>SERVICE/MAINTENANCE (MAX. SCORE- 30)</b>				
1	Cleaning within School premises	Swept daily	Swept periodically	Never swept
		4	✓ 2	0
2	Toilet cleaning	Cleaned regularly	Cleaned sometimes	Never cleaned
		4 ✓	2	0
3	Toilet water availability	Available	Not available	
		3 ✓	0	
4	Cleaning of water tanks/Swimming pools	Cleaned regularly	Cleaned sometimes	Never cleaned
		4	2	✓ 0
5	Cleaning of drinking water coolers	Cleaned regularly	Cleaned Once in a week	Never cleaned
		4	✓ 2	0
6	Maintenance of infrastructure like Sports room/activity	Maintained regularly	No regular maintenance	
		4	✓ 0	
7	Collecting waste from dustbins	Daily	Fortnightly	Not collected
		4 ✓	2	0
8	Bio-degradable waste processing	Processed at compost pit/ compost	Sent for composting outside park	Not composted
		3	2	✓ 0
<b>SUB-TOTAL (MAINTENANCE SCORE)-B</b> 15				
<b>FEEDBACK FROM MEMBERS (MAX. SCORE- 20)</b>				
1	Availability of toilet facilities for students/staff/faculty	Adequate number available for use	Inadequate number available for use	
		4 ✓	0	
2	Availability of sufficient number of dustbins for	Adequate number available	Inadequate number available for use	
		4	✓ 0	
3	Waste collection done daily	Yes	No	
		4 ✓	0	
4	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept	Sources of drinking water and	
		4	0	
5	School premises (Activity rooms/ labs/ swimming)	Well-maintained and clean	Poorly-maintained and not clean	
		4 ✓	0	
<b>SUB-TOTAL(FEEDBACK SCORE)-C</b> 19				
<b>Swachhata Committees in every class (MAX. SCORE- 10)</b>				
1	Whether Established Swachhata Committees in every class	100 % Classes established with Swachhata Committees	99% - 50 % Classes established with Swachhata Committees	< 50 % Classes established with Swachhata Committees
		20	✓ 5 (5)	0
3	Swachhata App downloaded by School Staff	100% staff have downloaded	99% - 50% staff have downloaded	<50% staff have downloaded
		30	✓ 15 (5)	0
<b>SUB-TOTAL(FEEDBACK SCORE)-D</b> 10				
<b>TOTAL SCORE( Max.Marks: 140) (A+B+C+D) -</b> 66				

Assessor Name and Signature




*(Signature)*  
प्रार्थी

श्री छत्रपती शाहू महाराज व ज्युनिअर  
कॉलेज, (कला) वारामती, जि.पुणे

(Subhash Narkhede)  
Sanitary Inspector



# Baramati Municipal Council, Baramati



Assessment for swacch school ranking under swachh sarvekshan 2021

ULB CODE: 802820

Name of School: Shri Chhatrapati Shahu High School & Junior College, Baramati

Circle Name and Number :

School Address : Off - Petal road, Baramati Tal - Baramati Dist - pune 413102

School Principal Name & Contact No. Prin. Salunke. A. L. 9404031001

## INFRASTRUCTURE (MAX. SCORE- 50)

Sl. No.	Criteria	Marks Allotted			
		In good condition	In broken condition	No boundary wall	
1	Boundary wall around the school premises	4 <input checked="" type="checkbox"/>	2	0	
2	Entrance/exit gate	4 <input checked="" type="checkbox"/>	2	No gate	
3	Corridors in the School	4	2	No pavements	
4	Dustbins	Color-segregated available within every 250 meters	Color-segregated available within every 500 meters	No color segregation available within every 250 meters	No color segregation available within every 500 meters
		4	3 <input checked="" type="checkbox"/>	2	1
5	Waste cartage equipment ( e.g. rickshaws/ tractors/ trolley/ hand	Available		Not available	
		2 <input checked="" type="checkbox"/>		0	
6	Composting equipment/compost Pit	Available		Not available	
		4		0	
7	Cleaning equipment/brooms	Available in good condition	Available in poor condition	Not available	
		4	2 <input checked="" type="checkbox"/>	0	
8	Toilets with washbasins available for maintenance staff	Available in good condition	Available in poor condition	No toilets available	
		4	2 <input checked="" type="checkbox"/>	0	
9	Toilet facilities available for students	Separate facilities available for girls and boys, with at least one disabled friendly facility	Separate facilities available for boys and girls, without any disabled friendly facility	Common toilet facilities available, with at least one disabled friendly facility	Common toilet facilities available, without any disabled friendly facility
		4	3 <input checked="" type="checkbox"/>	2	1
10	Toilet facilities available for visitors/parents/ teaching and non-teaching staff	Separate facilities available for men and women, with at least one disabled friendly facility	Separate facilities available for men and women, without any disabled friendly facility	Common toilet facilities available, with at least one disabled friendly facility	Common toilet facilities available, without any disabled friendly facility
		4	3 <input checked="" type="checkbox"/>	2	1
11	Stair Case/ Lift as applicable	Available in good condition	Available in poor condition	Not available	
		4	2	0	

12	Covered sources of drinking water	Available in good condition 4	Available in poor condition ✓ 2	Not Available 0
13	Garden/Park /Lawn Area	Available in good 4	Available in poor condition 2	Not Available ✓ 0
<b>SUB-TOTAL (INFRASTRUCTURE SCORE)-A</b> 27				
<b>SERVICE/MAINTENANCE (MAX. SCORE- 30)</b>				
1	Cleaning within School premises	Swept daily 4	Swept periodically ✓ 2	Never swept 0
2	Toilet cleaning	Cleaned regularly 4	Cleaned sometimes 2	Never cleaned 0
3	Toilet water availability	Available 3	Not available 0	
4	Cleaning of water tanks/Swimming pools	Cleaned regularly 4	Cleaned sometimes 2	Never cleaned ✓ 0
5	Cleaning of drinking water coolers	Cleaned regularly 4	Cleaned Once in a week ✓ 2	Never cleaned 0
6	Maintenance of infrastructure like Sports room/activity	Maintained regularly 4	No regular maintenance ✓ 0	
7	Collecting waste from dustbins	Daily 4	Fortnightly 2	Not collected 0
8	Bio-degradable waste processing	Processed at compost pit/ compost 3	Sent for composting outside park 2	Not composted ✓ 0
<b>SUB-TOTAL (MAINTENANCE SCORE)-B</b> 15				
<b>FEEDBACK FROM MEMBERS (MAX. SCORE- 20)</b>				
1	Availability of toilet facilities for students/staff/faculty	Adequate number available for use 4	Inadequate number available for use 0	
2	Availability of sufficient number of dustbins for	Adequate number available 4	Inadequate number available for use 0	
3	Waste collection done daily	Yes 4	No 0	
4	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept 4	Sources of drinking water and 0	
5	School premises (Activity rooms/ labs/ swimming)	Well-maintained and clean 4	Poorly-maintained and not clean 0	
<b>SUB-TOTAL (FEEDBACK SCORE)-C</b> 14				
<b>Swachhata Committees in every class (MAX. SCORE- 10)</b>				
1	Whether Established Swachhata Committees in every class	100 % Classes established with Swachhata Committees 20	99% - 50 % Classes established with Swachhata Committees ✓ 5 (5)	< 50 % Classes established with Swachhata Committees 0
3	Swachhata App downloaded by School Staff	100% staff have downloaded 30	99% - 50% staff have downloaded ✓ 15 (15)	<50% staff have downloaded 0
<b>SUB-TOTAL (FEEDBACK SCORE)-D</b> 10				
<b>TOTAL SCORE( Max.Marks: 140) (A+B+C+D) -</b> 66				

Assessor Name and Signature




  
**प्राचार्य**  
 श्री चवमती राजू हायस्कूल व ज्युनिअर  
 कॉलेज, (कला) चवमती, जि.पुणे

(Subhash Narkhede)  
 Sanitary Inspector



# Baramati Municipal Council, Baramati



एक. कर्म मन्त्रालय की ओर

Assessment for swacch school ranking under swachh sarvekshan 2021

ULB CODE: 802820

Name of School: shri- chhotra pati shahu highschool & Junior college. Baramati.

Circle Name and Number :

School Address : At- patas road, Baramati, Tal- Baramati. Dist- pune 413102

School Principal Name & Contact No. Prin. Salunke. A. L. 9404031001

## INFRASTRUCTURE (MAX. SCORE- 50)

Sl. No.	Criteria	Marks Allotted			
1	Boundary wall around the school premises	In good condition	In broken condition	No boundary wall	
		4 ✓	2	0	
2	Entrance/exit gate	In good condition	In broken condition	No gate	
		4 ✓	2	0	
3	Corridors in the School	In good condition	In broken condition	No pavements	
		4	✓ 2	0	
4	Dustbins	Color-segregated available within every 250 meters	Color-segregated available within every 500 meters	No color segregation available within every 250 meters	No color segregation available within every 500 meters
		4	3 ✓	2	1
5	Waste cartage equipment ( e.g. rickshaws/ tractors/ trolley/ hand	Available		Not available	
		2 ✓		0	
6	Composting equipment/compost Pit	Available		Not available	
		4		✓ 0	
7	Cleaning equipment/brooms	Available in good condition	Available in poor condition	Not available	
		4	✓ 2	0	
8	Toilets with washbasins available for maintenance staff	Available in good condition	Available in poor condition	No toilets available	
		4	✓ 2	0	
9	Toilet facilities available for students	Separate facilities available for girls and boys, with at least one disabled friendly facility	Separate facilities available for boys and girls, without any disabled friendly facility	Common toilet facilities available, with at least one disabled friendly facility	Common toilet facilities available, without any disabled friendly facility
		4	✓ 3	2	1
10	Toilet facilities available for visitors/parents/ teaching and non-teaching staff	Separate facilities available for men and women, with at least one disabled friendly facility	Separate facilities available for men and women, without any disabled friendly facility	Common toilet facilities available, with at least one disabled friendly facility	Common toilet facilities available, without any disabled friendly facility
		4	✓ 3	2	1
11	Stair Case/ Lift as applicable	Available in good condition	Available in poor condition	Not available	
		4	2	✓ 0	

12	Covered sources of drinking water	Available in good condition 4	Available in poor condition ✓ 2	Not Available 0
13	Garden/Park /Lawn Area	Available in good 4	Available in poor condition 2	Not Available ✓ 0
<b>SUB-TOTAL (INFRASTRUCTURE SCORE)-A</b> 27				
<b>SERVICE/MAINTENANCE (MAX. SCORE- 30)</b>				
1	Cleaning within School premises	Swept daily 4	Swept periodically ✓ 2	Never swept 0
2	Toilet cleaning	Cleaned regularly 4 ✓	Cleaned sometimes 2	Never cleaned 0
3	Toilet water availability	Available 3 ✓	Not available ✓ 0	
4	Cleaning of water tanks/Swimming pools	Cleaned regularly 4	Cleaned sometimes 2	Never cleaned ✓ 0
5	Cleaning of drinking water coolers	Cleaned regularly 4	Cleaned Once in a week ✓ 2	Never cleaned 0
6	Maintenance of infrastructure like Sports room/activity	Maintained regularly 4	No regular maintenance ✓ 0	
7	Collecting waste from dustbins	Daily 4 ✓	Fortnightly 2	Not collected 0
8	Bio-degradable waste processing	Processed at compost pit/ compost 3	Sent for composting outside park 2	Not composted ✓ 0
<b>SUB-TOTAL (MAINTENANCE SCORE)-B</b> 15				
<b>FEEDBACK FROM MEMBERS (MAX. SCORE- 20)</b>				
1	Availability of toilet facilities for students/staff/faculty	Adequate number available for use 4 ✓	Inadequate number available for use 0	
2	Availability of sufficient number of dustbins for	Adequate number available 4	Inadequate number available for use ✓ 0	
3	Waste collection done daily	Yes 4 ✓	No 0	
4	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept 4 ✓	Sources of drinking water and 0	
5	School premises (Activity rooms/ labs/ swimming)	Well-maintained and clean 4 ✓	Poorly-maintained and not clean 0	
<b>SUB-TOTAL (FEEDBACK SCORE)-C</b> 16				
<b>Swachhata Committees in every class (MAX. SCORE- 10)</b>				
1	Whether Established Swachhata Committees in every class	100 % Classes established with Swachhata Committees 20 ✓	99% - 50 % Classes established with Swachhata Committees ✓ 5 (5)	< 50 % Classes established with Swachhata Committees 0
3	Swachhata App downloaded by School Staff	100% staff have downloaded 30	99% - 50% staff have downloaded ✓ 15 (5)	<50% staff have downloaded 0
<b>SUB-TOTAL (FEEDBACK SCORE)-D</b> 10				
<b>TOTAL SCORE( Max.Marks: 140) (A+B+C+D) -</b> 66				

Assessor Name and Signature

  
प्राचार्य


(Subhash Narkhede)  
Sanitary Inspector



श्री छात्रांनी शाहू कामगार व ज्युनिअर  
कॉलेज, (कला) वाराणसी, जि.पुणे



# Baramati Municipal Council, Baramati



Assessment for swacch school ranking under swachh sarvekshan 2021

ULB CODE: 802820

Name of School: D.A. Sahay (Karbhari) High School & Jr. College Baramati

Circle Name and Number : Jagtap Mala Kasha - Baramati

School Address : Jagtap Mala Kasha - Baramati Dist. Pune

School Principal Name & Contact No. 9637156601

## INFRASTRUCTURE (MAX. SCORE- 50)

Sl. No.	Criteria	Marks Allotted				
1	Boundary wall around the school premises	In good condition	In broken condition	No boundary wall		
		4 ✓	2	0		
2	Entrance/exit gate	In good condition	In broken condition	No gate		
		4 ✓	2	0		
3	Corridors in the School	In good condition	In broken condition	No pavements		
		4	2	✓ 0		
4	Dustbins	Color-segregated available within every 250 meters	Color-segregated available within every 500 meters	No color segregation available within every 250 meters	No color segregation available within every 500 meters	No dustbins available
		4	3	2 ✓	1	0
5	Waste cartage equipment ( e.g. rickshaws/ tractors/ trolley/ hand	Available			Not available	
		2 ✓			0	
6	Composting equipment/compost Pit	Available			Not available	
		4			0	
7	Cleaning equipment/brooms	Available in good condition		Available in poor condition		Not available
		4 ✓		2		0
8	Toilets with washbasins available for maintenance staff	Available in good condition		Available in poor condition		No toilets available
		4 ✓		2		0
9	Toilet facilities available for students	Separate facilities available for girls and boys, with at least one disabled friendly facility	Separate facilities available for boys and girls, without any disabled friendly facility	Common toilet facilities available, with at least one disabled friendly facility	Common toilet facilities available, without any disabled friendly facility	No toilets available
		4	3	✓ 2	1	0
10	Toilet facilities available for visitors/parents/ teaching and non-teaching staff	Separate facilities available for men and women, with at least one disabled friendly facility	Separate facilities available for men and women, without any disabled friendly facility	Common toilet facilities available, with at least one disabled friendly facility	Common toilet facilities available, without any disabled friendly facility	No toilets available
		4	3	✓ 2	1	0
11	Stair Case/ Lift as applicable	Available in good condition		Available in poor condition		Not available
		4		2		✓ 0

12	Covered sources of drinking water	Available in good condition 4	Available in poor condition 2	Not Available 0
13	Garden/Park /Lawn Area	Available in good 4	Available in poor condition 2	Not Available 0
<b>SUB-TOTAL (INFRASTRUCTURE SCORE)-A</b> 26				
<b>SERVICE/MAINTENANCE (MAX. SCORE- 30)</b>				
1	Cleaning within School premises	Swept daily 4	Swept periodically 2	Never swept 0
2	Toilet cleaning	Cleaned regularly 4	Cleaned sometimes 2	Never cleaned 0
3	Toilet water availability	Available 3	Not available 0	
4	Cleaning of water tanks/Swimming pools	Cleaned regularly 4	Cleaned sometimes 2	Never cleaned 0
5	Cleaning of drinking water coolers	Cleaned regularly 4	Cleaned Once in a week 2	Never cleaned 0
6	Maintenance of infrastructure like Sports room/activity	Maintained regularly 4	No regular maintenance 0	
7	Collecting waste from dustbins	Daily 4	Fortnightly 2	Not collected 0
8	Bio-degradable waste processing	Processed at compost pit/ compost 3	Sent for composting outside park 2	Not composted 0
<b>SUB-TOTAL (MAINTENANCE SCORE)-B</b> 11				
<b>FEEDBACK FROM MEMBERS (MAX. SCORE- 20)</b>				
1	Availability of toilet facilities for students/staff/faculty	Adequate number available for use 4	Inadequate number available for use 0	
2	Availability of sufficient number of dustbins for	Adequate number available 4	Inadequate number available for use 0	
3	Waste collection done daily	Yes 4	No 0	
4	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept 4	Sources of drinking water and 0	
5	School premises (Activity rooms/ labs/ swimming)	Well-maintained and clean 4	Poorly-maintained and not clean 0	
<b>SUB-TOTAL(FEEDBACK SCORE)-C</b> 12				
<b>Swachhata Committees in every class (MAX. SCORE- 10)</b>				
1	Whether Established Swachhata Committees in every class	100 % Classes established with Swachhata Committees 20	99% - 50 % Classes established with Swachhata Committees 5	< 50 % Classes established with Swachhata Committees 0
3	Swachhata App downloaded by School Staff	100% staff have downloaded 30	99% - 50% staff have downloaded 15	<50% staff have downloaded 0
<b>SUB-TOTAL(FEEDBACK SCORE)-D</b> 10				
<b>TOTAL SCORE( Max.Marks: 140) (A+B+C+D) -</b> 54				

Assessor Name and Signature




**PRINCIPAL**  
D. A. Satav (Karbhari) High School  
& Jr. College  
Kasba-Baramati Dist. Pune

(Subhash Narkhede)  
Sanitary Inspector



# Baramati Municipal Council, Baramati



Assessment for swacch school ranking under swachh sarvekshan 2021

ULB CODE: 802820

Name of School: D. A. Salav (Karbhari) High School & Jr. College Baramati

Circle Name and Number: Jagtap Mala Karba - Baramati Dist - Pune

School Address: Jagtap - Mala Karba - Baramati Tal - Baramati Dist - Pune

School Principal Name & Contact No. 9637156601

## INFRASTRUCTURE (MAX. SCORE- 50)

Sl. No.	Criteria	Marks Allotted			
1	Boundary wall around the school premises	In good condition 4	In broken condition 2	No boundary wall 0	
2	Entrance/exit gate	In good condition 4	In broken condition 2	No gate 0	
3	Corridors in the School	In good condition 4	In broken condition 2	No pavements 0	
4	Dustbins	Color-segregated available within every 250 meters 4	Color-segregated available within every 500 meters 3	No color segregation available within every 250 meters 2	No color segregation available within every 500 meters 1
5	Waste cartage equipment ( e.g. rickshaws/ tractors/ trolley/ hand	Available 2		Not available 0	
6	Composting equipment/compost Pit	Available 4		Not available 0	
7	Cleaning equipment/brooms	Available in good condition 4		Available in poor condition 2	
8	Toilets with washbasins available for maintenance staff	Available in good condition 4		Available in poor condition 2	
9	Toilet facilities available for students	Separate facilities available for girls and boys, with at least one disabled friendly facility 4	Separate facilities available for boys and girls, without any disabled friendly facility 3	Common toilet facilities available, with at least one disabled friendly facility 2	Common toilet facilities available, without any disabled friendly facility 1
10	Toilet facilities available for visitors/parents/ teaching and non-teaching staff	Separate facilities available for men and women, with at least one disabled friendly facility 4	Separate facilities available for men and women, without any disabled friendly facility 3	Common toilet facilities available, with at least one disabled friendly facility 2	Common toilet facilities available, without any disabled friendly facility 1
11	Stair Case/ Lift as applicable	Available in good condition 4		Available in poor condition 2	
				Not available 0	

12	Covered sources of drinking water	Available in good condition 4	Available in poor condition ✓ 2	Not Available 0
13	Garden/Park /Lawn Area	Available in good 4	Available in poor condition 2	Not Available 0
<b>SUB-TOTAL (INFRASTRUCTURE SCORE)-A</b> 26				
<b>SERVICE/MAINTENANCE (MAX. SCORE- 30)</b>				
1	Cleaning within School premises	Swept daily 4	Swept periodically ✓ 2	Never swept 0
2	Toilet cleaning	Cleaned regularly 4	Cleaned sometimes 2	Never cleaned 0
3	Toilet water availability	Available 3	Not available 0	
4	Cleaning of water tanks/Swimming pools	Cleaned regularly 4	Cleand sometimes 2	Never cleaned 0
5	Cleaning of drinking water coolers	Cleaned regularly 4	Cleaned Once in a week ✓ 2	Never cleaned 0
6	Maintenance of infrastructure like Sports room/activity	Maintained regularly 4	No regular maintenance 0	
7	Collecting waste from dustbins	Daily 4	Fortnightly ✓ 2	Not collected 0
8	Bio-degradable waste processing	Processed at compost pit/ compost 3	Sent for composting outside park 2	Not composted 0
<b>SUB-TOTAL (MAINTENANCE SCORE)-B</b> 11				
<b>FEEDBACK FROM MEMBERS (MAX. SCORE- 20)</b>				
1	Availability of toilet facilities for students/staff/faculty	Adequate number available for use 4	Inadequate number available for use 0	
2	Availability of sufficient number of dustbins for	Adequate number available 4	Inadequate number available for use 0	
3	Waste collection done daily	Yes 4	No 0	
4	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept 4	Sources of drinking water and 0	
5	School premises (Activity rooms/ labs/ swimming	Well-maintained and clean 4	Poorly-maintained and not clean 0	
<b>SUB-TOTAL(FEEDBACK SCORE)-C</b> 12				
<b>Swachhata Committees in every class (MAX. SCORE- 10)</b>				
1	Whether Established Swachhata Committees in every class	100 % Classes established with Swachhata Committees 20	99% - 50 % Classes established with Swachhata Committees 5	< 50 % Classes established with Swachhata Committees 0
3	Swachhata App downloaded by School Staff	100% staff have downloaded 30	99% - 50% staff have downloaded 15	<50% staff have downloaded 0
<b>SUB-TOTAL(FEEDBACK SCORE)-D</b> 10				
<b>TOTAL SCORE( Max.Marks: 140) (A+B+C+D) -</b> 59				

Assessor Name and Signature



*(Signature)*  
**PRINCIPAL**  
D. A. Satav (Karbhari) High School  
& Jr. College  
Kasba-Baramati Dist. Pune

(Subhash Narkhede)  
Sanitary Inspector



# Baramati Municipal Council, Baramati



Assessment for swachh school ranking under swachh sarvekshan 2021

ULB CODE: 802820

Name of School: D. A. Salav (Karbhari) High School & Jr. College, Baramati

Circle Name and Number: Jagtap - Mela Kasba - Baramati

School Address: Jagtap Mela Kasba - Baramati Tal - Baramati Dist - Pune

School Principal Name & Contact No. 9637156601

## INFRASTRUCTURE (MAX. SCORE- 50)

Sl. No.	Criteria	Marks Allotted				
1	Boundary wall around the school premises	In good condition 4	In broken condition 2	No boundary wall 0		
2	Entrance/exit gate	In good condition 4	In broken condition 2	No gate 0		
3	Corridors in the School	In good condition 4	In broken condition 2	No pavements 0		
4	Dustbins	Color-segregated available within every 250 meters 4	Color-segregated available within every 500 meters 3	No color segregation available within every 250 meters 2	No color segregation available within every 500 meters 1	No dustbins available 0
5	Waste cartage equipment ( e.g. rickshaws/ tractors/ trolley/ hand	Available 2			Not available 0	
6	Composting equipment/compost Pit	Available 4			Not available 0	
7	Cleaning equipment/brooms	Available in good condition 4		Available in poor condition 2		Not available 0
8	Toilets with washbasins available for maintenance staff	Available in good condition 4		Available in poor condition 2		No toilets available 0
9	Toilet facilities available for students	Separate facilities available for girls and boys, with at least one disabled friendly facility 4	Separate facilities available for boys and girls, without any disabled friendly facility 3	Common toilet facilities available, with at least one disabled friendly facility 2	Common toilet facilities available, without any disabled friendly facility 1	No toilets available 0
10	Toilet facilities available for visitors/parents/ teaching and non-teaching staff	Separate facilities available for men and women, with at least one disabled friendly facility 4	Separate facilities available for men and women, without any disabled friendly facility 3	Common toilet facilities available, with at least one disabled friendly facility 2	Common toilet facilities available, without any disabled friendly facility 1	No toilets available 0
11	Stair Case/ Lift as applicable	Available in good condition 4		Available in poor condition 2		Not available 0

12	Covered sources of drinking water	Available in good condition 4	Available in poor condition ✓ 2	Not Available 0
13	Garden/Park /Lawn Area	Available in good 4	Available in poor condition 2	Not Available 0
<b>SUB-TOTAL (INFRASTRUCTURE SCORE)-A</b> 26				
<b>SERVICE/MAINTENANCE (MAX. SCORE- 30)</b>				
1	Cleaning within School premises	Swept daily 4	Swept periodically ✓ 2	Never swept 0
2	Toilet cleaning	Cleaned regularly 4	Cleaned sometimes ✓ 2	Never cleaned 0
3	Toilet water availability	Available 3 ✓	Not available 0	
4	Cleaning of water tanks/Swimming pools	Cleaned regularly 4	Cleand sometimes 2	Never cleaned ✓ 0
5	Cleaning of drinking water coolers	Cleaned regularly 4	Cleaned Once in a week ✓ 2	Never cleaned 0
6	Maintenance of infrastructure like Sports room/activity	Maintained regularly 4	No regular maintenance ✓ 0	
7	Collecting waste from dustbins	Daily 4	Fortnightly ✓ 2	Not collected 0
8	Bio-degradable waste processing	Processed at compost pit/ compost 3	Sent for composting outside park 2	Not composted ✓ 0
<b>SUB-TOTAL (MAINTENANCE SCORE)-B</b> 11				
<b>FEEDBACK FROM MEMBERS (MAX. SCORE- 20)</b>				
1	Availability of toilet facilities for students/staff/faculty	Adequate number available for use 4	Inadequate number available for use ✓ 0	
2	Availability of sufficient number of dustbins for	Adequate number available 4 ✓	Inadequate number available for use 0	
3	Waste collection done daily	Yes 4 ✓	No 0	
4	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept 4	Sources of drinking water and ✓ 0	
5	School premises (Activity rooms/ labs/ swimming	Well-maintained and clean 4 ✓	Poorly-maintained and not clean 0	
<b>SUB-TOTAL(FEEDBACK SCORE)-C</b> 12				
<b>Swachhata Committees in every class (MAX. SCORE- 10)</b>				
1	Whether Established Swachhata Committees in every class	100 % Classes established with Swachhata Committees 20	99% - 50 % Classes established with Swachhata Committees 5	< 50 % Classes established with Swachhata Committees ✓ 0
3	Swachhata App downloaded by School Staff	100% staff have downloaded 30	99% - 50% staff have downloaded ✓ 15 (10)	<50% staff have downloaded 0
<b>SUB-TOTAL(FEEDBACK SCORE)-D</b> 10				
<b>TOTAL SCORE( Max.Marks: 140) (A+B+C+D) -</b> 59				

Assessor Name and Signature

(Subhash Narkhede)  
Sanitary Inspector



**PRINCIPAL**  
D. A. Satav (Karbhari) High School  
& Jr. College  
Kasba-Baramati Dist. Pune



# Baramati Municipal Council, Baramati



एन. कल्याण संस्कृत की श्र

Assessment for swachh school ranking under swachh sarvekshan 2021

ULB CODE: 802820

Name of School: Radheshyam N. Agrawal Tech. Institute & Jr. college Baramati

Circle Name and Number :

School Address : Tadulwadi Road, Near T.C. college Baramati

School Principal Name & Contact No. Kakade Rajendra Narayan - 9763163373

## INFRASTRUCTURE (MAX. SCORE- 50)

Sl. No.	Criteria	Marks Allotted			
1	Boundary wall around the school premises	In good condition 4	In broken condition 2	No boundary wall 0	
2	Entrance/exit gate	In good condition 4	In broken condition 2	No gate 0	
3	Corridors in the School	In good condition 4	In broken condition 2	No pavements 0	
4	Dustbins	Color-segregated available within every 250 meters 4	Color-segregated available within every 500 meters 3	No color segregation available within every 250 meters 2	No color segregation available within every 500 meters 1
5	Waste cartage equipment ( e.g. rickshaws/ tractors/ trolley/ hand	Available 2	Not available 0		
6	Composting equipment/compost Pit	Available 4	Not available 0		
7	Cleaning equipment/brooms	Available in good condition 4	Available in poor condition 2	Not available 0	
8	Toilets with washbasins available for maintenance staff	Available in good condition 4	Available in poor condition 2	No toilets available 0	
9	Toilet facilities available for students	Separate facilities available for girls and boys, with at least one disabled friendly facility 4	Separate facilities available for boys and girls, without any disabled friendly facility 3	Common toilet facilities available, with at least one disabled friendly facility 2	Common toilet facilities available, without any disabled friendly facility 1
10	Toilet facilities available for visitors/parents/ teaching and non-teaching staff	Separate facilities available for men and women, with at least one disabled friendly facility 4	Separate facilities available for men and women, without any disabled friendly facility 3	Common toilet facilities available, with at least one disabled friendly facility 2	Common toilet facilities available, without any disabled friendly facility 1
11	Stair Case/ Lift as applicable	Available in good condition 4	Available in poor condition 2	Not available 0	

12	Covered sources of drinking water	Available in good condition 4	Available in poor condition 2	Not Available 0
13	Garden/Park /Lawn Area	Available in good 4	Available in poor condition 2	Not Available 0
<b>SUB-TOTAL (INFRASTRUCTURE SCORE)-A</b> 13				
<b>SERVICE/MAINTENANCE (MAX. SCORE- 30)</b>				
1	Cleaning within School premises	Swept daily 4	Swept periodically 2	Never swept 0
2	Toilet cleaning	Cleaned regularly 4	Cleaned sometimes 2	Never cleaned 0
3	Toilet water availability	Available 3	Not available 0	
4	Cleaning of water tanks/Swimming pools	Cleaned regularly 4	Cleaned sometimes 2	Never cleaned 0
5	Cleaning of drinking water coolers	Cleaned regularly 4	Cleaned Once in a week 2	Never cleaned 0
6	Maintenance of infrastructure like Sports room/activity	Maintained regularly 4	No regular maintenance 0	
7	Collecting waste from dustbins	Daily 4	Fortnightly 2	Not collected 0
8	Bio-degradable waste processing	Processed at compost pit/ compost 3	Sent for composting outside park 2	Not composted 0
<b>SUB-TOTAL (MAINTENANCE SCORE)-B</b> 8				
<b>FEEDBACK FROM MEMBERS (MAX. SCORE- 20)</b>				
1	Availability of toilet facilities for students/staff/faculty	Adequate number available for use 4	Inadequate number available for use 0	
2	Availability of sufficient number of dustbins for	Adequate number available 4	Inadequate number available for use 0	
3	Waste collection done daily	Yes 4	No 0	
4	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept 4	Sources of drinking water and 0	
5	School premises (Activity rooms/ labs/ swimming)	Well-maintained and clean 4	Poorly-maintained and not clean 0	
<b>SUB-TOTAL(FEEDBACK SCORE)-C</b> 8				
<b>Swachhata Committees in every class (MAX. SCORE- 10)</b>				
1	Whether Established Swachhata Committees in every class	100 % Classes established with Swachhata Committees 20	99% - 50 % Classes established with Swachhata Committees 5	< 50 % Classes established with Swachhata Committees 0
3	Swachhata App downloaded by School Staff	100% staff have downloaded 30	99% - 50% staff have downloaded 15	<50% staff have downloaded 0
<b>SUB-TOTAL(FEEDBACK SCORE)-D</b> 10				
<b>TOTAL SCORE( Max.Marks: 140) (A+B+C+D) -</b> 45				

Assessor Name and Signature

मुख्याध्यापक  
आर.एन.आगरवाल टेक्निकल इन्स्टिट्यूट  
व ज्युनियर कॉलेज बारामती, जि.पुणे



(Subhash Narkhede)  
Sanitary Inspector



# Baramati Municipal Council, Baramati



Assessment for swachh school ranking under swachh sarvekshan 2021

ULB CODE: 802820

Name of School: Radheshyam N. Agrawal Tech. Institute & Jr. college Baramati

Circle Name and Number :

School Address : Tandulwadi Road Near T.C. college Baramati

School Principal Name & Contact No. Kakade Rajendra Narayan. 9763163373

## INFRASTRUCTURE (MAX. SCORE- 50)

Sl. No.	Criteria	Marks Allotted			
		In good condition	In broken condition	No boundary wall	
1	Boundary wall around the school premises	4	2	0	
2	Entrance/exit gate	4	2	0	
3	Corridors in the School	4	2	0	
4	Dustbins	Color-segregated available within every 250 meters	Color-segregated available within every 500 meters	No color segregation available within every 250 meters	No color segregation available within every 500 meters
		4	3	2	1
5	Waste cartage equipment ( e.g. rickshaws/ tractors/ trolley/ hand	Available	2	Not available	0
6	Composting equipment/compost Pit	Available	4	Not available	0
7	Cleaning equipment/brooms	Available in good condition	Available in poor condition	Not available	0
		4	2		
8	Toilets with washbasins available for maintenance staff	Available in good condition	Available in poor condition	No toilets available	0
		4	2		
9	Toilet facilities available for students	Separate facilities available for girls and boys, with at least one disabled friendly facility	Separate facilities available for boys and girls, without any disabled friendly facility	Common toilet facilities available, with at least one disabled friendly facility	Common toilet facilities available, without any disabled friendly facility
		4	3	2	1
10	Toilet facilities available for visitors/parents/ teaching and non-teaching staff	Separate facilities available for men and women, with at least one disabled friendly facility	Separate facilities available for men and women, without any disabled friendly facility	Common toilet facilities available, with at least one disabled friendly facility	Common toilet facilities available, without any disabled friendly facility
		4	3	2	1
11	Stair Case/ Lift as applicable	Available in good condition	Available in poor condition	Not available	0
		4	2		

12	Covered sources of drinking water	Available in good condition 4	Available in poor condition 2	Not Available 0
13	Garden/Park /Lawn Area	Available in good 4	Available in poor condition 2	Not Available 0
<b>SUB-TOTAL (INFRASTRUCTURE SCORE)-A</b>				
<b>SERVICE/MAINTENANCE (MAX. SCORE- 30)</b> 19				
1	Cleaning within School premises	Swept daily 4	Swept periodically 2	Never swept 0
2	Toilet cleaning	Cleaned regularly 4	Cleaned sometimes 2	Never cleaned 0
3	Toilet water availability	Available 3	Not available 0	
4	Cleaning of water tanks/Swimming pools	Cleaned regularly 4	Cleaned sometimes 2	Never cleaned 0
5	Cleaning of drinking water coolers	Cleaned regularly 4	Cleaned Once in a week 2	Never cleaned 0
6	Maintenance of infrastructure like Sports room/activity	Maintained regularly 4	No regular maintenance 0	
7	Collecting waste from dustbins	Daily 4	Fortnightly 2	Not collected 0
8	Bio-degradable waste processing	Processed at compost pit/ compost 3	Sent for composting outside park 2	Not composted 0
<b>SUB-TOTAL (MAINTENANCE SCORE)-B</b> 8				
<b>FEEDBACK FROM MEMBERS (MAX. SCORE- 20)</b>				
1	Availability of toilet facilities for students/staff/faculty	Adequate number available for use 4	Inadequate number available for use 0	
2	Availability of sufficient number of dustbins for	Adequate number available 4	Inadequate number available for use 0	
3	Waste collection done daily	Yes 4	No 0	
4	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept 4	Sources of drinking water and 0	
5	School premises (Activity rooms/ labs/ swimming)	Well-maintained and clean 4	Poorly-maintained and not clean 0	
<b>SUB-TOTAL(FEEDBACK SCORE)-C</b> 8				
<b>Swachhata Committees in every class (MAX. SCORE- 10)</b>				
1	Whether Established Swachhata Committees in every class	100 % Classes established with Swachhata Committees 20	99% - 50 % Classes established with Swachhata Committees 5	< 50 % Classes established with Swachhata Committees 0
3	Swachhata App downloaded by School Staff	100% staff have downloaded 30	99% - 50% staff have downloaded 15	<50% staff have downloaded 0
<b>SUB-TOTAL(FEEDBACK SCORE)-D</b> 10				
<b>TOTAL SCORE( Max.Marks: 140) (A+B+C+D) -</b> 45				

Assessor Name and Signature


मुस्थाध्यापक  
आर.एन.आगरवाल टेक्निकल इन्स्टिट्यूट  
ब ज्योनियर कॉलेज बारामती, जि.पुणे



(Subhash Narkhede)  
Sanitary Inspector



# Baramati Municipal Council, Baramati



(एक कदम स्वच्छता की ओर)

Assessment for swacch school ranking under swachh sarvekshan 2021

ULB CODE: 802820

Name of School: Radheshyam N. Agrawal Tech. Institute & Jr. college Baramati

Circle Name and Number :

School Address : Tandulwadi Road, Near T.C. college Baramati

School Principal Name & Contact No. Kakade Rajendra Narayan 9763163373

## INFRASTRUCTURE (MAX. SCORE- 50)

Sl. No.	Criteria	Marks Allotted			
1	Boundary wall around the school premises	In good condition 4	In broken condition <u>2</u>	No boundary wall 0	
2	Entrance/exit gate	In good condition 4 <u>✓</u>	In broken condition 2	No gate 0	
3	Corridors in the School	In good condition 4	In broken condition 2	No pavements <u>0</u>	
4	Dustbins	Color-segregated available within every 250 meters 4	Color-segregated available within every 500 meters 3	No color segregation available within every 250 meters 2	No color segregation available within every 500 meters <u>1</u>
5	Waste cartage equipment ( e.g. rickshaws/ tractors/ trolley/ hand	Available 2	Not available 0		
6	Composting equipment/compost Pit	Available 4	Not available <u>0</u>		
7	Cleaning equipment/brooms	Available in good condition 4	Available in poor condition <u>2</u>	Not available 0	
8	Toilets with washbasins available for maintenance staff	Available in good condition 4	Available in poor condition <u>2</u>	No toilets available 0	
9	Toilet facilities available for students	Separate facilities available for girls and boys, with at least one disabled friendly facility 4	Separate facilities available for boys and girls, without any disabled friendly facility 3	Common toilet facilities available, with at least one disabled friendly facility 2	Common toilet facilities available, without any disabled friendly facility <u>1</u>
10	Toilet facilities available for visitors/parents/ teaching and non-teaching staff	Separate facilities available for men and women, with at least one disabled friendly facility 4	Separate facilities available for men and women, without any disabled friendly facility 3 <u>✓</u>	Common toilet facilities available, with at least one disabled friendly facility 2	Common toilet facilities available, without any disabled friendly facility 1
11	Stair Case/ Lift as applicable	Available in good condition 4	Available in poor condition 2	Not available 0	

12	Covered sources of drinking water	Available in good condition 4	Available in poor condition 2	Not Available 0
13	Garden/Park /Lawn Area	Available in good 4	Available in poor condition 2	Not Available 0
<b>SUB-TOTAL (INFRASTRUCTURE SCORE)-A</b> 19				
<b>SERVICE/MAINTENANCE (MAX. SCORE- 30)</b>				
1	Cleaning within School premises	Swept daily 4	Swept periodically 2	Never swept 0
2	Toilet cleaning	Cleaned regularly 4	Cleaned sometimes 2	Never cleaned 0
3	Toilet water availability	Available 3	Not available 0	
4	Cleaning of water tanks/Swimming pools	Cleaned regularly 4	Cleaned sometimes 2	Never cleaned 0
5	Cleaning of drinking water coolers	Cleaned regularly 4	Cleaned Once in a week 2	Never cleaned 0
6	Maintenance of infrastructure like Sports room/activity	Maintained regularly 4	No regular maintenance 0	
7	Collecting waste from dustbins	Daily 4	Fortnightly 2	Not collected 0
8	Bio-degradable waste processing	Processed at compost pit/ compost 3	Sent for composting outside park 2	Not composted 0
<b>SUB-TOTAL (MAINTENANCE SCORE)-B</b> 8				
<b>FEEDBACK FROM MEMBERS (MAX. SCORE- 20)</b>				
1	Availability of toilet facilities for students/staff/faculty	Adequate number available for use 4	Inadequate number available for use 0	
2	Availability of sufficient number of dustbins for	Adequate number available 4	Inadequate number available for use 0	
3	Waste collection done daily	Yes 4	No 0	
4	Cleaning of drinking water coolers and surroundings	Sources of drinking water and surroundings are kept 4	Sources of drinking water and 0	
5	School premises (Activity rooms/ labs/ swimming)	Well-maintained and clean 4	Poorly-maintained and not clean 0	
<b>SUB-TOTAL (FEEDBACK SCORE)-C</b> 8				
<b>Swachhata Committees in every class (MAX. SCORE- 10)</b>				
1	Whether Established Swachhata Committees in every class	100 % Classes established with Swachhata Committees 20	99% - 50 % Classes established with Swachhata Committees 5	< 50 % Classes established with Swachhata Committees 0
3	Swachhata App downloaded by School Staff	100% staff have downloaded 30	99% - 50% staff have downloaded 15	<50% staff have downloaded 0
<b>SUB-TOTAL (FEEDBACK SCORE)-D</b> 10				
<b>TOTAL SCORE( Max.Marks: 140) (A+B+C+D) -</b> 45				

Assessor Name and Signature

RIC Code  
मुख्याध्यापक  
आर.एन.आगरवाल टेक्निकल इंस्टिट्यूट  
व ज्योनियर कॉलेज बारामती, जि.पुणे



(Subhash Narkhede)  
Sanitary Inspector



# Municipal Council, Baramati



## Assesment For Swachh RWA/Mohalla under Swachh Sarvekshan 2021

Name of Hospital : Baramati Developers, Winkdavan

Ward no:

Address:

New Ring Road, Motibag, Baramati

Phone No: 9822291074

Manager Name & No: Rajiv Bagwan

Tick ( ) the correct option

### INFRASTRUCTURE (MAX SCORE - 60)

1	Building infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition	In a fair condition	In broken condition
		4	2	0
2	Entrance / Exit Gate	In good condition	In broken condition	No Gate
		6	3	0
3	Corridors in the RWA	In good condition	In broken condition	
		6	3	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition	Available as per requirement but in poor condition	No available
		4	2	0
6	Composting equipment / compost pit	Available	Not Available	
		10	0	
7	Cleaning equipment / brooms	Available in good condition	Available in poor condition	Not Available
		4	2	0
11	Stair Case / Lift as applicable	Available in good condition	Available in poor condition	Not Available
		6	3	0
12	Covered storage of drinking water	Available in good condition	Available in poor condition	Not Available
		4	2	0
13	Facility for parking of vehicles	Available in good condition	Available in poor condition	Not Available
		6	3	0
15	Garden/Park/Lawn/ Recreation Rooms available	Available in good condition	Available in poor condition	Not Available
		10	5	0

SUB-TOTAL (INFRASTRUCTURE SCORE) - A

17

SERVICE/MAINTENANCE (MAX SCORE - 40)

1	Cleaning within Building premises	Swept daily	Swept periodically	Never swept
		7	3	0
3	Visitors/Security Toilet availability	Available		Not available
		5		0
2	Visitors/Security Toilet cleaning	Cleaned regularly	Cleaned some times	Never cleaned
		4	2	0
4	Cleaning of water tanks wherever applicable	Cleaned regularly	Cleaned some times	Never cleaned
		10	5	0
8	Collecting waste from dustbins	Daily	Fortnightly	Not collected
		4	2	0
9	Segregating waste collected	At the point of waste generation		Not segregated
		10		0
<b>SUB-TOTAL (MAINTENANCE SCORE) - B</b>				

#### SWACHHTA APP USERS (Max Score 30)- C

1	Swachhata App downloads by Citizens in RWA	More than 30% of member downloads	Between 10% to 20% of member downloads	Less than 10% of total member downloads
		30	15	0
<b>SUB TOTAL (SWACHHATA APP) - C</b>				
<b>TOTAL SCORE (Max.Marks. 130) (A+B+C):</b>				

Assessor Name and signature

*Subhash Narkhede*



(Subhash Narkhede)  
Sanitary Inspector





# Baramati Municipal Council, Baramati



## Assesment For Swachh RWA/Mohalla under Swachh Sarvekshan 2021

Name of Hospital : Baramati Developers, Winkalan

Ward no:

Address:

New Ring Road, Motibag, Baramati

Phone No: 9822291074

Manager Name & No: Rajiv Bagwan

Tick ( ) the correct option

### INFRASTRUCTURE (MAX SCORE - 60)

1	Building infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition	In a fair condition	In broken condition
		4	2	0
2	Entrance / Exit Gate	In good condition	In broken condition	No Gate
		6	3	0
3	Corridors in the RWA	In good condition	In broken condition	
		6	3	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition	Available as per requirement but in poor condition	No available
		4	2	0
6	Composting equipment / compost pit	Available		Not Available
		10		0
7	Cleaning equipment / brooms	Available in good condition	Available in poor condition	Not Available
		4	2	0
11	Stair Case / Lift as applicable	Available in good condition	Available in poor condition	Not Available
		6	3	0
12	Covered storage of drinking water	Available in good condition	Available in poor condition	Not Available
		4	2	0
13	Facility for parking of vehicles	Available in good condition	Available in poor condition	Not Available
		6	3	0
15	Garden/Park/Lawn/ Recreation Rooms available	Available in good condition	Available in poor condition	Not Available
		10	5	0
SUB-TOTAL (INFRASTRUCTURE SCORE) - A				

### SERVICE/MAINTENANCE (MAX.SCORE - 40)

1	Cleaning within Building premises	Swept daily	Swept periodically	Never swept
		7	✓ 3	0
3	Visitors/Security Toilet availability	Available		Not available
		5		✓ 0
2	Visitors/Security Toilet cleaning	Cleaned regularly	Cleaned some times	Never cleaned
		4	✓ 2	0
4	Cleaning of water tanks wherever applicable	Cleaned regularly	Cleaned some times	Never cleaned
		10	✓ 5	0
8	Collecting waste from dustbins	Daily	Fortnightly	Not collected
		✓ 4	2	0
9	Segregating waste collected	At the point of waste generation		Not segregated
		10		0
SUB-TOTAL (MAINTENANCE SCORE) - B 14				

**SWACHHTA APP USERS (Max Score 30)- C**

1	Swachhata App downloads by Citizens in RWA	More than 30% of member downloads	Between 10% to 20% of member downloads	Less than 10% of total member downloads
		30	✓ 15	0
SUB TOTAL (SWACHHATA APP) - C 15				
TOTAL SCORE (Max.Marks. 130) (A+B+C): 46				

Assessor Name and signature



(Subhash Narkhede)  
Sanitary Inspector

*(Handwritten signature)*





## Baramati Municipal Council, Baramati



### Assesment For Swachh RWA/Mohalla under Swachh Sarvekshan 2021

Name of Hospital : Baramati Developers, Indiranagar

Ward no:

Address:

New Ring Road, Motibag, Baramati

Phone No: 9822291074

Manager Name & No: Ravi Bagwan

Tick ( ) the correct option

#### INFRASTRUCTURE (MAX SCORE - 60)

1	Building infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition	In a fair condition	In broken condition
		4	L 2	0
2	Entrance / Exit Gate	In good condition	In broken condition	No Gate
		6	3	L 0
3	Corridors in the RWA	In good condition	In broken condition	
		6	L 3	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition	Available as per requirement but in poor condition	No available
		4	L 2	0
6	Composting equipment / compost pit	Available		Not Available
		10		L 0
7	Cleaning equipment / brooms	Available in good condition	Available in poor condition	Not Available
		4	L 2	0
11	Stair Case / Lift as applicable	Available in good condition	Available in poor condition	Not Available
		6	3	L 0
12	Covered storage of drinking water	Available in good condition	Available in poor condition	Not Available
		4	L 2	0
13	Facility for parking of vehicles	Available in good condition	Available in poor condition	Not Available
		6 L	3	0
15	Garden/Park/Lawn/ Recreation Rooms available	Available in good condition	Available in poor condition	Not Available
		10	5	L 0

SUB-TOTAL (INFRASTRUCTURE SCORE) - A 17

#### SERVICE/MAINTENANCE (MAX.SCORE - 40)



# Baramati Municipal Council, Baramati



## Assesment For Swachh RWA/Mohalla under Swachh Sarvekshan 2021

Name of Hospital : Baramati Developers, Vrindavan

Ward no:

Address:

New Ring Road, Motibag, Baramati

Phone No: 9822291074

Manager Name & No: Ravi Bagwan

Tick ( ) the correct option

### INFRASTRUCTURE (MAX SCORE - 60)

1	Building infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition	In a fair condition	In broken condition
		4	<u>L</u> 2	0
2	Entrance / Exit Gate	In good condition	In broken condition	No Gate
		6	3	<u>L</u> 0
3	Corridors in the RWA	In good condition	In broken condition	
		6	<u>L</u> 3	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition	Available as per requirement but in poor condition	No available
		4	<u>L</u> 2	0
6	Composting equipment / compost pit	Available		Not Available
		10		<u>L</u> 0
7	Cleaning equipment / brooms	Available in good condition	Available in poor condition	Not Available
		4	<u>L</u> 2	0
11	Stair Case / Lift as applicable	Available in good condition	Available in poor condition	Not Available
		6	3	<u>L</u> 0
12	Covered storage of drinking water	Available in good condition	Available in poor condition	Not Available
		4	<u>L</u> 2	0
13	Facility for parking of vehicles	Available in good condition	Available in poor condition	Not Available
		6 <u>L</u>	3	0
15	Garden/Park/Lawn/ Recreation Rooms available	Available in good condition	Available in poor condition	Not Available
		10	5	<u>L</u> 0

SUB-TOTAL (INFRASTRUCTURE SCORE) - A 17

SERVICE/MAINTENANCE (MAX.SCORE - 40)

1	Cleaning within Building premises	Swept daily 7	Swept periodically 3	Never swept 0
3	Visitors/Security Toilet availability	Available 5		Not available 0
2	Visitors/Security Toilet cleaning	Cleaned regularly 4	Cleaned some times 2	Never cleaned 0
4	Cleaning of water tanks wherever applicable	Cleaned regularly 10	Cleaned some times 5	Never cleaned 0
8	Collecting waste from dustbins	Daily 4	Fortnightly 2	Not collected 0
9	Segregating waste collected	At the point of waste generation 10		Not segregated 0
<b>SUB-TOTAL (MAINTENANCE SCORE) - B</b> 14				

**SWACHHTA APP USERS (Max Score 30)- C**

1	Swachhata App downloads by Citizens in RWA	More than 30% of member downloads 30	Between 10% to 20% of member downloads 15	Less than 10% of total member downloads 0
<b>SUB TOTAL (SWACHHATA APP) - C</b> 15				
<b>TOTAL SCORE (Max.Marks. 130) (A+B+C):</b> 46				

Assessor Name and signature



(Subhash Narkhede)  
Sanitary Inspector

*Subhash Narkhede*





# Baramati Municipal Council, Baramati



## Assesment For Swachh RWA/Mohalla under Swachh Sarvekshan 2021

Name of Hospital: Magic Green City Khandobanagar, Baramati

Ward no:

Address: Juna Murgaoan Road, Khandobanagar, Baramati

Tel - Baramati Dist - Pune - 413102

Phone No: 8550995131

Manager Name & No: Mrs. Samaruddhi Sanjay Jadhav.

Tick ( ) the correct option

### INFRASTRUCTURE (MAX SCORE - 60)

1	Building infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition	In a fair condition	In broken condition
		4 <input checked="" type="checkbox"/>	2 <input checked="" type="checkbox"/>	0
2	Entrance / Exit Gate	In good condition	In broken condition	No Gate
		6 <input checked="" type="checkbox"/>	3 <input checked="" type="checkbox"/>	0
3	Corridors in the RWA	In good condition	In broken condition	
		6	3 <input checked="" type="checkbox"/>	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition	Available as per requirement but in poor condition	No available
		4	2	0 <input checked="" type="checkbox"/>
6	Composting equipment / compost pit	Available		Not Available
		10		0
7	Cleaning equipment / brooms	Available in good condition	Available in poor condition	Not Available
		4 <input checked="" type="checkbox"/>	2 <input checked="" type="checkbox"/>	0
11	Stair Case / Lift as applicable	Available in good condition	Available in poor condition	Not Available
		6 <input checked="" type="checkbox"/>	3	0
12	Covered storage of drinking water	Available in good condition	Available in poor condition	Not Available
		4	2 <input checked="" type="checkbox"/>	0
13	Facility for parking of vehicles	Available in good condition	Available in poor condition	Not Available
		6 <input checked="" type="checkbox"/>	3	0
15	Garden/Park/Lawn/ Recreation Rooms available	Available in good condition	Available in poor condition	Not Available
		10	5 <input checked="" type="checkbox"/>	0
SUB-TOTAL (INFRASTRUCTURE SCORE) - A		23		

### SERVICE/MAINTENANCE (MAX.SCORE - 40)

1	Cleaning within Building premises	Swept daily	Swept periodically	Never swept
		7 ✓	3 ✓	0
3	Visitors/Security Toilet availability	Available		Not available
		5 ✓		0
2	Visitors/Security Toilet cleaning	Cleaned regularly	Cleaned some times	Never cleaned
		4 ✓	2	0
4	Cleaning of water tanks wherever applicable	Cleaned regularly	Cleaned some times	Never cleaned
		10	5	0 ✓
8	Collecting waste from dustbins	Daily	Fortnightly	Not collected
		4 ✓	2	0
9	Segregating waste collected	At the point of waste generation		Not segregated
		10		0 ✓
<b>SUB-TOTAL (MAINTENANCE SCORE) - B</b> 16				

**SWACHHTA APP USERS (Max Score 30)- C**

1	Swachhata App downloads by Citizens in RWA	More than 30% of member downloads	Between 10% to 20% of member downloads	Less than 10% of total member downloads
		30	15 (10) ✓	0
<b>SUB TOTAL (SWACHHATA APP) - C</b> 10				
<b>TOTAL SCORE (Max.Marks. 130) (A+B+C):</b> 55				

Assessor Name and signature



(Subhash Narkhede)  
Sanitary Inspector



## Baramati Municipal Council, Baramati



### Assesment For Swachh RWA/Mohalla under Swachh Sarvekshan 2021

Name of Hospital : Magic Green City Khandoba Nagar, Baramati  
 Ward no: \_\_\_\_\_  
 Address: Juma Masjid Road, Khandoba Nagar, Baramati  
Tel.:- Baramati Dist. Pune. 413102.  
 Phone No: 8550995131  
 Manager Name & No: Mrs. Samasiddhi Sanjay Jadhav.

Tick ( ) the correct option

#### INFRASTRUCTURE (MAX SCORE - 60)

1	Building infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition	In a fair condition	In broken condition
		4	<u>L</u> 2	0
2	Entrance / Exit Gate	In good condition	In broken condition	No Gate
		6	<u>L</u> 3	0
3	Corridors in the RWA	In good condition	In broken condition	
		6	<u>L</u> 3	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition	Available as per requirement but in poor condition	No available
		4	2	<u>L</u> 0
6	Composting equipment / compost pit	Available		Not Available
		10		0
7	Cleaning equipment / brooms	Available in good condition	Available in poor condition	Not Available
		4	<u>L</u> 2	0
11	Stair Case / Lift as applicable	Available in good condition	Available in poor condition	Not Available
		6 <u>✓</u>	3	0
12	Covered storage of drinking water	Available in good condition	Available in poor condition	Not Available
		4	<u>L</u> 2	0
13	Facility for parking of vehicles	Available in good condition	Available in poor condition	Not Available
		6 <u>✓</u>	3	0
15	Garden/Park/Lawn/ Recreation Rooms available	Available in good condition	Available in poor condition	Not Available
		10	<u>L</u> 5	0

SUB-TOTAL (INFRASTRUCTURE SCORE) - A

29

SERVICE/MAINTENANCE (MAX.SCORE - 40)

1	Cleaning within Building premises	Swept daily	Swept periodically	Never swept
		7	3	0
3	Visitors/Security Toilet availability	Available		Not available
		5		0
2	Visitors/Security Toilet cleaning	Cleaned regularly	Cleaned some times	Never cleaned
		4	2	0
4	Cleaning of water tanks wherever applicable	Cleaned regularly	Cleaned some times	Never cleaned
		10	5	0
8	Collecting waste from dustbins	Daily	Fortnightly	Not collected
		4	2	0
9	Segregating waste collected	At the point of waste generation		Not segregated
		10		0
<b>SUB-TOTAL (MAINTENANCE SCORE) - B</b>				

**SWACHHTA APP USERS (Max Score 30)- C**

1	Swachhata App downloads by Citizens in RWA	More than 30% of member downloads	Between 10% to 20% of member downloads	Less than 10% of total member downloads
		30	15	0
<b>SUB TOTAL (SWACHHATA APP) - C</b>				
<b>TOTAL SCORE (Max.Marks. 130) (A+B+C):</b>				

Assessor Name and signature



(Subhash Narkhede)  
Sanitary Inspector



# Baramati Municipal Council, Baramati



## Assesment For Swachh RWA/Mohalla under Swachh Sarvekshan 2021

Name of Hospital: Magic Green City Khandobanagar Baramati

Ward no:

Address: Juna Mo 8904 Road, Khandobanagar, Baramati  
TEL - BARAMATI DIST - PUNE - 413/02.

Phone No: 8550995131

Manager Name & No: N.S.S. Samadiddhi Sanjay Jadhav.

Tick ( ) the correct option

### INFRASTRUCTURE (MAX SCORE - 60)

1	Building infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition	In a fair condition	In broken condition
		4	<u>2</u>	0
2	Entrance / Exit Gate	In good condition	In broken condition	No Gate
		6	<u>3</u>	0
3	Corridors in the RWA	In good condition	In broken condition	
		6	<u>3</u>	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition	Available as per requirement but in poor condition	No available
		4	2	<u>0</u>
6	Composting equipment / compost pit	Available		Not Available
		10		<u>0</u>
7	Cleaning equipment / brooms	Available in good condition	Available in poor condition	Not Available
		4	<u>2</u>	0
11	Stair Case / Lift as applicable	Available in good condition	Available in poor condition	Not Available
		6 <u>✓</u>	3	0
12	Covered storage of drinking water	Available in good condition	Available in poor condition	Not Available
		4	<u>2</u>	0
13	Facility for parking of vehicles	Available in good condition	Available in poor condition	Not Available
		6 <u>✓</u>	3	0
15	Garden/Park/Lawn/ Recreation Rooms available	Available in good condition	Available in poor condition	Not Available
		10	<u>5</u>	0

SUB-TOTAL (INFRASTRUCTURE SCORE) - A 29

### SERVICE/MAINTENANCE (MAX.SCORE - 40)

1	Cleaning within Building premises	Swept daily	Swept periodically	Never swept
		7	3	0
3	Visitors/Security Toilet availability	Available		Not available
		5		0
2	Visitors/Security Toilet cleaning	Cleaned regularly	Cleaned some times	Never cleaned
		4	2	0
4	Cleaning of water tanks wherever applicable	Cleaned regularly	Cleaned some times	Never cleaned
		10	5	0
8	Collecting waste from dustbins	Daily	Fortnightly	Not collected
		4	2	0
9	Segregating waste collected	At the point of waste generation		Not segregated
		10		0
<b>SUB-TOTAL (MAINTENANCE SCORE) - B</b> 16				

#### SWACHHTA APP USERS (Max Score 30)- C

1	Swachhata App downloads by Citizens in RWA	More than 30% of member downloads	Between 10% to 20% of member downloads	Less than 10% of total member downloads
		30	15	0
<b>SUB TOTAL (SWACHHATA APP) - C</b> 10				
<b>TOTAL SCORE (Max.Marks. 130) (A+B+C):</b> 55				

Assessor Name and signature



(Subhash Narkhede)  
Sanitary Inspector



# Baramati Municipal Council, Baramati



## Assesment For Swachh RWA/Mohalla under Swachh Sarvekshan 2021

Name of Hospital : Mukhi Township - 1

Ward no:

Address: Gate No - 1311/1313, Plot - 1, Kasaba Baramati

Phone No: 9922319199

Manager Name & No: Vijay Bhanudas Deskar 9922319199

Tick ( ) the correct option

### INFRASTRUCTURE (MAX SCORE - 60)

1	Building infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition	In a fair condition	In broken condition
		4 <input checked="" type="checkbox"/>	2	0
2	Entrance / Exit Gate	In good condition	In broken condition	No Gate
		6 <input checked="" type="checkbox"/>	3	0
3	Corridors in the RWA	In good condition	In broken condition	
		6	<input checked="" type="checkbox"/> 3	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition	Available as per requirement but in poor condition	No available
		4	<input checked="" type="checkbox"/> 2	0
6	Composting equipment / compost pit	Available	Not Available	
		10 <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> 0	
7	Cleaning equipment / brooms	Available in good condition	Available in poor condition	Not Available
		4 <input checked="" type="checkbox"/>	2	0
11	Stair Case / Lift as applicable	Available in good condition	Available in poor condition	Not Available
		6 <input checked="" type="checkbox"/>	3	0
12	Covered storage of drinking water	Available in good condition	Available in poor condition	Not Available
		4 <input checked="" type="checkbox"/>	2	0
13	Facility for parking of vehicles	Available in good condition	Available in poor condition	Not Available
		6	<input checked="" type="checkbox"/> 3	0
15	Garden/Park/Lawn/ Recreation Rooms available	Available in good condition	Available in poor condition	Not Available
		10	<input checked="" type="checkbox"/> 5	0

SUB-TOTAL (INFRASTRUCTURE SCORE) - A

31

SERVICE/MAINTENANCE (MAX SCORE - 40)

1	Cleaning within Building premises	Swept daily	Swept periodically	Never swept
		7 ✓	✓ 3	0
3	Visitors/Security Toilet availability	Available		Not available
		5 ✓		0
2	Visitors/Security Toilet cleaning	Cleaned regularly	Cleaned some times	Never cleaned
		4	✓ 2	0
4	Cleaning of water tanks wherever applicable	Cleaned regularly	Cleaned some times	Never cleaned
		10	✓ 5	0
8	Collecting waste from dustbins	Daily	Fortnightly	Not collected
		4 ✓	2	0
9	Segregating waste collected	At the point of waste generation		Not segregated
		10		✓ 0
<b>SUB-TOTAL (MAINTENANCE SCORE) - B</b> 12				

**SWACHHTA APP USERS (Max Score 30)- C**

1	Swachhata App downloads by Citizens in RWA	More than 30% of member downloads	Between 10% to 20% of member downloads	Less than 10% of total member downloads
		30	✓ 15 (10)	0
<b>SUB TOTAL (SWACHHATA APP) - C</b> 10				
<b>TOTAL SCORE (Max.Marks. 130) (A+B+C):</b> 60				

Assessor Name and signature



(Subhash Narkhede)  
Sanitary Inspector



*[Handwritten signature]*



# Baramati Municipal Council, Baramati



## Assesment For Swachh RWA/Mohalla under Swachh Sarvekshan 2021

Name of Hospital :

Ward no: mukhi Township - Ph. 1

Address: Gt. No- 131 Plot No- 2 Kasba Baramati

Phone No: 9922319199

Manager Name & No: Vijay Bhanudas Desai 9922319199

Tick ( ) the correct option

### INFRASTRUCTURE (MAX SCORE - 60)

1	Building infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition	In a fair condition	In broken condition
		4 ✓	2	0
2	Entrance / Exit Gate	In good condition	In broken condition	No Gate
		6 ✓	3	0
3	Corridors in the RWA	In good condition	In broken condition	
		6	3 ✓	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition	Available as per requirement but in poor condition	No available
		4	2 ✓	0
6	Composting equipment / compost pit	Available	Not Available	
		10 ✓	0 ✓	
7	Cleaning equipment / brooms	Available in good condition	Available in poor condition	Not Available
		4 ✓	2	0
11	Stair Case / Lift as applicable	Available in good condition	Available in poor condition	Not Available
		6	3	0 ✓
12	Covered storage of drinking water	Available in good condition	Available in poor condition	Not Available
		4 ✓	2	0
13	Facility for parking of vehicles	Available in good condition	Available in poor condition	Not Available
		6	3 ✓	0
15	Garden/Park/Lawn/ Recreation Rooms available	Available in good condition	Available in poor condition	Not Available
		10	5 ✓	0

SUB-TOTAL (INFRASTRUCTURE SCORE) - A 31

SERVICE/MAINTENANCE (MAX.SCORE - 40)

1	Cleaning within Building premises	Swept daily	Swept periodically	Never swept
		7	3	0
3	Visitors/Security Toilet availability	Available		Not available
		5		0
2	Visitors/Security Toilet cleaning	Cleaned regularly	Cleaned some times	Never cleaned
		4	2	0
4	Cleaning of water tanks wherever applicable	Cleaned regularly	Cleaned some times	Never cleaned
		10	5	0
8	Collecting waste from dustbins	Daily	Fortnightly	Not collected
		4	2	0
9	Segregating waste collected	At the point of waste generation		Not segregated
		10		0
<b>SUB-TOTAL (MAINTENANCE SCORE) - B</b> 19				

**SWACHHTA APP USERS (Max Score 30)- C**

1	Swachhata App downloads by Citizens in RWA	More than 30% of member downloads	Between 10% to 20% of member downloads	Less than 10% of total member downloads
		30	15 (10)	0
<b>SUB TOTAL (SWACHHATA APP) - C</b> 10				
<b>TOTAL SCORE (Max.Marks. 130) (A+B+C):</b> 60				

Assessor Name and signature



(Subhash Narkhede)  
Sanitary Inspector



*[Handwritten signature]*



# Baramati Municipal Council, Baramati



## Assesment For Swachh RWA/Mohalla under Swachh Sarvekshan 2021

Name of Hospital: Mukhi Township - Ph-1

Ward no:

Address: Gate No- 131 Plot - NO-1 Kaba Baramati

Phone No: 9922319199

Manager Name & No: Vijay Bhanudas Deskar 9922319199

Tick ( ) the correct option

### INFRASTRUCTURE (MAX SCORE - 60)

1	Building infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition	In a fair condition	In broken condition
		4 ✓	2	0
2	Entrance / Exit Gate	In good condition	In broken condition	No Gate
		6 ✓	3	0
3	Corridors in the RWA	In good condition	In broken condition	
		6	✓ 3	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition	Available as per requirement but in poor condition	No available
		4	✓ 2	0
6	Composting equipment / compost pit	Available		Not Available
		10		✓ 0
7	Cleaning equipment / brooms	Available in good condition	Available in poor condition	Not Available
		✓ 4	2	0
11	Stair Case / Lift as applicable	Available in good condition	Available in poor condition	Not Available
		6 ✓	3	✓ 0
12	Covered storage of drinking water	Available in good condition	Available in poor condition	Not Available
		✓ 4	2	0
13	Facility for parking of vehicles	Available in good condition	Available in poor condition	Not Available
		6	✓ 3	0
15	Garden/Park/Lawn/ Recreation Rooms available	Available in good condition	Available in poor condition	Not Available
		10	✓ 5	0
SUB-TOTAL (INFRASTRUCTURE SCORE) - A		31		

### SERVICE/MAINTENANCE (MAX.SCORE - 40)

1	Cleaning within Building premises	Swept daily	Swept periodically	Never swept
		7	3	0
3	Visitors/Security Toilet availability	Available		Not available
		5		0
2	Visitors/Security Toilet cleaning	Cleaned regularly	Cleaned some times	Never cleaned
		4	2	0
4	Cleaning of water tanks wherever applicable	Cleaned regularly	Cleaned some times	Never cleaned
		10	5	0
8	Collecting waste from dustbins	Daily	Fortnightly	Not collected
		4	2	0
9	Segregating waste collected	At the point of waste generation		Not segregated
		10		0
<b>SUB-TOTAL (MAINTENANCE SCORE) - B</b> 14				

**SWACHHTA APP USERS (Max Score 30)- C**

1	Swachhata App downloads by Citizens in RWA	More than 30% of member downloads	Between 10% to 20% of member downloads	Less than 10% of total member downloads
		30	15	0
<b>SUB TOTAL (SWACHHATA APP) - C</b> 10				
<b>TOTAL SCORE (Max.Marks. 130) (A+B+C):</b> 60				

Assessor Name and signature

(Subhash Narkhede)  
Sanitary Inspector



*Handwritten signature in blue ink.*



## Baramati Municipal Council, Baramati



**Assesment For Swachh RWA/Mohalla under Swachh Sarvekshan 2021**

Name of Hospital : Green Park - ph-1

Ward no:

Address: Gat-No-50, Plot-01 Rui, Baramati

Phone No: 9922319199

Manager Name & No: Vijay Bhanudas Deokar 9922319199

Tick ( ) the correct option

**INFRASTRUCTURE (MAX SCORE - 60)**

1	Building infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition	In a fair condition	In broken condition
		4 ✓	2	0
2	Entrance / Exit Gate	In good condition	In broken condition	No Gate
		6 ✓	3	0
3	Corridors in the RWA	In good condition	In broken condition	
		6	3	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition	Available as per requirement but in poor condition	No available
		4 ✓	2	0
6	Composting equipment / compost pit	Available		Not Available
		10		✓ 0
7	Cleaning equipment / brooms	Available in good condition	Available in poor condition	Not Available
		4 ✓	2	0
11	Stair Case / Lift as applicable	Available in good condition	Available in poor condition	Not Available
		6 ✓	3	0
12	Covered storage of drinking water	Available in good condition	Available in poor condition	Not Available
		4 ✓	2	0
13	Facility for parking of vehicles	Available in good condition	Available in poor condition	Not Available
		6 ✓	3	0
15	Garden/Park/Lawn/ Recreation Rooms available	Available in good condition	Available in poor condition	Not Available
		10	✓ 5	0
SUB-TOTAL (INFRASTRUCTURE SCORE) - A 45				

**SERVICE/MAINTENANCE (MAX.SCORE - 40)**

1	Cleaning within Building premises	Swept daily 7 ✓	Swept periodically 3	Never swept 0
3	Visitors/Security Toilet availability	Available 5 ✓	Not available 0	
2	Visitors/Security Toilet cleaning	Cleaned regularly 4 ✓	Cleaned some times 2	Never cleaned 0
4	Cleaning of water tanks wherever applicable	Cleaned regularly 10	Cleaned some times 5 ✓	Never cleaned 0
8	Collecting waste from dustbins	Daily 4 ✓	Fortnightly 2	Not collected 0
9	Segregating waste collected	At the point of waste generation 10 ✓		Not segregated 0
<b>SUB-TOTAL (MAINTENANCE SCORE) - B</b> 30				

#### SWACHHTA APP USERS (Max Score 30)- C

1	Swachhata App downloads by Citizens in RWA	More than 30% of member downloads 30	Between 10% to 20% of member downloads 15 ✓	Less than 10% of total member downloads 0
<b>SUB TOTAL (SWACHHATA APP) - C</b> 15				
<b>TOTAL SCORE (Max.Marks. 130) (A+B+C):</b> 80				

Assessor Name and signature



(Subhash Narkhede)  
Sanitary Inspector



*[Handwritten signature]*



# Baramati Municipal Council, Baramati



## Assesment For Swachh RWA/Mohalla under Swachh Sarvekshan 2021

Name of Hospital: Green park- PH-1

Ward no:

Address: Gat. No-50, Plot No-01 Rumi Baramati

Phone No: 9922319199

Manager Name & No: Vijay Bhanudas Deokar 9922319199

Tick ( ) the correct option

### INFRASTRUCTURE (MAX SCORE - 60)

1	Building infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition 4 ✓	In a fair condition 2	In broken condition 0
2	Entrance / Exit Gate	In good condition 6 ✓	In broken condition 3	No Gate 0
3	Corridors in the RWA	In good condition 6 ✓	In broken condition 3	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition 4 ✓	Available as per requirement but in poor condition 2	No available 0
6	Composting equipment / compost pit	Available 10	Not Available 0	
7	Cleaning equipment / brooms	Available in good condition 4 ✓	Available in poor condition 2	Not Available 0
11	Stair Case / Lift as applicable	Available in good condition 6 ✓	Available in poor condition 3	Not Available 0
12	Covered storage of drinking water	Available in good condition 4 ✓	Available in poor condition 2	Not Available 0
13	Facility for parking of vehicles	Available in good condition 6 ✓	Available in poor condition 3	Not Available 0
15	Garden/Park/Lawn/ Recreation Rooms available	Available in good condition 10	Available in poor condition 5 ✓	Not Available 0
SUB-TOTAL (INFRASTRUCTURE SCORE) - A <u>45</u>				

### SERVICE/MAINTENANCE (MAX.SCORE - 40)

1	Cleaning within Building premises	Swept daily	Swept periodically	Never swept
		7 ✓	3	0
3	Visitors/Security Toilet availability	Available		Not available
		5 ✓		0
2	Visitors/Security Toilet cleaning	Cleaned regularly	Cleaned some times	Never cleaned
		4 ✓	2	0
4	Cleaning of water tanks wherever applicable	Cleaned regularly	Cleaned some times	Never cleaned
		10	✓ 5	0
8	Collecting waste from dustbins	Daily	Fortnightly	Not collected
		4 ✓	2	0
9	Segregating waste collected	At the point of waste generation		Not segregated
		10 ✓		0
<b>SUB-TOTAL (MAINTENANCE SCORE) - B</b> 30				

**SWACHHTA APP USERS (Max Score 30)- C**

1	Swachhata App downloads by Citizens in RWA	More than 30% of member downloads	Between 10% to 20% of member downloads	Less than 10% of total member downloads
		30	✓ 15	0
<b>SUB TOTAL (SWACHHATA APP) - C</b> 15				
<b>TOTAL SCORE (Max.Marks. 130) (A+B+C):</b> 90				

Assessor Name and signature



(Subhash Narkhede)  
Sanitary Inspector





# Baramati Municipal Council, Baramati



## Assesment For Swachh RWA/Mohalla under Swachh Sarvekshan 2021

Name of Hospital : Green park- ph-1

Ward no:

Address: Gat-No-50, Plot No-1 Rui, Baramati

Phone No: 9922319199

Manager Name & No: Vijay Bhanudas Deskar 9922319199

Tick ( ) the correct option

### INFRASTRUCTURE (MAX SCORE - 60)

1	Building infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition	In a fair condition	In broken condition
		4 ✓	2	0
2	Entrance / Exit Gate	In good condition	In broken condition	No Gate
		6 ✓	3	0
3	Corridors in the RWA	In good condition	In broken condition	
		6 ✓	3	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition	Available as per requirement but in poor condition	No available
		4 ✓	2	0
6	Composting equipment / compost pit	Available	Not Available	
		10	0	
7	Cleaning equipment / brooms	Available in good condition	Available in poor condition	Not Available
		4 ✓	2	0
11	Stair Case / Lift as applicable	Available in good condition	Available in poor condition	Not Available
		6 ✓	3	0
12	Covered storage of drinking water	Available in good condition	Available in poor condition	Not Available
		4 ✓	2	0
13	Facility for parking of vehicles	Available in good condition	Available in poor condition	Not Available
		6 ✓	3	0
15	Garden/Park/Lawn/ Recreation Rooms available	Available in good condition	Available in poor condition	Not Available
		10	3 ✓	0
SUB-TOTAL (INFRASTRUCTURE SCORE) - A		45		

### SERVICE/MAINTENANCE (MAX.SCORE - 40)

1	Cleaning within Building premises	Swept daily 7 ✓	Swept periodically 3	Never swept 0
3	Visitors/Security Toilet availability	Available 5		Not available 0
2	Visitors/Security Toilet cleaning	Cleaned regularly 4 ✓	Cleaned some times 2	Never cleaned 0
4	Cleaning of water tanks wherever applicable	Cleaned regularly 10	Cleaned some times 5 ✓	Never cleaned 0
8	Collecting waste from dustbins	Daily 4 ✓	Fortnightly 2	Not collected 0
9	Segregating waste collected	At the point of waste generation 10 ✓		Not segregated 0
<b>SUB-TOTAL (MAINTENANCE SCORE) - B 30</b>				

**SWACHHTA APP USERS (Max Score 30)- C**

1	Swachhata App downloads by Citizens in RWA	More than 30% of member downloads 30	Between 10% to 20% of member downloads 15 ✓	Less than 10% of total member downloads 0
<b>SUB TOTAL (SWACHHATA APP) - C 15</b>				
<b>TOTAL SCORE (Max.Marks. 130) (A+B+C): 90</b>				

Assessor Name and signature



(Subhash Narkhede)  
Sanitary Inspector



*Handwritten signature in blue ink.*



# Baramati Municipal Council, Baramati



## Assesment For Swachh RWA/Mohalla under Swachh Sarvekshan 2021

Name of Hospital : DeVrad Residency

Ward no:

Address: Vishwas Nagar, Gunavadi Road, Baramati

Phone No: 8888 66842

Manager Name & No: Pandurang Kshid

Tick ( ) the correct option

### INFRASTRUCTURE (MAX SCORE - 60)

1	Building infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition	In a fair condition	In broken condition
		<input checked="" type="checkbox"/> 4	2	0
2	Entrance / Exit Gate	In good condition	In broken condition	No Gate
		<input checked="" type="checkbox"/> 6	3	0
3	Corridors in the RWA	In good condition	In broken condition	
		6	<input checked="" type="checkbox"/> 3	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition	Available as per requirement but in poor condition	No available
		4	<input checked="" type="checkbox"/> 2	0
6	Composting equipment / compost pit	Available		Not Available
		10		<input checked="" type="checkbox"/> 0
7	Cleaning equipment / brooms	Available in good condition	Available in poor condition	Not Available
		4	<input checked="" type="checkbox"/> 2	0
11	Stair Case / Lift as applicable	Available in good condition	Available in poor condition	Not Available
		6	3	<input checked="" type="checkbox"/> 0
12	Covered storage of drinking water	Available in good condition	Available in poor condition	Not Available
		<input checked="" type="checkbox"/> 4	2	0
13	Facility for parking of vehicles	Available in good condition	Available in poor condition	Not Available
		<input checked="" type="checkbox"/> 6	3	0
15	Garden/Park/Lawn/ Recreation Rooms available	Available in good condition	Available in poor condition	Not Available
		10	<input checked="" type="checkbox"/> 5	0

SUB-TOTAL (INFRASTRUCTURE SCORE) - A 32

SERVICE/MAINTENANCE (MAX.SCORE - 40)

1	Cleaning within Building premises	Swept daily	Swept periodically	Never swept
		7	3	0
3	Visitors/Security Toilet availability	Available		Not available
		5		0
2	Visitors/Security Toilet cleaning	Cleaned regularly	Cleaned some times	Never cleaned
		4	2	0
4	Cleaning of water tanks wherever applicable	Cleaned regularly	Cleaned some times	Never cleaned
		10	5	0
8	Collecting waste from dustbins	Daily	Fortnightly	Not collected
		4	2	0
9	Segregating waste collected	At the point of waste generation		Not segregated
		10		0
<b>SUB-TOTAL (MAINTENANCE SCORE) - B</b> 17				

**SWACHHTA APP USERS (Max Score 30)- C**

1	Swachhata App downloads by Citizens in RWA	More than 30% of member downloads	Between 10% to 20% of member downloads	Less than 10% of total member downloads
		30	15	0
<b>SUB TOTAL (SWACHHATA APP) - C</b> 15				
<b>TOTAL SCORE (Max.Marks. 130) (A+B+C):</b> 69				

Assessor Name and signature



(Subhash Narkhede)  
Sanitary Inspector



# Baramati Municipal Council, Baramati



## Assesment For Swachh RWA/Mohalla under Swachh Sarvekshan 2021

Name of Hospital :

Ward no:

Address: De vraj Residency, Vishwasnagar, Guramooli Rd, Baramati

Phone No: 8888846842

Manager Name & No: Pandurang Kashid 8888846842

Tick ( ) the correct option

### INFRASTRUCTURE (MAX SCORE - 60)

1	Building infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	<input checked="" type="checkbox"/> In good condition	In a fair condition	In broken condition
		4	2	0
2	Entrance / Exit Gate	<input checked="" type="checkbox"/> In good condition	In broken condition	No Gate
		6	3	0
3	Corridors in the RWA	In good condition	In broken condition	
		6	3	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition	Available as per requirement but in poor condition	No available
		4	2	0
6	Composting equipment / compost pit	Available	<input checked="" type="checkbox"/> Not Available	
		10	0	
7	Cleaning equipment / brooms	Available in good condition	Available in poor condition	Not Available
		4	2	0
11	Stair Case / Lift as applicable	Available in good condition	Available in poor condition	Not Available
		6	3	0
12	Covered storage of drinking water	Available in good condition	Available in poor condition	Not Available
		4	2	0
13	Facility for parking of vehicles	Available in good condition	Available in poor condition	Not Available
		6	3	0
15	Garden/Park/Lawn/ Recreation Rooms available	Available in good condition	Available in poor condition	Not Available
		10	5	0

SUB-TOTAL (INFRASTRUCTURE SCORE) - A 32

SERVICE/MAINTENANCE (MAX.SCORE - 40)

1	Cleaning within Building premises	Swept daily	✓ Swept periodically	Never swept
		7	3	0
3	Visitors/Security Toilet availability	Available		Not available
		5		0
2	Visitors/Security Toilet cleaning	Cleaned regularly	Cleaned some times	Never cleaned
		4	2	0
4	Cleaning of water tanks wherever applicable	Cleaned regularly	Cleaned some times	Never cleaned
		10	5	0
8	Collecting waste from dustbins	Daily	Fortnightly	Not collected
		4	2	0
9	Segregating waste collected	At the point of waste generation		✓ Not segregated
		10		0
<b>SUB-TOTAL (MAINTENANCE SCORE) - B</b> 17				

**SWACHHTA APP USERS (Max Score 30)- C**

1	Swachhata App downloads by Citizens in RWA	More than 30% of member downloads	Between 10% to 20% of member downloads	Less than 10% of total member downloads
		30	✓ 15	0
<b>SUB TOTAL (SWACHHATA APP) - C</b> 15				
<b>TOTAL SCORE (Max.Marks. 130) (A+B+C):</b> 69				

Assessor Name and signature



(Subhash Narkhede)  
Sanitary Inspector



# Baramati Municipal Council, Baramati



## Assesment For Swachh RWA/Mohalla under Swachh Sarvekshan 2021

Name of Hospital : DEVRAJ RESIDENCY, WISH

Ward no:

Address: WISHWAS NAGAR, GONAVATI RODE, BARAMATI

Phone No: 88 88 96 842

Manager Name & No: PANDWANG KASHID

Tick ( ) the correct option

### INFRASTRUCTURE (MAX SCORE - 60)

1	Building infrastructure is well maintained (No major cracks, seepage, chipping, plaster, chipped floors in hospital)	In good condition ✓ 4	In a fair condition 2	In broken condition 0
2	Entrance / Exit Gate	In good condition ✓ 6	In broken condition 3	No Gate 0
3	Corridors in the RWA	In good condition ✓ 6	In broken condition ✓ 3	
4	Dustbins (Refer 'Cleaning Equipment' section)	Available as per requirement in good condition 4	Available as per requirement but in poor condition ✓ 2	No available 0
6	Composting equipment / compost pit	Available 10	Not Available ✓ 0	
7	Cleaning equipment / brooms	Available in good condition 4	Available in poor condition ✓ 2	Not Available 0
11	Stair Case / Lift as applicable	Available in good condition 6	Available in poor condition 3	Not Available ✓ 0
12	Covered storage of drinking water	Available in good condition ✓ 4	Available in poor condition 2	Not Available 0
13	Facility for parking of vehicles	Available in good condition ✓ 6	Available in poor condition 3	Not Available 0
15	Garden/Park/Lawn/ Recreation Rooms available	Available in good condition 10	Available in poor condition 5 ✓	Not Available 0

SUB-TOTAL (INFRASTRUCTURE SCORE) - A

32

SERVICE/MAINTENANCE (MAX.SCORE - 40)

1	Cleaning within Building premises	Swept daily	Swept periodically	Never swept
		7	3	0
3	Visitors/Security Toilet availability	Available		Not available
		5		0
2	Visitors/Security Toilet cleaning	Cleaned regularly	Cleaned some times	Never cleaned
		4	2	0
4	Cleaning of water tanks wherever applicable	Cleaned regularly	Cleaned some times	Never cleaned
		10	5	0
8	Collecting waste from dustbins	Daily	Fortnightly	Not collected
		4	2	0
9	Segregating waste collected	At the point of waste generation		Not segregated
		10		0
SUB-TOTAL (MAINTENANCE SCORE) - B 17				

#### SWACHHTA APP USERS (Max Score 30)- C

1	Swachhata App downloads by Citizens in RWA	More than 30% of member downloads	Between 10% to 20% of member downloads	Less than 10% of total member downloads
		30	15	0
SUB TOTAL (SWACHHATA APP) - C 15				
TOTAL SCORE (Max.Marks. 130) (A+B+C): 69				

Assessor Name and signature



(Subhash Narkhede)  
Sanitary Inspector



Baramati Municipality

Baramati



एक कदम स्वच्छता की ओर

## Assesment of swachh hotel for swachh sarvekshan-2021

Name of Hotel: Amardeep hotel

Hotel Amardeep Enterprises

Ward no:

Address: Bhigwan Road BaramatiBhigwan Road, Baramati,  
Mo No. 3107132Phone/Mobile No: 93597166, 9887197711,Manager Name & Number: Shashikant Shetti

Tick(✓) the correct option

Sl. No.	Criteria	Marks Alloted		
1	Sanitation : Cleaning Schedule	3 Times/ Day	2 Times/ Day	1 Times/day
		10	✓ 5	2
2	Availability of Toilets	Separate toilet for Male & Female	Mixed toilet for male and female	No Toilet
		✓ 10	5	0
3	Toilets access to General Public	Available		Not Available
		✓ 10		0
4	Worker Hygiene Upkeep	regular medical check-up of staff and proper uniform for Staff	proper uniform for Staff	no proper hygiene of Staff
		10	✓ 5	0
5	Food Safety and Standards Act(FSSA) & Trade Licence	Having both trade and FSSI licence	Have either Trade Licence or FSSI licence	Neither Trade Licence nor FSSI licence
		✓ 10	5	0
6	Type of Drinking Water	Purified RO/ Mineral Water	Tap Water( provided by Local Authority)	Bore water
		✓ 10	5	0
7	Food Material Process (FSSA)	fully following the direction issued by FSSI	Partially following the direction issued by FSSI	No implement of directions by FSSI
		✓ 10	5	0
8	Signage	Signage provided for Toilets for public use		No signage for toilets for public
		✓ 10		0
9	Waste composting Plant	> 50% waste processed in-situ composting	In-Situ Composting installed	no installation of In-Situ Composting
		30	✓ 10	0
10	Separate bins for waste	separate bins provided for waste in good condition	separate bins provided for waste in broken condition	No separate bins provided for waste disposal
		✓ 10	5	0
11	Silt grill before drain Entry installed	Yes		No
		✓ 10		0

12	Fees Payment of Bulk Garbage Generators	For past 6 Months	for past 3 Month	no payment of BGG fees
		10	5	0
13	Display of Self Declaration (Annexure)	Self Declaration Displayed	Self Declaration there but not displayed	No Declaration
		10	5	0
TOTAL SCORE ( Max.150 MARKS) : 10				

Assessor Name and signature

(Subhash Narkhede)  
Sanitary Inspector





# Baramati Municipal Council, Baramati



एक कदम स्वच्छता की ओर

## Assesment of swachh hotel for swachh sarvekshan-2021

Name of Hotel: HOTEL AMARDEEP

Ward no:

Address: Bhigwan Road Baramati

Hotel Amardeep Enterprises

Bhigwan Road, Baramati.

Me No. 3107132

Phone/Mobile No: 9867197711, 9359716616

Manager Name & Number: Shashikant Shetti

Tick(✓) the correct option

Sl. No.	Criteria	Marks Alloted		
1	Sanitation : Cleaning Schedule	3 Times/ Day 10	2 Times/ Day 5	1 Times/day 2
2	Availability of Toilets	Separate toilet for Male & Female 10	Mixed toilet for male and female 5	No Toilet 0
3	Toilets access to General Public	Available 10		Not Available 0
4	Worker Hygiene Upkeep	regular medical check-up of staff and proper uniform for Staff 10	proper uniform for Staff 5	no proper hygiene of Staff 0
5	Food Safety and Standards Act(FSSA) & Trade Licence	Having both trade and FSSI licence 10	Have either Trade Licence or FSSI licence 5	Neither Trade Licence nor FSSI licence 0
6	Type of Drinking Water	Purified RO/ Mineral Water 10	Tap Water( provided by Local Authority) 5	Bore water 0
7	Food Material Process (FSSA)	fully following the direction issued by FSSI 10	Partially following the direction issued by FSSI 5	No implement of directions by FSSI 0
8	Signage	Signage provided for Toilets for public use 10		No signage for toilets for public 0
9	Waste composting Plant	> 50% waste processed in-situ composting 30	In-Situ Composting installed 10	no installation of In-Situ Composting 0
10	Separate bins for waste	separate bins provided for waste in good condition 10	separate bins provided for waste in broken condition 5	No separate bins provided for waste disposal 0
11	Silt grill before drain Entry installed	Yes 10		No 0

12	Fees Payment of Bulk Garbage Generators	For past 6 Months	for past 3 Month	no payment of BGG fees
		10	5	<del>10</del> 0
13	Display of Self Declaration (Annexure)	Self Declaration Displayed	Self Declaration there but not displayed	No Declaration
		10	5	0
TOTAL SCORE ( Max.150 MARKS) : 170				

Assessor Name and signature

(Subhash Narkhede)  
Sanitary Inspector





# Baramati Municipal Council, Baramati



एक कदम स्वच्छता की ओर

## Assesment of swachh hotel for swachh sarvekshan-2021

Name of Hotel: **HOTEL AMARDEEP** Hotel Amardeep Enterprises  
Ward no: **Bhigwan Road Baramati**  
Address: **Bhigwan Road Baramati** Mo No. 3107192

Phone/Mobile No: **93597166, 02112-243461**

Manager Name & Number: **Shashiket Shetti**

Tick(✓) the correct option

Sl. No.	Criteria	Marks Alloted		
1	Sanitation : Cleaning Schedule	3 Times/ Day	2 Times/ Day	1 Times/day
		10	5	2
2	Availability of Toilets	Separate toilet for Male & Female	Mixed toilet for male and female	No Toilet
		10	5	0
3	Toilets access to General Public	Available		Not Available
		10		0
4	Worker Hygiene Upkeep	regular medical check-up of staff and proper uniform for Staff	proper uniform for Staff	no proper hygiene of Staff
		10	5	0
5	Food Safety and Standards Act(FSSA) & Trade Licence	Having both trade and FSSI licence	Have either Trade Licence or FSSI licence	Neither Trade Licence nor FSSI licence
		10	5	0
6	Type of Drinking Water	Purified RO/ Mineral Water	Tap Water( provided by Local Authority)	Bore water
		10	5	0
7	Food Material Process (FSSA)	fully following the direction issued by FSSI	Partially following the direction issued by FSSI	No implement of directions by FSSI
		10	5	0
8	Signage	Signage provided for Toilets for public use		No signage for toilets for public
		10		0
9	Waste composting Plant	> 50% waste processed in-situ composting	In-Situ Composting installed	no installation of In-Situ Composting
		30	10	0
10	Separate bins for waste	separate bins provided for waste in good condition	separate bins provided for waste in broken condition	No separate bins provided for waste disposal
		10	5	0
11	Silt grill before drain Entry installed	Yes		No
		10		0

12	Fees Payment of Bulk Garbage Generators	For past 6 Months	for past 3 Month	no payment of BGG fees
		10	5	0
13	Display of Self Declaration (Annexure)	Self Declaration Displayed	Self Declaration there but not displayed	No Declaration
		10	5	0
TOTAL SCORE ( Max.150 MARKS ) : 110				

Assessor Name and signature

(Subhash Narkhede)  
Sanitary Inspector





# Baramati Municipal Council, Baramati



एक कदम स्वच्छता की ओर



## Assesment of swachh hotel for swachh sarvekshan-2021

Name of Hotel: HOTEL KRUSHNASAGAR

Ward no:

Address: Opp. Co-operation Bank, Bhigwan road. Baramati.

Phone/Mobile No: 220302

Manager Name & Number: Sarika D. Kadam. 7517276924

Tick(✓) the correct option

Sl. No.	Criteria	Marks Alloted		
1	Sanitation : Cleaning Schedule	3 Times/ Day	2 Times/ Day	1 Times/day
		10 ✓	5	2
2	Availability of Toilets	Separate toilet for Male & Female	Mixed toilet for male and female	No Toilet
		10 ✓	5	0
3	Toilets access to General Public	Available		Not Available
		10 ✓		0
4	Worker Hygiene Upkeep	regular medical check-up of staff and proper uniform for Staff	proper uniform for Staff	no proper hygiene of Staff
		10	5	0
5	Food Safety and Standards Act(FSSA) & Trade Licence	Having both trade and FSSI licence	Have either Trade Licence or FSSI licence	Neither Trade Licence nor FSSI licence
		10 ✓	5	0
6	Type of Drinking Water	Purified RO/ Mineral Water	Tap Water( provided by Local Authority)	Bore water
		10 ✓	5	0
7	Food Material Process (FSSA)	fully following the direction issued by FSSI	Partially following the direction issued by FSSI	No implement of directions by FSSI
		10 ✓	5	0
8	Signage	Signage provided for Toilets for public use		No signage for toilets for public
		10 ✓		0
9	Waste composting Plant	> 50% waste processed in-situ composting	In-Situ Composting installed	no installation of In-Situ Composting
		30	10	0 ✓
10	Separate bins for waste	separate bins provided for waste in good condition	separate bins provided for waste in broken condition	No separate bins provided for waste disposal
		10	5	0
11	Silt grill before drain Entry installed	Yes		No
		10 ✓		0

12	Fees Payment of Bulk Garbage Generators	For past 6 Months	for past 3 Month	no payment of BGG fees
		10 ✓	5	0
13	Display of Self Declaration (Annexure)	Self Declaration Displayed	Self Declaration there but not displayed	No Declaration
		10 ✓	5	0
TOTAL SCORE ( Max.150 MARKS) : 100				

Assessor Name and signature



(Subhash Narkhede)  
Sanitary Inspector



# Baramati Municipal Council, Baramati



एक कदम स्वच्छता की ओर



## Assesment of swachh hotel for swachh sarvekshan-2021

Name of Hotel: HOTEL KRUSHNASAGAR

Ward no:

Address: opp. Coroperation Bank. Bhigwan road. Baramati

Phone/Mobile No: 220302,

Manager Name & Number: Sarika D. Kadam. 7517276424.

Tick(✓) the correct option

Sl. No.	Criteria	Marks Alloted		
1	Sanitation : Cleaning Schedule	3 Times/ Day	2 Times/ Day	1 Times/day
		10	5	2
2	Availability of Toilets	Separate toilet for Male & Female	Mixed toilet for male and female	No Toilet
		10	5	0
3	Toilets access to General Public	Available		Not Available
		10		0
4	Worker Hygiene Upkeep	regular medical check-up of staff and proper uniform for Staff	proper uniform for Staff	no proper hygiene of Staff
		10	5	0
5	Food Safety and Standards Act(FSSA) & Trade Licence	Having both trade and FSSI licence	Have either Trade Licence or FSSI licence	Neither Trade Licence nor FSSI licence
		10	5	0
6	Type of Drinking Water	Purified RO/ Mineral Water	Tap Water( provided by Local Authority)	Bore water
		10	5	0
7	Food Material Process (FSSA)	fully following the direction issued by FSSI	Partially following the direction issued by FSSI	No implement of directions by FSSI
		10	5	0
8	Signage	Signage provided for Toilets for public use		No signage for toilets for public
		10		0
9	Waste composting Plant	> 50% waste processed in-situ composting	In-Situ Composting installed	no installation of In-Situ Composting
		30	10	0
10	Separate bins for waste	separate bins provided for waste in good condition	separate bins provided for waste in broken condition	No separate bins provided for waste disposal
		10	5	0
11	Silt grill before drain Entry installed	Yes		No
		10		0

12	Fees Payment of Bulk Garbage Generators	For past 6 Months	for past 3 Month	no payment of BGG fees
		10	5	0
13	Display of Self Declaration (Annexure)	Self Declaration Displayed	Self Declaration there but not displayed	No Declaration
		10	5	0
TOTAL SCORE ( Max.150 MARKS) : 100				

Assessor Name and signature

(Subhash Narkhede)  
Sanitary Inspector





# Baramati Municipal Council, Baramati



## Assesment of swachh hotel for swachh sarvekshan-2021

Name of Hotel: MOTEL KRUSHNASAGAR.

Ward no:

Address: OPP. COOPERATION Bank, Bhigwan Road  
Baramati

Phone/Mobile No: 220302

Manager Name & Number: Sarika D. Kudam. 7517276424



Tick(✓) the correct option

Sl. No.	Criteria	Marks Alloted		
1	Sanitation : Cleaning Schedule	3 Times/ Day	2 Times/ Day	1 Times/day
		10	✓ 5	2
2	Availability of Toilets	Separate toilet for Male & Female	Mixed toilet for male and female	No Toilet
		10 ✓	5	0
3	Toilets access to General Public	Available		Not Available
		10 ✓		0
4	Worker Hygiene Upkeep	regular medical check-up of staff and proper uniform for Staff	proper uniform for Staff	no proper hygiene of Staff
		10	✓ 5	0
5	Food Safety and Standards Act(FSSAI) & Trade Licence	Having both trade and FSSAI licence	Have either Trade Licence or FSSAI licence	Neither Trade Licence nor FSSAI licence
		10 ✓	5	0
6	Type of Drinking Water	Purified RO/ Mineral Water	Tap Water( provided by Local Authority)	Bore water
		10	✓ 5	0
7	Food Material Process (FSSAI)	fully following the direction issued by FSSAI	Partially following the direction issued by FSSAI	No implement of directions by FSSAI
		10 ✓	5	0
8	Signage	Signage provided for Toilets for public use		No signage for toilets for public
		10 ✓		0
9	Waste composting Plant	> 50% waste processed in-situ composting	In-Situ Composting installed	no installation of In-Situ Composting
		30	10	✓ 0
10	Separate bins for waste	separate bins provided for waste in good condition	separate bins provided for waste in broken condition	No separate bins provided for waste disposal
		10	5 ✓	0
11	Silt grill before drain Entry installed	Yes		No
		10 ✓		0

12	Fees Payment of Bulk Garbage Generators	For past 6 Months	for past 3 Month	no payment of BGG fees
		10 <input checked="" type="checkbox"/>	5	0
13	Display of Self Declaration (Annexure)	Self Declaration Displayed	Self Declaration there but not displayed	No Declaration
		10 <input checked="" type="checkbox"/>	5	0
TOTAL SCORE ( Max.150 MARKS) : 100				

Assessor Name and signature

(Subhash Narkhede)  
Sanitary Inspector





# Baramati Municipal Council, Baramati



## Assesment of swachh hotel for swachh sarvekshan-2021

Name of Hotel: HOTEL NEELAM PALACE  
 Ward no: \_\_\_\_\_  
 Address: PHALTAN ROAD KASBA, BARAMATI  
 Phone/Mobile No: 02112-222113 M. 7503767070  
 Manager Name & Number: WASIM KHAN

Tick(✓) the correct option

Sl. No.	Criteria	Marks Alloted		
1	Sanitation : Cleaning Schedule	3 Times/ Day	2 Times/ Day	1 Times/day
		10	✓ 5	2
2	Availability of Toilets	Separate toilet for Male & Female	Mixed toilet for male and female	No Toilet
		10	✓ 5	0
3	Toilets access to General Public	Available		Not Available
		10 ✓		0
4	Worker Hygiene Upkeep	regular medical check-up of staff and proper uniform for Staff	proper uniform for Staff	no proper hygiene of Staff
		10	✓ 5	0
5	Food Safety and Standards Act(FSSA) & Trade Licence	Having both trade and FSSI licence	Have either Trade Licence or FSSI licence	Neither Trade Licence nor FSSI licence
		10 ✓	5	0
6	Type of Drinking Water	Purified RO/ Mineral Water	Tap Water( provided by Local Authority)	Bore water
		10	✓ 5	0
7	Food Material Process (FSSA)	fully following the direction issued by FSSI	Partially following the direction issued by FSSI	No implement of directions by FSSI
		10 ✓	5	0
8	Signage	Signage provided for Toilets for public use		No signage for toilets for public
		10 ✓		0
9	Waste composting Plant	> 50% waste processed in-situ composting	In-Situ Composting installed	no installation of In-Situ Composting
		30	10	✓ 0
10	Separate bins for waste	separate bins provided for waste in good condition	separate bins provided for waste in broken condition	No separate bins provided for waste disposal
		10	✓ 5	0
11	Silt grill before drain Entry installed	Yes		No
		10 ✓		0

12	Fees Payment of Bulk Garbage Generators	For past 6 Months	for past 3 Month	no payment of BGG fees
		10	5	0
13	Display of Self Declaration (Annexure)	Self Declaration Displayed	Self Declaration there but not displayed	No Declaration
		10	5	0
TOTAL SCORE ( Max.150 MARKS ) : 85				

Assessor Name and signature

(Subhash Narkhede)  
Sanitary Inspector





# Baramati Municipal Council, Baramati



एक कदम स्वच्छता की ओर

## Assesment of swachh hotel for swachh sarvekshan-2021

Name of Hotel: HOTEL NEELAM PALACE

Ward no:

Address: Phactan Road KASBA, Baramati

Phone/Mobile No: 02112-222113 M. 7503767070

Manager Name & Number: Muham Khan

Tick(✓) the correct option

Sl. No.	Criteria	Marks Alloted		
1	Sanitation : Cleaning Schedule	3 Times/ Day	2 Times/ Day	1 Times/day
		10	✓ 5	2
2	Availability of Toilets	Separate toilet for Male & Female	Mixed toilet for male and female	No Toilet
		10	✓ 5	0
3	Toilets access to General Public	Available		Not Available
		10 ✓		0
4	Worker Hygiene Upkeep	regular medical check-up of staff and proper uniform for Staff	proper uniform for Staff	no proper hygiene of Staff
		10	✓ 5	0
5	Food Safety and Standards Act(FSSA) & Trade Licence	Having both trade and FSSI licence	Have either Trade Licence or FSSI licence	Neither Trade Licence nor FSSI licence
		10 ✓	5	0
6	Type of Drinking Water	Purified RO/ Mineral Water	Tap Water( provided by Local Authority)	Bore water
		10	✓ 5	0
7	Food Material Process (FSSA)	fully following the direction issued by FSSI	Partially following the direction issued by FSSI	No implement of directions by FSSI
		10 ✓	5	0
8	Signage	Signage provided for Toilets for public use		No signage for toilets for public
		10 ✓		0
9	Waste composting Plant	> 50% waste processed in-situ composting	In-Situ Composting installed	no installation of In-Situ Composting
		30	10	✓ 0
10	Separate bins for waste	separate bins provided for waste in good condition	separate bins provided for waste in broken condition	No separate bins provided for waste disposal
		10	✓ 5	0
11	Silt grill before drain Entry installed	Yes		No
		10 ✓		0

12	Fees Payment of Bulk Garbage Generators	For past 6 Months	for past 3 Month	no payment of BGG fees
		10	5	0
13	Display of Self Declaration (Annexure)	Self Declaration Displayed	Self Declaration there but not displayed	No Declaration
		10	5	0
TOTAL SCORE ( Max.150 MARKS) : 85				

Assessor Name and signature

(Subhash Narkhede)  
Sanitary Inspector





# Baramati Municipal Council, Baramati



## Assesment of swachh hotel for swachh sarvekshan-2021

Name of Hotel: HOTEL NEECAM PALACE

Ward no:

Address: PHALTAN ROAD KASBA, BARAMATI

Phone/Mobile No: 02112 - 222113 M. 7503767070

Manager Name & Number: WASIM KHAN

Tick(✓) the correct option

Sl. No.	Criteria	Marks Alloted		
1	Sanitation : Cleaning Schedule	3 Times/ Day 10	2 Times/ Day L 5	1 Times/day 2
2	Availability of Toilets	Separate toilet for Male & Female 10	Mixed toilet for male and female L 5	No Toilet 0
3	Toilets access to General Public	Available 10 L		Not Available 0
4	Worker Hygiene Upkeep	regular medical check-up of staff and proper uniform for Staff 10	proper uniform for Staff L 5	no proper hygiene of Staff 0
5	Food Safety and Standards Act(FSSAI) & Trade Licence	Having both trade and FSSAI licence 10 L	Have either Trade Licence or FSSAI licence 5	Neither Trade Licence nor FSSAI licence 0
6	Type of Drinking Water	Purified RO/ Mineral Water 10	Tap Water( provided by Local Authority) L 5	Bore water 0
7	Food Material Process (FSSAI)	fully following the direction issued by FSSAI 10 L	Partially following the direction issued by FSSAI 5	No implement of directions by FSSAI 0
8	Signage	Signage provided for Toilets for public use 10 L		No signage for toilets for public 0
9	Waste composting Plant	> 50% waste processed in-situ composting 30	In-Situ Composting installed 10	no installation of In-Situ Composting 0
10	Separate bins for waste	separate bins provided for waste in good condition 10	separate bins provided for waste in broken condition L 5	No separate bins provided for waste disposal 0
11	Waste disposal	Yes 10 L		No 0

12	Fees Payment of Bulk Garbage Generators	For past 6 Months	for past 3 Month	no payment of BGG fees
		10	✓ 5	0
13	Display of Self Declaration (Annexure)	Self Declaration Displayed	Self Declaration there but not displayed	No Declaration
		10	✓ 5	0
TOTAL SCORE ( Max.150 MARKS) : 85				

Assessor Name and signature

(Subhash Narkhede)  
Sanitary Inspector





# Baramati Municipal Council, Baramati



## Assesment of swachh hotel for swachh sarvekshan-2021

Name of Hotel: SUDIT EXCAVATE

Ward no:

Address: Ambika Nagar, Jalochi, Baramati

Phone/Mobile No: 7218670799

Manager Name & Number:

Tick (✓) the correct option

Sl. No.	Criteria	Marks Alloted		
1	Sanitation : Cleaning Schedule	3 Times/ Day 10	2 Times/ Day 5	1 Times/day 2
2	Availability of Toilets	Separate toilet for Male & Female 10	Mixed toilet for male and female 5	No Toilet 0
3	Toilets access to General Public	Available 10		Not Available 0
4	Worker Hygiene Upkeep	regular medical check-up of staff and proper uniform for Staff 10	proper uniform for Staff 5	no proper hygiene of Staff 0
5	Food Safety and Standards Act(FSSA) & Trade Licence	Having both trade and FSSI licence 10	Have either Trade Licence or FSSI licence 5	Neither Trade Licence nor FSSI licence 0
6	Type of Drinking Water	Purified RO/ Mineral Water 10	Tap Water( provided by Local Authority) 5	Bore water 0
7	Food Material Process (FSSA)	fully following the direction issued by FSSI 10	Partially following the direction issued by FSSI 5	No implement of directions by FSSI 0
8	Signage	Signage provided for Toilets for public use 10		No signage for toilets for public 0
9	Waste composting Plant	> 50% waste processed in-situ composting 30	In-Situ Composting installed 10	no installation of In-Situ Composting 0
10	Separate bins for waste	separate bins provided for waste in good condition 10	separate bins provided for waste in broken condition 5	No separate bins provided for waste disposal 0
11	Silt grill before drain Entry installed	Yes 10		No 0

12	Fees Payment of Bulk Garbage Generators	For past 6 Months	for past 3 Month	no payment of BGG fees
		10	5	0
13	Display of Self Declaration (Annexure)	Self Declaration Displayed	Self Declaration there but not displayed	No Declaration
		10	5	0
TOTAL SCORE ( Max.150 MARKS) : 80				

Assessor Name and signature



(Subhash Narkhede)  
Sanitary Inspector



# Baramati Municipal Council, Baramati



## Assesment of swachh hotel for swachh sarvekshan-2021

Name of Hotel: Hotel Sunit Executive

Ward no:

Address: Ambika nagar, Jalochi, Baramati

Phone/Mobile No: 7218670799

Manager Name & Number:

Tick( ✓ ) the correct option

Sl. No.	Criteria	Marks Alloted		
1	Sanitation : Cleaning Schedule	3 Times/ Day	<input checked="" type="checkbox"/> 2 Times/ Day	1 Times/day
		10	<input checked="" type="checkbox"/> 5	2
2	Availability of Toilets	Separate toilet for Male & Female	Mixed toilet for male and female	No Toilet
		<input checked="" type="checkbox"/> 10	5	0
3	Toilets access to General Public	Available		Not Available
		<input checked="" type="checkbox"/> 10		0
4	Worker Hygiene Upkeep	regular medical check-up of staff and proper uniform for Staff	proper uniform for Staff	no proper hygiene of Staff
		10	<input checked="" type="checkbox"/> 5	0
5	Food Safety and Standards Act(FSSA) & Trade Licence	Having both trade and FSSI licence	Have either Trade Licence or FSSI licence	Neither Trade Licence nor FSSI licence
		<input checked="" type="checkbox"/> 10	5	0
6	Type of Drinking Water	Purified RO/ Mineral Water	Tap Water( provided by Local Authority)	Bore water
		10	<input checked="" type="checkbox"/> 5	0
7	Food Material Process (FSSA)	fully following the direction issued by FSSI	Partially following the direction issued by FSSI	No implement of directions by FSSI
		<input checked="" type="checkbox"/> 10	5	0
8	Signage	Signage provided for Toilets for public use		No signage for toilets for public
		<input checked="" type="checkbox"/> 10		0
9	Waste composting Plant	> 50% waste processed in-situ composting	In-Situ Composting installed	no installation of In-Situ Composting
		30	10	<input checked="" type="checkbox"/> 0
10	Separate bins for waste	separate bins provided for waste in good condition	separate bins provided for waste in broken condition	No separate bins provided for waste disposal
		10	5	<input checked="" type="checkbox"/> 0
11	Silt grill before drain Entry installed	Yes		No
		<input checked="" type="checkbox"/> 10		0

12	Fees Payment of Bulk Garbage Generators	For past 6 Months	for past 3 Month	no payment of BGG fees
		10	5	✓ 0
13	Display of Self Declaration (Annexure)	Self Declaration Displayed	Self Declaration there but not displayed	No Declaration
		10	5	0
TOTAL SCORE ( Max.150 MARKS) : 80				

Assessor Name and signature

(Subhash Narkhede)  
Sanitary Inspector





# Baramati Municipal Council, Baramati



## Assesment of swachh hotel for swachh sarvekshan-2021

Name of Hotel: Sudh Executive

Ward no:

Address: Ambika Nagar, Jalochi, Baramati

Phone/Mobile No: 7218 670799

Manager Name & Number:

Tick (✓) the correct option

Sl. No.	Criteria	Marks Alloted		
		3 Times/ Day	2 Times/ Day	1 Times/day
1	Sanitation : Cleaning Schedule	10	✓ 5	2
2	Availability of Toilets	Separate toilet for Male & Female	Mixed toilet for male and female	No Toilet
		✓ 10	5	0
3	Toilets access to General Public	Available		Not Available
		✓ 10		0
4	Worker Hygiene Upkeep	regular medical check-up of staff and proper uniform for Staff	proper uniform for Staff	no proper hygiene of Staff
		10	✓ 5	0
5	Food Safety and Standards Act(FSSA) & Trade Licence	Having both trade and FSSI licence	Have either Trade Licence or FSSI licence	Neither Trade Licence nor FSSI licence
		✓ 10	5	0
6	Type of Drinking Water	Purified RO/ Mineral Water	Tap Water( provided by Local Authority)	Bore water
		10	✓ 5	0
7	Food Material Process (FSSA)	fully following the direction issued by FSSI	Partially following the direction issued by FSSI	No implement of directions by FSSI
		✓ 10	5	0
8	Signage	Signage provided for Toilets for public use		No signage for toilets for public
		✓ 10		0
9	Waste composting Plant	> 50% waste processed in-situ composting	In-Situ Composting installed	no installation of In-Situ Composting
		30	10	✓ 0
10	Separate bins for waste	separate bins provided for waste in good condition	separate bins provided for waste in broken condition	No separate bins provided for waste disposal
		10	5	0
11	Silt grill before drain Entry installed	Yes		No
		✓ 10		0

12	Fees Payment of Bulk Garbage Generators	For past 6 Months	for past 3 Month	no payment of BGG fees
		10	5	<u>    </u> 0
13	Display of Self Declaration (Annexure)	Self Declaration Displayed	Self Declaration there but not displayed	No Declaration
		10	<u>    </u> 5	0
TOTAL SCORE ( Max.150 MARKS) :		80		

Assessor Name and signature

(Subhash Narkhede)  
Sanitary Inspector





# Baramati Municipal Council, Baramati



एक कदम स्वच्छता की ओर

## Assesment of swachh hotel for swachh sarvekshan-2021

Name of Hotel: Amruta pure veg.

Ward no:

Address: Cinema road Baramati

अमृता प्युअर व्हेज  
सिनेमा रोड, बारामती, जि. पुणे  
मोबा 9822250008

Phone/Mobile No: 98222 50008

Manager Name & Number: Anil Rai 8830858233

Tick(✓) the correct option

Sl. No.	Criteria	Marks Alloted		
1	Sanitation : Cleaning Schedule	3 Times/ Day	2 Times/ Day	1 Times/day
		10	5	2
2	Availability of Toilets	Separate toilet for Male & Female	Mixed toilet for male and female	No Toilet
		10	5	0
3	Toilets access to General Public	Available		Not Available
		10		0
4	Worker Hygiene Upkeep	regular medical check-up of staff and proper uniform for Staff	proper uniform for Staff	no proper hygiene of Staff
		10	5	0
5	Food Safety and Standards Act(FSSA) & Trade Licence	Having both trade and FSSI licence	Have either Trade Licence or FSSI licence	Neither Trade Licence nor FSSI licence
		10	5	0
6	Type of Drinking Water	Purified RO/ Mineral Water	Tap Water( provided by Local Authority)	Bore water
		10	5	0
7	Food Material Process (FSSA)	fully following the direction issued by FSSI	Partially following the direction issued by FSSI	No implement of directions by FSSI
		10	5	0
8	Signage	Signage provided for Toilets for public use		No signage for toilets for public
		10		0
9	Waste composting Plant	> 50% waste processed in-situ composting	In-Situ Composting installed	no installation of In-Situ Composting
		30	10	0
10	Separate bins for waste	separate bins provided for waste in good condition	separate bins provided for waste in broken condition	No separate bins provided for waste disposal
		10	5	0
11	Silt grill before drain Entry installed	Yes		No
		10		0

12	Fees Payment of Bulk Garbage Generators	For past 6 Months	for past 3 Month	no payment of BGG fees
		10	5	0
13	Display of Self Declaration (Annexure)	Self Declaration Displayed	Self Declaration there but not displayed	No Declaration
		10	5	0
TOTAL SCORE ( Max.150 MARKS) : 75				

Assessor Name and signature



(Subhash Narkhede)  
Sanitary Inspector



# Baramati Municipal Council, Baramati



## Assesment of swachh hotel for swachh sarvekshan-2021

Name of Hotel: Amruta Pure Veg.

Ward no:

Address: Cinema road Baramati अमृता प्युअर वेज सिनेमा रोड, बोरामती, जि. पुणे

Phone/Mobile No: 9822250008

मोबा 9822250008

Manager Name & Number: Anil Rai 8830858233

Tick(✓) the correct option

Sl. No.	Criteria	Marks Alloted		
		3 Times/ Day	2 Times/ Day	1 Times/day
1	Sanitation : Cleaning Schedule	10	5	<u>L</u> 2
2	Availability of Toilets	Separate toilet for Male & Female 10	Mixed toilet for male and female <u>L</u> 5	No Toilet 0
3	Toilets access to General Public	Available 10 <u>L</u>		Not Available 0
4	Worker Hygiene Upkeep	regular medical check-up of staff and proper uniform for Staff 10	proper uniform for Staff <u>L</u> 5	no proper hygiene of Staff 0
5	Food Safety and Standards Act(FSSAI) & Trade Licence	Having both trade and FSSAI licence 10 <u>L</u>	Have either Trade Licence or FSSAI licence 5	Neither Trade Licence nor FSSAI licence 0
6	Type of Drinking Water	Purified RO/ Mineral Water 10	Tap Water( provided by Local Authority) <u>L</u> 5	Bore water 0
7	Food Material Process (FSSAI)	fully following the direction issued by FSSAI 10 <u>L</u>	Partially following the direction issued by FSSAI 5	No implement of directions by FSSAI 0
8	Signage	Signage provided for Toilets for public use 10 <u>L</u>		No signage for toilets for public 0
9	Waste composting Plant	> 50% waste processed in-situ composting 30	In-Situ Composting installed 10	no installation of In-Situ Composting <u>L</u> 0
10	Separate bins for waste	separate bins provided for waste in good condition 10	separate bins provided for waste in broken condition <u>L</u> 5	No separate bins provided for waste disposal 0
11	Silt grill before drain Entry installed	Yes 10 <u>L</u>		No 0

12	Fees Payment of Bulk Garbage Generators	For past 6 Months	for past 3 Month	no payment of BGG fees
		10	5	0
13	Display of Self Declaration (Annexure)	Self Declaration Displayed	Self Declaration there but not displayed	No Declaration
		10	5	0
TOTAL SCORE ( Max.150 MARKS) :		75		

Assessor Name and signature



(Subhash Narkhede)  
Sanitary Inspector



# Baramati Municipal Council, Baramati



## Assesment of swachh hotel for swachh sarvekshan-2021

Name of Hotel: Amruta pure veg.

Ward no:

Address: cinema road Baramati अमृता प्युरे वेज  
सिनेमा रोड, वारामती, जि पुणे  
मोबा 9822250008

Phone/Mobile No: 9822250008

Manager Name & Number: Arvi Patil 8830858233

Tick (✓) the correct option

Sl. No.	Criteria	Marks Alloted		
1	Sanitation : Cleaning Schedule	3 Times/ Day	2 Times/ Day	1 Times/day
		10	5	2
2	Availability of Toilets	Separate toilet for Male & Female	Mixed toilet for male and female	No Toilet
		10	5	0
3	Toilets access to General Public	Available		Not Available
		10		0
4	Worker Hygiene Upkeep	regular medical check-up of staff and proper uniform for Staff	proper uniform for Staff	no proper hygiene of Staff
		10	5	0
5	Food Safety and Standards Act(FSSA) & Trade Licence	Having both trade and FSSI licence	Have either Trade Licence or FSSI licence	Neither Trade Licence nor FSSI licence
		10	5	0
6	Type of Drinking Water	Purified RO/ Mineral Water	Tap Water( provided by Local Authority)	Bore water
		10	5	0
7	Food Material Process (FSSA)	fully following the direction issued by FSSI	Partially following the direction issued by FSSI	No implement of directions by FSSI
		10	5	0
8	Signage	Signage provided for Toilets for public use		No signage for toilets for public
		10		0
9	Waste composting Plant	> 50% waste processed in-situ composting	In-Situ Composting installed	no installation of In-Situ Composting
		30	10	0
10	Separate bins for waste	separate bins provided for waste in good condition	separate bins provided for waste in broken condition	No separate bins provided for waste disposal
		10	5	0
11	Silt grill before drain Entry installed	Yes		No
		10		0

12	Fees Payment of Bulk Garbage Generators	For past 6 Months	for past 3 Month	no payment of BGG fees
		10	5	0
13	Display of Self Declaration (Annexure)	Self Declaration Displayed	Self Declaration there but not displayed	No Declaration
		10	5	0
TOTAL SCORE ( Max.150 MARKS) : 75				

Assessor Name and signature



(Subhash Narkhede)  
Sanitary Inspector



# Baramati Municipal Council, Baramati



एक कदम स्वच्छता की ओर

## Assessment of market for swachh sarvekshan 2021

NAME OF THE MARKET:

वा.न.प. गणेश मंडी, वारामती.

WARD NO:

LOCATION & ADDRESS:

इंदोपुर चक, वारामती.

PH NO. OF EXECUTIVE OFFICER/MARKET HEAD:

Tick(✓) the correct option

Sl. No	Criteria	Marks Allotted		
1	Toilet facilities available	Separate facilities available for men, women and Physically Disabled	Toilets available in common	No toilets
		15 ✓	8	0
2	Sweeping/Cleaning inside and outside the market premises	Sweeping done twice a day	Sweeping done once a day	Not done properly
		10 ✓	5	0
3	Litter bins available and coloured/segregated	Litter bins available and coloured	Litter bins available but not coloured	Litter bins not available
		10	5	✓ 0
4	Insitu Biodegradable waste Composting	Composting done inside the market	Waste sent outside for composting	No composting done
		30	✓ 15	0
5	Signage Boards prominently displayed inside and outside the market	Signage boards in good condition	Signage boards available but not in good condition	Signage boards not available
		5 ✓	2	0
6	Paved Roads/Drains	Paved roads/Drains are available and in good condition	Paved roads/Drains are available but not in good condition	Paved roads/Drains not available
		10 ✓	5	0
7	Boundary Wall around the Market/ Demarcated Parking/Entrance & Exit Gate	Boundary Wall around the Market/ Demarcated Parking/Entrance & Exit Gate available and in good condition	Boundary Wall around the Market & Entry/ Exit Gate are available but Demarcated Parking is not present	Boundary Wall around the Market/ Demarcated Parking/Entrance & Exit Gate are not available
		5 ✓	2	0
8	Plastic Covers Ban inside the Market	Plastic covers banned and displayed not to use plastic	Plastic covers banned but not displayed not to use plastic	No Plastic ban
		5 ✓	2	0
9	Citizen feedback	75-100% Positive feed back	50-75% Positive feed back	Less than 50%
		5	2	✓ 0
10	Drinking water facility	Drinking water facility available and in good condition	Drinking water facility available but not in good condition	Not available
		5 ✓	2	0
TOTAL SCORE (MAX. 100 MARKS):		70		

Assessor Name and Signature



(Subhash Narkhede)  
Sanitary Inspector



# Baramati Municipal Council, Baramati



## Assessment of market for swachh sarvekshan 2021

NAME OF THE MARKET:

श्री. न. प. गणेश मंडई, बरामती.

WARD NO:

LOCATION & ADDRESS:

इंदूर चौक, बरामती.

PH NO. OF EXECUTIVE OFFICER/MARKET HEAD:

Tick (✓) the correct option

Sl. No	Criteria	Marks Allotted		
1	Toilet facilities available	Separate facilities available for men, women and Physically Disabled	Toilets available in common	No toilets
		15 ✓	8	0
2	Sweeping/Cleaning inside and outside the market premises	Sweeping done twice a day	Sweeping done once a day	Not done properly
		10 ✓	5	0
3	Litter bins available and coloured/segregated	Litter bins available and coloured	Litter bins available but not coloured	Litter bins not available
		10	5	✓ 0
4	Insitu Biodegradable waste Composting	Composting done inside the market	Waste sent outside for composting	No composting done
		30	✓ 15	0
5	Signage Boards prominently displayed inside and outside the market	Signage boards in good condition	Signage boards available but not in good condition	Signage boards not available
		5 ✓	2	0
6	Paved Roads/Drains	Paved roads/Drains are available and in good condition	Paved roads/Drains are available but not in good condition	Paved roads/Drains not available
		10 ✓	5	0
7	Boundary Wall around the Market/ Demarcated Parking/Entrance & Exit Gate	Boundary Wall around the Market/ Demarcated Parking/Entrance & Exit Gate available and in good condition	Boundary Wall around the Market & Entry/ Exit Gate are available but Demarcated Parking is not present	Boundary Wall around the Market/ Demarcated Parking/Entrance & Exit Gate are not available
		5 ✓	2	0
8	Plastic Covers Ban inside the Market	Plastic covers banned and displayed not to use plastic	Plastic covers banned but not displayed not to use plastic	No Plastic ban
		5 ✓	2	0
9	Citizen feedback	75-100% Positive feed back	50-75% Positive feed back	Less than 50%
		5	2	✓ 0
10	Drinking water facility	Drinking water facility available and in good condition	Drinking water facility available but not in good condition	Not available
		5 ✓	2	0
TOTAL SCORE (MAX. 100 MARKS):		70		

Assessor Name and Signature



(Subhash Narkhede)  
Sanitary Inspector



# Baramati Municipal Council, Baramati



## Assessment of market for swachh sarvekshan 2021

NAME OF THE MARKET:

का.न.प. गणेश मंडी, बरामती

WARD NO:

LOCATION & ADDRESS:

इंदार चौक, बरामती

PH NO. OF EXECUTIVE OFFICER/MARKET HEAD:

Tick(✓) the correct option

Sl. No	Criteria	Marks Allotted		
1	Toilet facilities available	Separate facilities available for men, women and Physically Disabled	Toilets available in common	No toilets
		15 ✓	8	0
2	Sweeping/Cleaning inside and outside the market premises	Sweeping done twice a day	Sweeping done once a day	Not done properly
		10 ✓	5	0
3	Litter bins available and coloured/segregated	Litter bins available and coloured	Litter bins available but not coloured	Litter bins not available
		10 ✓	5	0 ✓
4	Insitu Biodegradable waste Composting	Composting done inside the market	Waste sent outside for composting	No composting done
		30 ✓	15 ✓	0
5	Signage Boards prominently displayed inside and outside the market	Signage boards in good condition	Signage boards available but not in good condition	Signage boards not available
		5 ✓	2	0
6	Paved Roads/Drains	Paved roads/Drains are available and in good condition	Paved roads/Drains are available but not in good condition	Paved roads/Drains not available
		10 ✓	5	0
7	Boundary Wall around the Market/ Demarcated Parking/Entrance & Exit Gate	Boundary Wall around the Market/ Demarcated Parking/Entrance & Exit Gate available and in good condition	Boundary Wall around the Market & Entry/ Exit Gate are available but Demarcated Parking is not present	Boundary Wall around the Market/ Demarcated Parking/Entrance & Exit Gate are not available
		5 ✓	2	0
8	Plastic Covers Ban inside the Market	Plastic covers banned and displayed not to use plastic	Plastic covers banned but not displayed not to use plastic	No Plastic ban
		5 ✓	2	0
9	Citizen feedback	75-100% Positive feed back	50-75% Positive feed back	Less than 50%
		5	2	0 ✓
10	Drinking water facility	Drinking water facility available and in good condition	Drinking water facility available but not in good condition	Not available
		5 ✓	2	0
TOTAL SCORE (MAX. 100 MARKS):		70		

Assessor Name and Signature



(Subhash Narkhede)  
Sanitary Inspector



# Baramati Municipal Council, Baramati



## Assessment of market for swachh sarvekshan 2021

NAME OF THE MARKET:

छायाजी शाह मंदिराज उद्योग भवन वारामती.

WARD NO:

LOCATION & ADDRESS:

मुठापडी चोक वारामती

PH NO. OF EXECUTIVE OFFICER/MARKET HEAD:

रीटन शरफ मो. 8888985993

Tick (✓) the correct option

Sl. No	Criteria	Marks Allotted		
1	Toilet facilities available	Separate facilities available for men, women and Physically Disabled	Toilets available in common	No toilets
		15 ✓	8	0
2	Sweeping/Cleaning inside and outside the market premises	Sweeping done twice a day	Sweeping done once a day	Not done properly
		10 ✓	5	0
3	Litter bins available and coloured/segregated	Litter bins available and coloured	Litter bins available but not coloured	Litter bins not available
		10	✓ 5	0
4	Insitu Biodegradable waste Composting	Composting done inside the market	Waste sent outside for composting	No composting done
		30	✓ 15	0
5	Signage Boards prominently displayed inside and outside the market	Signage boards in good condition	Signage boards available but not in good condition	Signage boards not available
		5	✓ 2	0
6	Paved Roads/Drains	Paved roads/Drains are available and in good condition	Paved roads/Drains are available but not in good condition	Paved roads/Drains not available
		10 ✓	5	0
7	Boundary Wall around the Market/ Demarcated Parking/Entrance & Exit Gate	Boundary Wall around the Market/ Demarcated Parking/Entrance & Exit Gate available and in good condition	Boundary Wall around the Market & Entry/ Exit Gate are available but Demarcated Parking is not present	Boundary Wall around the Market/ Demarcated Parking/Entrance & Exit Gate are not available
		5	2	✓ 0
8	Plastic Covers Ban inside the Market	Plastic covers banned and displayed not to use plastic	Plastic covers banned but not displayed not to use plastic	No Plastic ban
		5 ✓	2	0
9	Citizen feedback	75-100% Positive feed back	50-75% Positive feed back	Less than 50%
		5	2	0
10	Drinking water facility	Drinking water facility available and in good condition	Drinking water facility available but not in good condition	Not available
		5	✓ 2	0
TOTAL SCORE (MAX. 100 MARKS): 66				

For Shivraj Communication

Assessor Name and Signature

*[Signature]*  
Proprietor

(Subhash Narkhede)  
Sanitary Inspector







# Baramati Municipal Council, Baramati



## Assessment of market for swachh sarvekshan 2021

NAME OF THE MARKET:

छत्रपती शाहू महाराज उद्योग भवन बारामती

WARD NO:

LOCATION & ADDRESS:

वडपडी चौक, बारामती

PH NO. OF EXECUTIVE OFFICER/MARKET HEAD:

रोहन शोरकर 9888985999

Tick (✓) the correct option

Sl. No	Criteria	Marks Allotted		
1	Toilet facilities available	Separate facilities available for men, women and Physically Disabled	Toilets available in common	No toilets
		15 ✓	8	0
2	Sweeping/Cleaning inside and outside the market premises	Sweeping done twice a day	Sweeping done once a day	Not done properly
		10 ✓	5	0
3	Litter bins available and coloured/segregated	Litter bins available and coloured	Litter bins available but not coloured	Litter bins not available
		10	5 ✓	0
4	Insitu Biodegradable waste Composting	Composting done inside the market	Waste sent outside for composting	No composting done
		30 ✓	15 ✓	0
5	Signage Boards prominently displayed inside and outside the market	Signage boards in good condition	Signage boards available but not in good condition	Signage boards not available
		5	2 ✓	0
6	Paved Roads/Drains	Paved roads/Drains are available and in good condition	Paved roads/Drains are available but not in good condition	Paved roads/Drains not available
		10 ✓	5	0
7	Boundary Wall around the Market/ Demarcated Parking/Entrance & Exit Gate	Boundary Wall around the Market/ Demarcated Parking/Entrance & Exit Gate available and in good condition	Boundary Wall around the Market & Entry/ Exit Gate are available but Demarcated Parking is not present	Boundary Wall around the Market/ Demarcated Parking/Entrance & Exit Gate are not available
		5	2	0 ✓
8	Plastic Covers Ban inside the Market	Plastic covers banned and displayed not to use plastic	Plastic covers banned but not displayed not to use plastic	No Plastic ban
		5 ✓	2	0
9	Citizen feedback	75-100% Positive feed back	50-75% Positive feed back	Less than 50%
		5	2 ✓	0
10	Drinking water facility	Drinking water facility available and in good condition	Drinking water facility available but not in good condition	Not available
		5 ✓	2 ✓	0
TOTAL SCORE (MAX. 100 MARKS):		66		

For Shiva Communication

Proprietor

Assessor Name and Signature

(Subhash Narkhede)  
Sanitary Inspector



# BARAMATI MUNICIPAL COUNCIL, BARAMATI


ASSESSMENT FOR SWACHH OFFICE RANKING UNDER SWACHH SARVEKSHAN 2021

Ward No: \_\_\_\_\_

NAME OF THE OFFICE: प्रशासकीय ग्रामण बरामती

LOCATION & ADDRESS: २५/४२ रोड

PH NO. OF EXECUTIVE OFFICE HEAD: \_\_\_\_\_



## A) State of sanitation infrastructure in the Office

Urinals					
1	No. of Urinals stands	36	No. of Urinals functional	✓	Percentage Urinals functional
Toilet Seats					
2	No. of Toilet Seats	24	No. of Toilet Seats with functional ablution tap	✓	Percentage with functional ablution tap
3	No. of Toilet Seats	24	No. of Toilet Seats with functional flushing arrangement	✓	Percentage with working flushing arrangement
4	No. of Toilet Seats	38	No. of Toilet Seats hygienic	✓	Percentage having hygienic seats
Hand Wash Basins					
5	No. of Wash Hand Basins	38	No. of Wash Hand Basins functional	✓	percentage of wash hand basins in functional condition

(Scoring: 100%=2 points; 80-100%=1 point; less than 80%=0 points)

## A) State of sanitation in the premises of the office

Parameter	0 (Dirty)	1 (Moderately Clean)	2 (Spic and Span)
Whether the corridors are free from paan/gutka (Betel nut) stains			✓
Is there any unwanted/ discarded material lying in corridors or under staircases?			✓
Is there any unwanted/ discarded material lying on the roof, balconies?			✓
Is there any unwanted/ discarded material lying outside the Office premises?			✓

(Marking of 0 as 2, where 0 means dirty; 1-moderately clean and 2 - spic and span.)

## Adequacy of dust bins in the Office and premises

Adequacy of dustbins	0 (Not available)	1 (available but not adequate)	2 (available in adequate number)
Are dustbins sufficient, dustbins are for wet & dry			✓

Marks scored= 20 for the questionnaire;

(Subhash Narkhede)  
Sanitary Inspector



# BARAMATI MUNICIPAL COUNCIL, BARAMATI


ASSESSMENT FOR SWACHH OFFICE RANKING UNDER SWACHH SARVEKSHAN 2021

Ward No: \_\_\_\_\_

NAME OF THE OFFICE: प्रशासकीय भवन बरामती

LOCATION & ADDRESS: इंदोहर रोड

PH NO. OF EXECUTIVE OFFICE HEAD: \_\_\_\_\_



## A) State of sanitation infrastructure in the Office

Urinals					
1	No. of Urinals stands	36	No. of Urinals functional	✓	Percentage Urinals functional 100%
Toilet Seats					
2	No. of Toilet Seats	24	No. of Toilet Seats with functional ablution tap	✓	Percentage with functional ablution tap 80%
3	No. of Toilet Seats	24	No. of Toilet Seats with functional flushing arrangement	✓	Percentage with working flushing arrangement 90%
4	No. of Toilet Seats	38	No. of Toilet Seats hygienic	✓	Percentage having hygienic seats 100%
Hand Wash Basins					
5	No. of Wash Hand Basins	38	No. of Wash Hand Basins functional	✓	percentage of wash hand basins in functional condition 95%

(Scoring: 100%=2 points; 80-100%=1 point; less than 80%=0 points)

## A) State of sanitation in the premises of the office

Sl No	Parameter	0 (Dirty)	1 (Moderately Clean)	2 (Spic and Span)
6	Whether the corridors are free from paan/gutka (Betel nut) stains			✓
7	Is there any unwanted/ discarded material lying in rooms, corridors or under staircases?			✓
8	Is there any unwanted/ discarded material lying on the roof, balconies?			✓
9	Is there any unwanted/ discarded material lying outside premises?			✓

0 means dirty; 1-moderately clean and 2 - spic and span.)

## Adequacy of dust bins in the Office and premises

Adequacy of dust bins	0 (Not available)	1 (available but not adequate)	2 (available in adequate number)
Are sufficient dustbins are available (both for wet & dry waste)?			✓


20 for the questionnaire; Marks scored=



(Subhash Narkhede)  
Sanitary Inspector

# BARAMATI MUNICIPAL COUNCIL, BARAMATI

ASSESSMENT FOR SWACHH OFFICE RANKING UNDER SWACHH SARVEKSHAN 2021	
Ward No:	
NAME OF THE OFFICE:	प्रशासकीय भवन बारामती
LOCATION & ADDRESS:	इपाटूर रोड.
PH NO. OF EXECUTIVE OFFICE HEAD:	



## A) State of sanitation infrastructure in the Office

Urinals					
1	No. of Urinals stands	36	No. of Urinals functional	✓	Percentage Urinals functional
Toilet Seats					
2	No. of Toilet Seats	24	No. of Toilet Seats with functional ablation tap	✓	Percentage with functional ablation tap
3	No. of Toilet Seats	24	No. of Toilet Seats with functional flushing arrangement	✓	Percentage with working flushing arrangement
4	No. of Toilet Seats	38	No. of Toilet Seats hygienic	✓	Percentage having hygienic seats
Hand Wash Basins					
5	No. of Wash Hand Basins	38	No. of Wash Hand Basins functional	✓	percentage of wash hand basins in functional condition

(Scoring: 100%=2 points; 80-100%=1 point; less than 80%=0 points)

## A) State of sanitation in the premises of the office

Sl no	Parameter	0 (Dirty)	1 (Moderately Clean)	2 (Spic and Span)
6	Whether the corridors are free from paan/gutka (Betel nut) stains			✓
7	Is there any unwanted/ discarded material lying in rooms, corridors or under staircases?			✓
8	Is there any unwanted/ discarded material lying on the roof, balconies?			✓
9	Is there any unwanted/ discarded material lying outside but within the Office premises?			✓

(Scale of 0 to 2, where 0 means dirty; 1-moderately clean and 2 - spic and span.)

## B) Adequacy of dust bins in the Office and premises

Sufficiency of dustbins	0 (Not available)	1 (available but not adequate)	2 (available in adequate number)
10 Whether sufficient dustbins are available (both for wet & dry garbage)?			✓

Maximum Marks=20 for the questionnaire; Marks scored=


Assessor Name and signature



(Subhash Narkhede)  
Sanitary Inspector

# BARAMATI MUNICIPAL COUNCIL, BARAMATI

<b>ASSESSMENT FOR SWACHH OFFICE RANKING UNDER SWACHH SARVEKSHAN 2021</b>	
Ward No:	
NAME OF THE OFFICE:	MSEDCL, (Urjabhavan, Baramati.)
LOCATION & ADDRESS:	Bhigwan road, Baramati.
PH NO. OF EXECUTIVE OFFICE HEAD:	7875004269.



## A) State of sanitation infrastructure in the Office

Urinals					
1	No. of Urinals stands	80	No. of Urinals functional	80	Percentage Urinals functional
Toilet Seats					
2	No. of Toilet Seats	31	No. of Toilet Seats with functional ablation tap	31	Percentage with functional ablation tap
3	No. of Toilet Seats	39	No. of Toilet Seats with functional flushing arrangement	✓	Percentage with working flushing arrangement
4	No. of Toilet Seats	39	No. of Toilet Seats hygienic	✓	Percentage having hygienic seats
Hand Wash Basins					
5	No. of Wash Hand Basins	82	No. of Wash Hand Basins functional	✓	percentage of wash hand basins in functional condition

(Scoring: 100%=2 points; 80-100%=1 point; less than 80%=0 points)

## A) State of sanitation in the premises of the office

Sl no	Parameter	0 (Dirty)	1 (Moderately Clean)	2 (Spic and Span)
6	Whether the corridors are free from paan/gutka (Betel nut) stains	✓		✓
7	Is there any unwanted/ discarded material lying in rooms, corridors or under staircases?			✓
8	Is there any unwanted/ discarded material lying on the roof, balconies?			✓
9	Is there any unwanted/ discarded material lying outside but within the Office premises?			✓

(Scale of 0 to 2, where 0 means dirty; 1-moderately clean and 2 - spic and span.)

## B) Adequacy of dust bins in the Office and premises

Sufficiency of dustbins	0 (Not available)	1 (available but not adequate)	2 (available in adequate number)
10 Whether sufficient dustbins are available (both for wet & dry garbage)?			✓ 70%

Maximum Marks=20 for the questionnaire; Marks scored=

20


Assessee Name and Signature  
**C. C. C. M. Sub - Dn.**  
**M.S.E.D.Co. Ltd. Baramati**



(Subhash Narkhede)  
 Sanitary Inspector

## BARAMATI MUNICIPAL COUNCIL, BARAMATI

<b>ASSESSMENT FOR SWACHH OFFICE RANKING UNDER SWACHH SARVEKSHAN 2021</b>	
Ward No:	
NAME OF THE OFFICE:	
LOCATION & ADDRESS:	
PH NO. OF EXECUTIVE OFFICE HEAD:	



### A) State of sanitation infrastructure in the Office

Urinals					
1	No. of Urinals stands	20	No. of Urinals functional		Percentage Urinals functional
Toilet Seats					
2	No. of Toilet Seats		No. of Toilet Seats with functional ablution tap		Percentage with functional ablution tap
3	No. of Toilet Seats		No. of Toilet Seats with functional flushing arrangement		Percentage with working flushing arrangement
4	No. of Toilet Seats		No. of Toilet Seats hygienic		Percentage having hygienic seats
Hand Wash Basins					
5	No. of Wash Hand Basins		No. of Wash Hand Basins functional		percentage of wash hand basins in functional condition

(Scoring: 100%=2 points; 80-100%=1 point; less than 80%=0 points)

### A) State of sanitation in the premises of the office

Sl no	Parameter	0 (Dirty)	1 (Moderately Clean)	2 (Spic and Span)
6	Whether the corridors are free from paan/gutka (Betel nut) stains			
7	Is there any unwanted/ discarded material lying in rooms, corridors or under staircases?			
8	Is there any unwanted/ discarded material lying on the roof, balconies?			
9	Is there any unwanted/ discarded material lying outside but within the Office premises?			

(Scale of 0 to 2, where 0 means dirty; 1-moderately clean and 2 - spic and span.)

### B) Adequacy of dust bins in the Office and premises

Sufficiency of dustbins	0 (Not available)	1 (available but not adequate)	2 (available in adequate number)
10 Whether sufficient dustbins are available (both for wet & dry garbage)?			

Maximum Marks=20 for the questionnaire; Marks scored=

Assessor Name and signature

(Subhash Narkhede)  
Sanitary Inspector